

Estimated Quantities -- Letting May 13, 2016

Quantities shown are for information only and should not be used for bidding purposes. The official bid files should be obtained from www.bidx.com

Contract ID CNQ926 - KNOX

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	2,054.000	C.Y.
203-06	WATER	1.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	83.000	C.Y.
209-05	SEDIMENT REMOVAL	14.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	254.000	L.F.
209-08.07	ROCK CHECK DAM PER	1.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
209-40.30	CATCH BASIN PROTECTION (TYPE A)	3.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	1.000	EACH
209-40.41	CATCH BASIN FILTER ASSEMBLY(TYPE 1)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	465.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	8.000	TON
313-03	TREATED PERMEABLE BASE	1,375.000	S.Y.
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.300	TON
406-04.02	HIGH FRICTION SURFACE TREATMENT	989.000	S.Y.
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	51.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	221.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	0.500	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	4,285.000	S.Y.
501-01.04	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 11"	1,375.000	S.Y.
502-03.13	CONCRETE PAVEMENT REMOVAL	1,375.000	S.Y.
611-42.02	CATCH BASINS, TYPE 42, > 4' - 8' DEPTH	1.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH

Contract ID CNQ926 - KNOX

Item No.	Description	Quantity	Units
709-05.05	MACHINED RIP-RAP (CLASS A-3)	50.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	588.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	1,065.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	54.000	EACH
712-06	SIGNS (CONSTRUCTION)	712.000	S.F.
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	400.000	HOURL
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	6,120.000	L.F.
712-09.31	REMOVABLE BLACK-OUT TAPE (8IN)	6,120.000	L.F.
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	4.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	1,103.000	LB.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	20.000	EACH
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	3,154.000	LB.
713-11.01	"U" SECTION STEEL POSTS	1,245.000	LB.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	251.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	315.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	3.000	EACH
713-16.20	SIGNS (DESCRIPTION) (W1-8R 36"X48")	16.000	EACH
714-02.04	ENCASED CONDUIT (DESCRIPTION) (1" PVC, SCHEDULE 80)	50.000	L.F.
714-03.03	DIRECT BURIAL CONDUIT (DESCRIPTION) (1" PVC, SCHEDULE 40)	1,850.000	L.F.
714-05.02	PULL BOXES (TYPE A)	8.000	EACH
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	91.000	EACH
716-01.23	Snwplwble Pvmr Mrkr (Bi-Dir)(2 Color)	9.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	27.000	L.F.

Contract ID CNQ926 - KNOX

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMR MRKNG (6IN LINE)	1.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMR MRKNG (8IN BARRIER LINE)	204.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMR MRKNG (6IN DOTTED LINE)	805.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	1,900.000	L.F.
730-16.03	CONTROLLER (FLASHING BEACON)	1.000	EACH
730-26.07	FLASHING WARNING BEACON (DESCRIPTION)	4.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	86.000	S.Y.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	7.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	7.000	UNIT
801-02.15	FERTILIZER	0.200	TON
801-03	WATER (SEEDING & SODDING)	1.000	M.G.
805-12.01	EROSION CONTROL BLANKET (TYPE I)	701.000	S.Y.
806-02.03	PROJECT MOWING	2.000	CYCL

Contract ID CNQ211 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	10.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	2,500.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	50.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	10,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	23.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	60.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	150.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	100.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	5.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	10.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	24.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	19.000	S.F.
713-16.50	REMOVE AND REPLACE SIGN (DESCRIPTION) (DESCRIPTION)	9.000	EACH
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	6.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.
713-20.30	SIGN ADJUSTMENTS	8.000	EACH

Contract ID CNQ211 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	225.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	225.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	113.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION) (SQUARE TUBE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION) (PERFORATED/KNOCKOUT)	4.000	EACH

Contract ID CNQ199 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	3.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	15.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	2,880.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	2,400.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	45.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	10,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	38.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	27.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	180.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	100.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,500.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	8.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	5.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	45.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	45.000	S.F.
713-16.50	REMOVE AND REPLACE SIGN (DESCRIPTION) (LOGO)	20.000	EACH
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	4.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.
713-20.30	SIGN ADJUSTMENTS	8.000	EACH

Contract ID CNQ199 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	300.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	375.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	135.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION) (SQUARE TUBE)	11.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION) (PERFORATED/KNOCKOUT)	5.000	EACH

Contract ID CNQ214 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	12.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	1,500.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	75.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	12,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	60.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	60.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	38.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	50.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	225.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	75.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	5.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	6.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	30.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	19.000	S.F.
713-16.50	REMOVE AND REPLACE SIGN (DESCRIPTION) (LOGO)	11.000	EACH
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	5.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.
713-20.30	SIGN ADJUSTMENTS	6.000	EACH

Contract ID CNQ214 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	300.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	225.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	150.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION) (SQUARE TUBE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION) (PERFORATED/KNOCKOUT)	4.000	EACH

Contract ID CNQ207 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	4.000	EACH
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	15.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	3,000.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	75.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	12,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	30.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	38.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	150.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	200.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	3.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	8.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	15.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	30.000	S.F.
713-16.50	REMOVE AND REPLACE SIGN (DESCRIPTION) (LOGO)	8.000	EACH
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	5.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	100.000	L.F.
713-20.30	SIGN ADJUSTMENTS	4.000	EACH

Contract ID CNQ207 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	225.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	150.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	90.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION) (SQUARE TUBE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (DESCRIPTION) (PERFORATED/KNOCKOUT)	4.000	EACH

Contract ID CNQ175 - CANNON & DEKALB

Item No.	Description	Quantity	Units
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	9.720	L.M.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	100.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	6.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	6.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	5,125.000	L.F.
705-04.24	GUARDRAIL END TERMINAL DELINEATION SHEETING	2.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	10.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	310.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	528.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	860.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	1,710.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	2,917.000	LB.
713-11.21	P POST SLIP BASE	4.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	563.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	427.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	101.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	249.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	285.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	300.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	18.250	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	375.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ203 - DAVIDSON

Item No.	Description	Quantity	Units
712-01.56	MAINTENANCE OF TRAFFIC () (THOMPSON LANE UNDERPASS)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.05	TUNNEL CLEANING (THOMPSON LANE TUNNELS)	12.000	EACH

Contract ID CNQ218 - DAVIDSON , DICKSON, ETC.

Item No.	Description	Quantity	Units
725-10.75	TDOT SMARTWAY ITS SYSTEM MAINTENANCE (3 YEARS)	(1)	LS
725-10.76	REPAIR MAINTENANCE LABOR	5,000.000	HOURL
725-10.77	SPARE PARTS AND EQUIPMENT REPLACEMENT	1,000,000.000	DOLL
725-10.78	ONE CALL SERVICE	5,700.000	HOURL
725-10.79	SOFTWARE AND NETWORK MAINTENANCE AND SUPPORT	125,000.000	DOLL
725-10.80	SPECIAL MAINTENANCE REPAIR	2,500,000.000	DOLL

Contract ID CNQ194 - GILES

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	350.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	44.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	5,035.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	1,665.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	7.500	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	6,636.000	TON
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	40.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	6,052.000	S.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	14.000	EACH
706-01	GUARDRAIL REMOVED	500.000	L.F.
706-10.83	DRILL BR. PAR. WALL FOR MICHIGAN END SHOE	8.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	75.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	12.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,244.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	386.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	21.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	147.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	1,359.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	145.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	538.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	24.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	2.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH

Contract ID CNQ194 - GILES

Item No.	Description	Quantity	Units
716-04.10	PLASTIC PAVEMENT MARKING (HANDICAP SYMBOL)	14.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	15.600	L.M.
716-05.08	PAINTED PAVEMENT MARKING (PARKING LINE)	6,450.000	L.F.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	1.800	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	3.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	7.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	3.800	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	5,800.000	L.F.
730-14.03	LOOP WIRE	12,400.000	L.F.

Contract ID CNQ057 - HAMBLLEN & JEFFERSON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	1,180.000	HOUR
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	5,100.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	112,472.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	50.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	15,751.000	TON
307-02.02	ASPHALT CEMENT (PG70-22)(BPMB-HM) GRADING A-S	329.000	TON
307-02.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	12,141.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	10,172.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	329.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	656.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	83.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,360.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	30.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	12,361.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	7.000	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	8.000	L.M.
621-03.02	18" TEMPORARY DRAINAGE PIPE	120.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	7,265.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	7.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	7.000	EACH
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	14,915.000	L.F.
710-06.11	LATERAL UNDERDRAIN ENDWALL (2:1)	12.000	EACH
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	12.000	EACH
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	12.000	EACH

Contract ID CNQ057 - HAMBLEN & JEFFERSON

Item No.	Description	Quantity	Units
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	12.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	38.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	38.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	36.000	EACH
712-06	SIGNS (CONSTRUCTION)	377.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	630.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	180.000	EACH
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	28.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	7.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	76.000	S.F.
713-14.22	STREET NAME SIGN (SUSPENDED 0.100IN THICK)	75.000	S.F.
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	2.000	EACH
713-16.04	CHANGEABLE MESSAGE SIGN UNIT (DESCRIPT)	4.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	468.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	797.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	14.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	248.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	109.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	194.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	4.200	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	0.200	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	27.100	L.M.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	640.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	10.000	EACH

Contract ID CNQ057 - HAMBLEN & JEFFERSON

Item No.	Description	Quantity	Units
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	4.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 WITH BACKPLATE)	2.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 AU3 WITH BACKPLATE)	2.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	10.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	8.000	EACH
730-03.23	INSTALL PULL BOX (FIBER OPTIC-TYPE A)	3.000	EACH
730-03.24	INSTALL PULL BOX (FIBER OPTIC-TYPE B)	2.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	2.000	EACH
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	743.000	L.F.
730-08.04	SIGNAL CABLE - 9 CONDUCTOR	1,445.000	L.F.
730-08.40	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (36 STRAND SM)	2,475.000	L.F.
730-08.41	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (6 STRAND SM)	45.000	L.F.
730-09.01	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (30,065 LBS. MIN. BRK STRENGTH)	1,079.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	868.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	1,872.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	2,636.000	L.F.
730-12.08	CONDUIT 2" DIAMETER (RGS)	113.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	4,784.000	L.F.
730-14.02	SAW SLOT	2,556.000	L.F.
730-14.03	LOOP WIRE	7,400.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	2.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	2.000	EACH
730-18.01	MASTER CONTROLLER	1.000	EACH
730-23.02	STEEL STRAIN POLE (DESCRIPTION) (SIGNAL SUPPORT)	8.000	EACH

Contract ID CNQ174 - HAMILTON

Item No.	Description	Quantity	Units
104-03.71	ADDITIONAL WORK (DESCRIPTION) (CLEANING OF PORTAL FACADES @ MCCALLIE TUNNELS)	7,850.000	S.F.
712-01.52	MAINTENANCE OF TRAFFIC () (MCCALLIE TUNNELS)	12.000	EACH
712-01.53	MAINTENANCE OF TRAFFIC () (BACHMAN TUNNELS)	12.000	EACH
712-01.54	MAINTENANCE OF TRAFFIC () (STRINGERS RIDGE TUNNEL)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.01	TUNNEL CLEANING (MCCALLIE TUNNELS)	12.000	EACH
760-01.02	TUNNEL CLEANING (BACHMAN TUNNELS)	12.000	EACH
760-01.03	TUNNEL CLEANING (STRINGER RIDGE TUNNEL)	12.000	EACH

Contract ID CNQ020 - JEFFERSON

Item No.	Description	Quantity	Units
705-02.02	SINGLE GUARDRAIL (TYPE 2)	1,425.000	L.F.
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	1.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	6.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	6.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	5,975.000	L.F.
706-01	GUARDRAIL REMOVED	1,475.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.20	ROADSIDE OBSTACLE DELINEATION	273.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	930.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	495.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	4,046.000	LB.
713-11.21	P POST SLIP BASE	8.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	422.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	686.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	88.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	600.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	35.000	EACH
716-01.40	REMOVE AND REPLACE LENS ON SNOWPLOWABLE REFLECTIVE MARKER	110.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	20.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	392.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	13.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	325.000	L.F.
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	4.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	23.650	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	325.000	L.F.

Contract ID CNQ020 - JEFFERSON

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ201 - KNOX

Item No.	Description	Quantity	Units
712-01.56	MAINTENANCE OF TRAFFIC () (SMARTFIX I-40 RAMP)	12.000	EACH
712-01.60	MAINTENANCE OF TRAFFIC (HENLEY STREET TUNNELS)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.04	TUNNEL CLEANING (HENLEY STREET TUNNELS)	12.000	EACH
760-01.07	TUNNEL CLEANING (SMARTFIX I-40 RAMP)	12.000	EACH

Contract ID CNQ139 - LAUDERDALE

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,100.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	2,327.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	28,500.000	C.Y.
203-06	WATER	383.000	M.G.
209-05	SEDIMENT REMOVAL	77.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,568.000	L.F.
209-08.07	ROCK CHECK DAM PER	3.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	3.000	EACH
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	400.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	4,568.000	TON
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (D)	3,027.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	5.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	771.000	TON
307-01.02	ASPHALT CEMENT (PG64-22) (BPMB-HM) GRADING A-S	18.000	TON
307-01.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	518.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	769.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	6,128.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	11.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	42.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	227.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	3,760.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	351.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	11,470.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	10.220	L.M.

Contract ID CNQ139 - LAUDERDALE

Item No.	Description	Quantity	Units
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	13.180	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	26,368.000	TON
607-37.02	18" CORRUGATED METAL PIPE CULVERT	117.000	L.F.
607-37.03	24" CORRUGATED METAL PIPE CULVERT	179.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	68.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	73.000	L.F.
607-57.01	REINFORCED CONCRETE PIPE ARCH (22" X 13")	33.000	L.F.
611-02.10	JUNCTION BOX, TYPE 1	2.000	EACH
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	3.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	108.000	LB.
611-07.73	18IN ENDWALL (MEDIAN DRAIN)	1.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	72.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	890.000	L.F.
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	2.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	2.000	EACH
705-04.50	PORTABLE BARRIER RAIL DELINEATOR	130.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	4.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	500.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	10.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	200.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	23.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	2,750.000	L.F.
710-05	LATERAL UNDERDRAIN	250.000	L.F.
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	9.000	EACH
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	3.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	2.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	2,580.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	100.000	EACH

Contract ID CNQ139 - LAUDERDALE

Item No.	Description	Quantity	Units
712-05.01	WARNING LIGHTS (TYPE A)	6.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,963.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	6.000	EACH
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	516.000	LB.
713-11.21	P POST SLIP BASE	15.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	91.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	50.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	1,026.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	490.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	308.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	764.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	75.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	83.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	6,300.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	400.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	1,950.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	34.000	S.F.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.800	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	63.221	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	31.826	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.800	L.M.
717-01	MOBILIZATION	(1)	LS
730-12.01	CONDUIT 1" DIAMETER (PVC)	50.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	50.000	L.F.

Contract ID CNQ139 - LAUDERDALE

Item No.	Description	Quantity	Units
730-14.02	SAW SLOT	96.000	L.F.
730-14.03	LOOP WIRE	384.000	L.F.
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	1,000.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN (DESCRIPTION) (EROSION CONTROL)	200.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	12.000	UNIT
801-03	WATER (SEEDING & SODDING)	122.000	M.G.
803-01	SODDING (NEW SOD)	12,020.000	S.Y.

Contract ID CNQ006 - LAWRENCE

Item No.	Description	Quantity	Units
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	3.300	L.M.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	360.000	S.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	125.000	L.F.
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	2.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	2.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	2.000	EACH
705-04.10	EARTH PAD FOR GUARD RAIL END TREATMENT	2.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	1,500.000	L.F.
706-01	GUARDRAIL REMOVED	100.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.20	ROADSIDE OBSTACLE DELINEATION	3.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	426.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	1,048.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	3,192.000	LB.
713-11.21	P POST SLIP BASE	18.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	329.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	655.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	100.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	482.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	46.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	7.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	95.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	508.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	9.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	870.000	L.F.

Contract ID CNQ006 - LAWRENCE

Item No.	Description	Quantity	Units
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	320.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	3.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	1.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	2.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	14.000	S.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	25.600	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	0.350	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	950.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-02.41	SIGNAL HEAD MODIFICATION (DESCRIPTION) (BACKPLATE W/ REFLECTIVE BORDER)	12.000	EACH
730-26.08	FLASHING WARNING BEACON (DESCRIPTION)	8.000	EACH
730-26.10	PEDESTRIAN SIGNAL HEAD W/PUSHBUTTON & 15IN SIGN	8.000	EACH

Contract ID CNQ180 - LAWRENCE

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	90.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	100.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	700.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	29.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	5,442.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	2,010.000	TON
611-09.02	REWORK CATCHBASIN	20.000	EACH
701-01.01	CONCRETE SIDEWALK (4 ")	780.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	3,204.000	S.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	4.000	EACH
706-01	GUARDRAIL REMOVED	200.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	100.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,469.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	413.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	275.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	450.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	756.000	L.F.
716-02.13	PLASTIC PAVEMENT MARKING (CROSSWALK)	192.000	S.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	5.500	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	272.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	8.600	L.M.

Contract ID CNQ180 - LAWRENCE

Item No.	Description	Quantity	Units
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	6.800	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ171 - LAWRENCE

Item No.	Description	Quantity	Units
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	33.000	TON
405-01.01	BITUMINOUS MATERIAL (BSC)	160.000	TON
405-01.02	MINERAL AGGREGATE (BSC)	1,375.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	4,685.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	9.600	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	100.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	794.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	396.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	150.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.100	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	11.100	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	12.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ170 - LEWIS

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,376.000	TON
307-01.07	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	29.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	6,338.000	TON
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	10.000	EACH
706-01	GUARDRAIL REMOVED	250.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,096.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	460.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	500.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	290.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	8.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	11.400	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ196 - MADISON

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	102.000	S.Y.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	223.000	S.Y.
203-06	WATER	8.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (SEE PLANS)	944.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	103.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	4,050.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	153.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	4,322.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	7,693.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	175,895.000	S.Y.
701-01.01	CONCRETE SIDEWALK (4 ")	480.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	912.000	S.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	4.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,264.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	410.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	710.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	611.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	510.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	28.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	3,556.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	254.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	3.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	4.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	15.000	S.F.

Contract ID CNQ196 - MADISON

Item No.	Description	Quantity	Units
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	8.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	36.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	18.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	7,680.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	304.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-12.01	CONDUIT 1" DIAMETER (PVC)	50.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	50.000	L.F.
730-14.02	SAW SLOT	1,954.000	L.F.
730-14.03	LOOP WIRE	4,052.000	L.F.
604-10.44	EXPANSION JOINT REPAIRS	64.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	20.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	6,596.000	S.Y.

Contract ID CNQ181 - MCNAIRY

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	354.000	S.Y.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	2,293.000	S.Y.
203-06	WATER	23.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	2,939.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	1,056.000	TON
403-02.01	TRACKLESS TACK COAT	123.000	TON
405-03.01	PM REJUVENATING SCRUB SEAL	111,306.000	S.Y.
411-02.10	ACS MIX(PG70-22) GRADING D	11,392.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	6,413.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	10.500	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	198,804.000	S.Y.
701-01.01	CONCRETE SIDEWALK (4 ")	3,180.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	6,042.000	S.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	7.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	8.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	2,688.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	224.000	S.F.
713-11.01	"U" SECTION STEEL POSTS	64.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	50.000	LB.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	17.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	1,100.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	489.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	1,030.000	L.F.

Contract ID CNQ181 - MCNAIRY

Item No.	Description	Quantity	Units
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	485.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	875.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	76.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	330.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	460.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	49.060	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	10.250	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	31.810	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	50.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-12.01	CONDUIT 1" DIAMETER (PVC)	50.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	50.000	L.F.
730-14.02	SAW SLOT	1,156.000	L.F.
730-14.03	LOOP WIRE	2,752.000	L.F.

Contract ID CNQ132 - OBION

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	110.000	S.Y.
203-06	WATER	6.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (D)	798.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	51.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	2,764.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	89.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	5,123.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	1.380	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	4.140	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	120,174.000	S.Y.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	30.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	5.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	832.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	191.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	187.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	119.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	91.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	140.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	32.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	26.058	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.029	L.M.
717-01	MOBILIZATION	(1)	LS
604-10.44	EXPANSION JOINT REPAIRS	178.000	L.F.

Contract ID CNQ132 - OBION

Item No.	Description	Quantity	Units
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	2,182.000	S.Y.

Contract ID CNQ208 - OBION

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	150.000	S.Y.
203-06	WATER	6.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	609.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	69.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	2,058.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	67.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	5,976.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	113,413.000	S.Y.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	30.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,592.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	142.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	472.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	4.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	435.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	276.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	45.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	80.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	1.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	7.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	28.170	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	14.085	L.M.

Contract ID CNQ208 - OBION

Item No.	Description	Quantity	Units
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	961.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.20	INSTALL PULL BOX (TYPE A)	2.000	EACH
730-12.01	CONDUIT 1" DIAMETER (PVC)	150.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	150.000	L.F.
730-14.02	SAW SLOT	2,578.000	L.F.
730-14.03	LOOP WIRE	5,708.000	L.F.

Contract ID CNQ167 - PERRY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	200.000	TON
307-01.07	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	49.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,515.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,429.000	TON
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	8.000	EACH
706-01	GUARDRAIL REMOVED	200.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	760.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	403.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	23.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	140.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	22.700	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	10.500	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	12.200	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ136 - PUTNAM

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-01.50	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	73.000	EACH
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	10,367.000	C.Y.
203-06	WATER	100.000	M.G.
209-05	SEDIMENT REMOVAL	204.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	1,292.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,897.000	L.F.
209-08.07	ROCK CHECK DAM PER	82.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	7.000	EACH
209-09.01	SANDBAGS	100.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	1.000	EACH
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	200.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	11,605.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	485.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	2,482.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,768.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	21.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	83.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	2.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	1,195.000	TON
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	92.000	L.F.
607-08.02	42" CONCRETE PIPE CULVERT (CLASS III)	128.000	L.F.
607-37.02	18" CORRUGATED METAL PIPE CULVERT	79.000	L.F.
607-37.03	24" CORRUGATED METAL PIPE CULVERT	4.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	540.000	L.F.
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	9.000	C.Y.

Contract ID CNQ136 - PUTNAM

Item No.	Description	Quantity	Units
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	1,200.000	LB.
611-07.03	STRUCTURAL STEEL (PIPE ENDWALLS)	228.000	LB.
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.60	30IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	40.000	L.F.
621-03.06	42" TEMPORARY DRAINAGE PIPE	195.000	L.F.
701-02	CONCRETE DRIVEWAY	1,106.000	S.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	375.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	325.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	220.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	162.000	TON
709-05.09	MACHINED RIP-RAP (CLASS C)	323.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	87.000	EACH
712-06	SIGNS (CONSTRUCTION)	125.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	72.000	L.F.
712-09.01	REMOVABLE PAVEMENT MARKING LINE	472.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	77.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	20.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	2.600	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	28.000	L.F.
716-13.06	SPRAY THERMO PVMT MRKNG (40 mil) (4IN LINE)	2.200	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	1,634.000	S.Y.
740-11.01	TEMPORARY SEDIMENT TUBE 8IN (DESCRIPTION) (SEE PLANS)	433.000	L.F.
801-01	SEEDING (WITH MULCH)	150.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	625.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	165.000	UNIT
801-03	WATER (SEEDING & SODDING)	25.000	M.G.

Contract ID CNQ136 - PUTNAM

Item No.	Description	Quantity	Units
803-01	SODDING (NEW SOD)	14,000.000	S.Y.
805-01.01	TURF REINFORCEMENT MAT (CLASS I)	1,175.000	S.Y.
805-01.02	TURF REINFORCEMENT MAT (CLASS II)	100.000	S.Y.
805-12.02	EROSION CONTROL BLANKET (TYPE II)	1,400.000	S.Y.

Contract ID CNQ164 - ROBERTSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,022.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	51.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,800.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	11.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,726.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	624.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	450.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	24.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.500	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.900	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	13.600	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ159 - SULLIVAN

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	13.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	2,032.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	2,006.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	400.000	S.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	838.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	5.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	5.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	145.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	72.000	EACH
712-06	SIGNS (CONSTRUCTION)	583.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	166.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	35.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	254.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	36.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	3.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	8.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	2,720.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
202-06.01	REMOVAL OF BUILDINGS (TRACT NO.) (TRACT NO. 15)	(1)	LS
202-06.02	REMOVAL OF BUILDINGS (TRACT NO.) (TRACT NO. 65)	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	65,027.000	C.Y.
203-01.11	PRESPLITTING OF ROCK EXCAVATION	400.000	S.Y.
203-01.29	ROCK EXCAVATION	3,077.000	C.Y.
203-02.02	BORROW EXCAVATION (GRADED SOLID ROCK)	5,333.000	C.Y.
203-06	WATER	3,730.000	M.G.
203-10.15	WASTE MATERIAL	4,839.000	C.Y.
204-08	FOUNDATION FILL MATERIAL	148.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	120.000	C.Y.
209-02.05	12" TEMPORARY SLOPE DRAIN	812.000	L.F.
209-03.22	FILTER SOCK (18 INCH)	3,977.000	L.F.
209-05	SEDIMENT REMOVAL	202.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	4,918.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	9,362.000	L.F.
209-08.07	ROCK CHECK DAM PER	36.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	10.000	EACH
209-09.01	SANDBAGS	1,445.000	BAG
209-09.04	SEDIMENT FILTER BAG(15' X 10')	3.000	EACH
209-09.43	CURB INLET PROTECTION (TYPE 4)	57.000	EACH
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	44.000	S.Y.
209-20.04	POLYETHYLENE SHEETING (10 MIL.)	30.000	S.Y.

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
209-40.34	CATCH BASIN PROTECTION (TYPE E)	78.000	EACH
209-65.03	TEMPORARY DIVERSION CHANNEL	200.000	L.F.
303-01.01	GRANULAR BACKFILL (ROADWAY)	2,960.000	TON
303-01.03	GRANULAR BACKFILL (RETAINING WALLS)	1,178.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	1,381.000	TON
303-10.03	MINERAL AGGREGATE (SIZE 68)	54.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	164.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	502.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	12,667.000	TON
307-02.02	ASPHALT CEMENT (PG70-22)(BPMB-HM) GRADING A-S	244.000	TON
307-02.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	7,264.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	6,661.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	58.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	77.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	757.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	4,697.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	6,716.000	S.Y.
604-01.01	CLASS A CONCRETE (ROADWAY)	568.000	C.Y.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	129,977.000	LB.
604-01.20	BOX TUBE SAFETY RAIL	245.000	L.F.
604-02.41	ENERGY DISSIPATER (DESCRIPTION) (26'x12' CONTRA COSTA)	1.000	EACH
604-02.42	ENERGY DISSIPATER (DESCRIPTION) (34'x8' CONTRA COSTA)	1.000	EACH
604-07.01	RETAINING WALL (DESCRIPTION) (STA. 163+70.00 RT. TO STA. 166+15.00 RT.)	1,758.000	S.F.
604-07.02	RETAINING WALL (DESCRIPTION) (STA. 168+50.00 LT. TO STA. 173+00.00 LT.)	5,806.000	S.F.

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
604-07.03	RETAINING WALL (DESCRIPTION) (PVT. DRIVE STA. 12+05.00 RT. LORAIN DRIVE)	385.000	S.F.
604-07.04	RETAINING WALL (DESCRIPTION) (PVT. DRIVE STA. 12+31.00 LT. LORAIN DRIVE)	97.000	S.F.
604-07.05	RETAINING WALL (DESCRIPTION) (PVT. DRIVE STA. 13+16.00 RT. LORAIN DRIVE)	243.000	S.F.
604-07.06	RETAINING WALL (DESCRIPTION) (PVT. DRIVE STA. 13+16.00 LT. LORAIN DRIVE)	243.000	S.F.
604-07.07	RETAINING WALL (DESCRIPTION) (PVT. DRIVE STA. 168+50 RT. SR 109)	396.000	S.F.
604-07.08	RETAINING WALL (DESCRIPTION) (STA. 149+08.17 RT. TO STA. 149+25.05 RT.)	160.000	S.F.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	7,383.000	L.F.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	2,207.000	L.F.
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	588.000	L.F.
607-07.02	36" CONCRETE PIPE CULVERT (CLASS III)	221.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	302.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	180.000	L.F.
611-01.02	MANHOLES, > 4' - 8' DEPTH	3.000	EACH
611-01.03	MANHOLES, > 8' - 12' DEPTH	2.000	EACH
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	18.000	EACH
611-02.11	JUNCTION BOX, TYPE 2	2.000	EACH
611-07.31	18IN ENDWALL (SIDE DRAIN)	10.000	EACH
611-07.32	24IN ENDWALL (SIDE DRAIN)	6.000	EACH
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-07.60	30IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-12.01	CATCH BASINS, TYPE 12, 0' - 4' DEPTH	4.000	EACH
611-12.02	CATCH BASINS, TYPE 12, > 4' - 8' DEPTH	21.000	EACH
611-12.03	CATCH BASINS, TYPE 12, > 8' - 12' DEPTH	7.000	EACH
611-12.04	CATCH BASINS, TYPE 12, > 12' - 16' DEPTH	1.000	EACH
611-14.01	CATCH BASINS, TYPE 14, 0' - 4' DEPTH	1.000	EACH
611-14.02	CATCH BASINS, TYPE 14, > 4' - 8' DEPTH	18.000	EACH

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
611-14.03	CATCH BASINS, TYPE 14, > 8' - 12' DEPTH	6.000	EACH
611-14.04	CATCH BASINS, TYPE 14, > 12' - 16' DEPTH	2.000	EACH
611-14.05	CATCH BASINS, TYPE 14, > 16' - 20' DEPTH	1.000	EACH
611-25.02	CATCH BASINS, TYPE 25, > 4' - 8' DEPTH	5.000	EACH
611-38.02	CATCH BASINS, TYPE 38, > 4' - 8' DEPTH	1.000	EACH
611-40.01	CATCH BASINS, TYPE 40, 0' - 4' DEPTH	1.000	EACH
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	5.000	EACH
611-42.02	CATCH BASINS, TYPE 42, > 4' - 8' DEPTH	5.000	EACH
620-05	CONCRETE PARAPET WITH STRUCTURAL TUBING	450.000	L.F.
621-03.08	54" TEMPORARY DRAINAGE PIPE	155.000	L.F.
621-03.09	60" TEMPORARY DRAINAGE PIPE	80.000	L.F.
701-01.01	CONCRETE SIDEWALK (4 ")	61,985.000	S.F.
701-02	CONCRETE DRIVEWAY	21,561.000	S.F.
701-02.03	CONCRETE CURB RAMP	5,045.000	S.F.
702-01	CONCRETE CURB	141.000	C.Y.
702-01.01	EXTRUDED MOUNTABLE CURB	1,070.000	L.F.
702-03	CONCRETE COMBINED CURB & GUTTER	1,037.000	C.Y.
703-01	CEMENT CONCRETE DITCH PAVING	20.000	C.Y.
705-01.01	GUARDRAIL AT BRIDGE ENDS	54.000	L.F.
705-01.04	METAL BEAM GUARD FENCE	69.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	650.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	2.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	6.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	16.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	410.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	61.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	1,750.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	4,723.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	1,463.000	TON
709-05.09	MACHINED RIP-RAP (CLASS C)	129.000	TON

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	12,722.000	L.F.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	90.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	3,380.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	467.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	156.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	14.000	EACH
712-06	SIGNS (CONSTRUCTION)	356.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	60.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
713-11.01	"U" SECTION STEEL POSTS	1,053.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	322.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	262.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	110.000	S.F.
713-14.21	STREET NAME SIGN (RIGID 0.100IN THICK)	63.000	S.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	129.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	338.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	120.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	592.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	47.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	292.000	L.F.
716-02.12	PLASTIC PAVEMENT MARKING (8IN LINE)	0.296	L.M.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.13	PLASTIC PAVEMENT MARKING (BIKELANE SYMBOL & ARROW)	12.000	EACH

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	3.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	8.587	L.F.
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	1.694	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	7.160	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	615.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	2,840.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	1.000	EACH
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	14.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	5.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130A3 WITH BACKPLATE)	4.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	14.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	10.000	EACH
730-03.23	INSTALL PULL BOX (FIBER OPTIC-TYPE A)	4.000	EACH
730-03.24	INSTALL PULL BOX (FIBER OPTIC-TYPE B)	8.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	2.000	EACH
730-08.01	SIGNAL CABLE - 3 CONDUCTOR	979.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	2,610.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	3,179.000	L.F.
730-08.40	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (4 STRAND SINGLE MODE)	1,817.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	1,887.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	6,388.000	L.F.
730-12.03	CONDUIT 3" DIAMETER (PVC)	46.000	L.F.
730-12.08	CONDUIT 2" DIAMETER (RGS)	885.000	L.F.
730-12.09	CONDUIT 3" DIAMETER (RGS)	516.000	L.F.
730-13.03	VEHICLE DETECTOR (4 - CHANNEL, RACK MOUNT)	7.000	EACH

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
730-13.07	VEHICLE DETECTOR (SIREN ACTIVATED PRIORITY CONTROL)	3.000	EACH
730-14.01	SHIELDED DETECTOR CABLE	4,736.000	L.F.
730-14.02	SAW SLOT	2,962.000	L.F.
730-14.03	LOOP WIRE	8,708.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	2.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	2.000	EACH
730-23.30	PEDESTAL POLE (DESCRIPTION) (PEDESTRIAN SIGNAL SUPPORT)	9.000	EACH
730-23.36	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (2 @ 54' & 62')	1.000	EACH
730-23.37	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (2 @ 52' & 64')	1.000	EACH
730-23.96	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 65')	1.000	EACH
730-23.97	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 68')	1.000	EACH
730-23.98	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 72')	1.000	EACH
730-23.99	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 90')	1.000	EACH
730-26.11	COUNTDOWN PED SGNL HEAD W/AUDIBLE PUSH BUTTON & 15IN SIGN	16.000	EACH
730-35.06	BATTERY BACK-UP AND POWER CONDITIONER	1.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	1.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	6,923.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	7,645.000	S.Y.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN (DESCRIPTION) (FOR EROSION CONTROL)	910.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	56.000	UNIT
801-02.15	FERTILIZER	1.000	TON
801-03	WATER (SEEDING & SODDING)	42.000	M.G.
803-01	SODDING (NEW SOD)	37,668.000	S.Y.
806-02.03	PROJECT MOWING	6.000	CYCL

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
790-02.07	POLE 35FT CLASS 2 METAL	1.000	EACH
790-03.06	POLE 40FT CLASS 2 METAL	12.000	EACH
790-04.02	POLE 45FT CLASS 2 WOOD	5.000	EACH
790-04.06	POLE 45FT CLASS 1 METAL	1.000	EACH
790-04.07	POLE 45FT CLASS 2 METAL	26.000	EACH
790-05.01	POLE 50FT CLASS 1 WOOD	7.000	EACH
790-05.05	POLE 50FT CLASS 1 METAL	3.000	EACH
790-20.01	POLE(DESCRIPTION) (40FT CLASS 4 METAL)	1.000	EACH
790-21.06	1PH PRIMARY MED ANGLE 15KV	1.000	EACH
790-21.07	1PH PRIMARY LG ANGLE 15KV	1.000	EACH
790-21.08	1PH DEADEND 15KV	3.000	EACH
790-21.09	1PH PRIMARY TAP 15KV	12.000	EACH
790-21.10	1PH VERTICAL DDE 15KV	3.000	EACH
790-23.01	2PH CROSSARM SGL PRIM SUPPORT 15KV	1.000	EACH
790-23.07	2PH CROSSARM CONST DEADEND (SGL) 15KV	1.000	EACH
790-23.08	2PH CROSSARM CONST DEADEND (DBL) 15KV	1.000	EACH
790-25.01	3PH CROSSARM SGL 15KV	20.000	EACH
790-25.02	3PH NARROW PROFILE SGL 15KV	1.000	EACH
790-25.10	3PH CROSSARM DBL DBL PRIM SUPPORT 15KV	9.000	EACH
790-25.22	3PH XARM DEADEND SGL NARROW PROFILE 15KV	7.000	EACH
790-25.23	3PH CROSSARM DDE 15KV	3.000	EACH
790-25.25	3PH CROSSARM DDE NARROW PROFILE 15KV	6.000	EACH
790-25.28	3PH CROSSARM SGL 10FT 15KV	1.000	EACH
790-30.07	SECONDARY CONDUCTOR 4 AL DUPLEX	775.000	L.F.
790-31.02	SERVICE ASSEMBLY-POLE TYPE	81.000	EACH
790-31.11	SERVICE CONDUCTOR 2 AL TRIPLEX	1,689.000	L.F.
790-31.20	SERVICE CONDUCTOR 1/0 AL QPLEX	137.000	L.F.
790-32.01	DOWN GUY - THROUGH BOLT TYPE	72.000	EACH
790-32.07	OH GUY - THROUGH BOLT TYPE	6.000	EACH
790-33.20	ANCHOR TRIPLE EYE POWER INSTALLED	47.000	EACH

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
790-40.01	OH COND 4 7/1 ACSR SWANATE	854.000	L.F.
790-40.02	OH COND 2 7/1 ACSR SPARATE	3,584.000	L.F.
790-40.03	OH COND 1/0 6/1 ACSR RAVEN	1,804.000	L.F.
790-40.42	OH COND 336.4 19 AAC TULIP	7,426.000	L.F.
790-40.49	OH COND 795 37 AAC ARBUTUS	22,278.000	L.F.
790-42.13	CONDUIT - POLE MTD - 3IN SCH 80 PVC	3.000	L.F.
790-46.01	1PH TRANSFORMER	28.000	EACH
790-47.02	2PH XFMR BNK POLE MTD W/ FUSE/ARRESTERS	2.000	EACH
790-49.02	3PH XFMR BNK POLE MTD W/ FUSE/ARRESTERS	2.000	EACH
790-58.06	GOAB SWITCH 15KV	1.000	EACH
790-64.01	SEC MTG 1PH 120/240 VOLTS	1.000	EACH
790-65.03	LIGHTNING ARRESTER ARM MTD 9 KV	12.000	EACH
790-65.16	3PH CAPACITOR ASSEMBLY SWITCHED 15KV	1.000	EACH
790-68.10	MISCELLANEOUS ASSEMBLIES	10.000	EACH
790-70.20	STREET LIGHT (DESCRIPTION) (ANY)	22.000	EACH
790-98.01	REMOVE WIRE	40,238.000	L.F.
790-98.02	REMOVE POLES	51.000	EACH
790-98.03	REMOVE FRAMING/ASSOCIATED APPARATUS	324.000	EACH
790-98.20	TREE AND BRUSH REMOVAL OFF ROW	(1)	LS
791-01.01	<2IN STEEL GAS MAIN	600.000	L.F.
791-01.02	2IN STEEL GAS MAIN	4,300.000	L.F.
791-01.04	4IN STEEL GAS MAIN	2,500.000	L.F.
791-01.23	2IN POWERCRETE COATED STL GAS MAIN-OPEN CUT	300.000	L.F.
791-01.26	4IN PWRCRETE CTD STL GAS MN-OPN CUT	20.000	L.F.
791-04.53	HDD 4IN POWERCRETE COATED STEEL GAS MN	80.000	L.F.
791-06.11	CONNECT TO 4IN EX. STL MAIN	1.000	EACH
791-06.17	CONNECT TO __IN EX. STL MAIN (SEE PLANS)	38.000	EACH
791-06.31	CONNECT TO 2IN EX. STL MAIN W/ STOPPLE	3.000	EACH
791-06.32	CONNECT TO 4IN EX. STL MAIN W/ STOPPLE	1.000	EACH

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
791-07.09	2IN STEEL GAS VALVE ASSEMBLY	4.000	EACH
791-07.10	4IN STEEL GAS VALVE ASSEMBLY	2.000	EACH
791-08.12	3/4IN STEEL SERVICE PIPE	100.000	L.F.
791-08.13	1IN STEEL SERVICE PIPE	50.000	L.F.
791-08.22	HDD 3/4IN STEEL SERVICE PIPE	400.000	L.F.
791-08.23	HDD 1IN STEEL SERVICE PIPE	200.000	L.F.
791-09.05	RESTORE ASPHALT	100.000	S.Y.
791-09.06	RESTORE CONCRETE	100.000	S.Y.
791-09.07	RESTORE GRAVEL	100.000	S.Y.
791-10.10	RETIRE GAS MAIN	(1)	LS
793-01.08	POLE 35FT CLASS 5 WOOD	5.000	EACH
793-01.12	POLE 40FT CLASS 4 WOOD	7.000	EACH
793-01.18	POLE 45FT CLASS 4 WOOD	3.000	EACH
793-01.24	POLE 55FT CLASS 2 WOOD	1.000	EACH
793-01.41	ANCHOR 1IN	21.000	EACH
793-13.07	4IN SCHEDULE 40 PVC	190.000	L.F.
793-13.12	1 DUCT FORMATION @ 36IN DEPTH	190.000	L.F.
793-14.19	4IN SCH 80 ORANGE FLEXPIPE	110.000	L.F.
793-16.04	DIRECTIONAL BORE 4IN/FLEX SLEEVE	110.000	L.F.
793-98.04	REMOVE POLES ALL SIZES	24.000	EACH
795-01.03	6IN DIP RESTRAINED JOINT WATER LINE	200.000	L.F.
795-01.04	6IN DIP SLIP JOINT WATER LINE	1,300.000	L.F.
795-01.05	8IN DIP RESTRAINED JOINT WATER LINE	80.000	L.F.
795-01.06	8IN DIP SLIP JOINT WATER LINE	800.000	L.F.
795-01.14	16IN DIP SLIP JOINT WATER LINE	40.000	L.F.
795-01.20	24IN DIP SLIP JOINT WATER LINE	40.000	L.F.
795-01.23	36IN DIP RESTRAINED JOINT WATER LINE	300.000	L.F.
795-01.24	36IN DIP SLIP JOINT WATER LINE	5,600.000	L.F.
795-02.01	2IN HDPE WATER LINE	700.000	L.F.
795-03.02	2IN PVC WATER LINE	300.000	L.F.

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
795-05.01	HDD 2IN HDPE CARRIER PIPE-UNCON	1,800.000	L.F.
795-05.77	BORE/JACK 12IN STEEL CASING PIPE-ROCK.	80.000	L.F.
795-05.79	BORE/JACK 16IN STEEL CASING PIPE-ROCK.	40.000	L.F.
795-07.03	6IN X 6IN TAPPING SLEEVE AND VALVE	5.000	EACH
795-07.29	24IN X 24IN TPPNG SLVE & VLVE	1.000	EACH
795-08.01	2IN GATE VALVE ASSEMBLY	2.000	EACH
795-08.04	6IN GATE VALVE ASSEMBLY	13.000	EACH
795-08.05	8IN GATE VALVE ASSEMBLY	3.000	EACH
795-08.22	36IN BUTTERFLY VALVE ASSEMBLY	3.000	EACH
795-09.01	3/4IN WATER SERVICE METER ASSEMBLY	48.000	EACH
795-09.09	RELOCATE/RECONNECT SERVICE ASSEMBLY	5.000	EACH
795-09.10	SAMPLE TAP	5.000	EACH
795-09.28	3/4IN COPPER SERVICE PIPE	3,500.000	L.F.
795-10.09	4IN AUTO AIR RELEASE VALVE ASSEMBLY	2.000	EACH
795-11.01	BLOW-OFF ASSEMBLY	2.000	EACH
795-11.02	FIRE HYDRANT ASSEMBLY	10.000	EACH
795-13.01	DI FITTINGS	30,000.000	LB.
795-14.02	CLASS B CONCRETE	200.000	C.Y.
795-14.08	RESTORE ASPHALT	100.000	S.Y.
795-14.10	RESTORE GRAVEL	100.000	S.Y.
795-15.02	12IN STEEL CASING PIPE OPEN CUT METHOD	80.000	L.F.
795-15.13	48IN STEEL CASING PIPE OPEN CUT METHOD	300.000	L.F.
797-05.01	8IN DIP GRAVITY SEWER 0FT-6FT DEPTH	698.000	L.F.
797-05.02	8IN DIP GRAVITY SEWER 6FT-12FT DEPTH	390.000	L.F.
797-05.03	8IN DIP GRAVITY SEWER 12FT-18FT DEPTH	245.000	L.F.
797-05.04	8IN DIP GRAVITY SEWER >18FT DEPTH	235.000	L.F.
797-05.10	12IN DIP GRAVITY SEWER 6FT-12FT DEPTH	120.000	L.F.
797-05.12	12IN DIP GRAVITY SEWER >18FT DEPTH	250.000	L.F.
797-05.18	18IN DIP GRAVITY SEWER 6FT-12FT DEPTH	160.000	L.F.
797-05.51	8IN PVC GRAVITY SEWER 0FT-6FT DEPTH	12.000	L.F.

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
797-05.52	8IN PVC GRAVITY SEWER 6FT-12FT DEPTH	915.000	L.F.
797-05.53	8IN PVC GRAVITY SEWER 12FT-18FT DEPTH	180.000	L.F.
797-05.54	8IN PVC GRAVITY SEWER >18FT DEPTH	205.000	L.F.
797-06.81	BORE/JACK 30IN STEEL CASING PIPE-ROCK.	100.000	L.F.
797-06.94	OPEN CUT 30IN STEEL CASING PIPE	105.000	L.F.
797-07.01	48IN MANHOLE 0FT-4FT DEPTH	2.000	EACH
797-07.02	48IN MANHOLE 4FT-6FT DEPTH	4.000	EACH
797-07.03	48IN MANHOLE 6FT-8FT DEPTH	5.000	EACH
797-07.04	48IN MANHOLE 8FT-10FT DEPTH	3.000	EACH
797-07.05	48IN MANHOLE 10FT-12FT DEPTH	3.000	EACH
797-07.06	48IN MANHOLE 12FT-14FT DEPTH	1.000	EACH
797-07.07	48IN MANHOLE 14FT-16FT DEPTH	1.000	EACH
797-07.09	48IN MANHOLE 20FT-24FT DEPTH	1.000	EACH
797-07.14	60IN MANHOLE 6FT-8FT DEPTH	2.000	EACH
797-07.17	60IN MANHOLE 12FT-14FT DEPTH	1.000	EACH
797-07.19	60IN MANHOLE 16FT-20FT DEPTH	1.000	EACH
797-07.21	60IN MANHOLE 24FT-28FT DEPTH	1.000	EACH
797-07.22	60IN MANHOLE >28FT DEPTH	1.000	EACH
797-07.56	MANHOLE DROP CONNECTION ASSEMBLY	3.000	EACH
797-08.02	PVC FITTINGS	500.000	LB.
797-08.04	4IN PVC PIPE FOR SERVICE LATERAL	200.000	L.F.
797-08.05	6IN PVC PIPE FOR SERVICE LATERAL	650.000	L.F.
797-08.07	4IN CLEAN OUT ASSEMBLY	4.000	EACH
797-08.08	6IN CLEAN OUT ASSEMBLY	13.000	EACH
797-08.20	CONNECT SERVICE LINES (ALL SIZES)	17.000	EACH
797-10.05	CONNECT 4IN LATERAL TO SEWER LINE	4.000	EACH
797-10.06	CONNECT 6IN LATERAL TO SEWER LINE	13.000	EACH
797-11.25	RETIREIN PLACE 48IN MANHOLE	11.000	EACH
797-11.38	BY-PASS PUMPING	(1)	LS
797-11.40	RESTORE ASPHALT	200.000	S.Y.

Contract ID CNQ172 - SUMNER

Item No.	Description	Quantity	Units
797-11.41	RESTORE CONCRETE	50.000	S.Y.
797-11.42	RESTORE GRAVEL	200.000	S.Y.
203-06	WATER	4,004.000	M.G.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	38,998.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	100.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	391.000	TON
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	18,266.000	TON
309-01.01	MINERAL AGGREGATE (A-CBC)	16,391.000	TON
309-01.02	PORTLAND CEMENT (A-CBC)	632.000	TON
309-02	BITUMINOUS MATERIAL (A-CBC)	53.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	184.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	725.000	TON

Contract ID CNQ168 - SUMNER

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	450.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	250.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	33.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,011.000	TON
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	5.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	534.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	808.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	439.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	26.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	100.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	10.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	72.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	22.200	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	8.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.900	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	9.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	6.300	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	2,000.000	L.F.
730-14.03	LOOP WIRE	4,350.000	L.F.

Contract ID CNQ168 - SUMNER

Contract ID CNQ160 - WASHINGTON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	184.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	6,822.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	21,068.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	18.000	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	14.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	27,757.000	TON
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	15.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	15.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	750.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	528.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	40.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	24.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	20.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,788.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.20	SIGNS (DESCRIPTION) (W2-1)	6.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	1,644.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	40.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	31.000	EACH
716-03.04	PLASTIC WORD PAVEMENT MARKING (SCHOOL)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	43.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	43.000	L.M.
717-01	MOBILIZATION	(1)	LS
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.

Contract ID CNQ160 - WASHINGTON

Item No.	Description	Quantity	Units
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	1,156.000	S.Y.

Contract ID CNQ178 - WAYNE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	450.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	25.000	TON
303-10.02	MINERAL AGGREGATE (SIZE 2)	25.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	50.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	31.000	TON
407-02.11	REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	100.000	C.Y.
411-02.10	ACS MIX(PG70-22) GRADING D	7,706.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	13.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,540.000	TON
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	18.000	EACH
706-01	GUARDRAIL REMOVED	900.000	L.F.
709-05.06	MACHINED RIP-RAP (CLASS A-1)	150.000	TON
710-09.07	6" PERFORATED PLASTIC PIPE (FRENCH DRAIN)	250.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	696.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	710.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	40.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,585.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	200.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	3.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	13.000	L.M.

Contract ID CNQ178 - WAYNE

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	28.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	650.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ183 - WEAKLEY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	450.000	S.Y.
203-06	WATER	21.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	2,798.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	207.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	3,407.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	111.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	10,783.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	145,717.000	S.Y.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	480.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	16.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,712.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	622.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	280.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	160.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	84.056	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.188	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	28.840	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	2,920.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-02.01	REMOVAL OF PIPE (SIZE ,STA.) (18" ,S.R. 166 STA. 89+79.35)	58.000	L.F.
202-02.02	REMOVAL OF PIPE (SIZE ,STA.) (48" ,S.R. 166, STA. 107+21.85)	57.000	L.F.
202-02.03	REMOVAL OF PIPE (SIZE ,STA.) (36",RAMP B, STA. 108+76.65)	16.000	L.F.
202-02.04	REMOVAL OF PIPE (SIZE ,STA.) (36", RAMP D, STA.109+99.58)	45.000	L.F.
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	190.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	64,034.000	C.Y.
203-01.11	PRESPLITTING OF ROCK EXCAVATION	2,211.000	S.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	655,540.000	C.Y.
203-06	WATER	2,095.000	M.G.
204-08	FOUNDATION FILL MATERIAL	76.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	30.000	C.Y.
209-05	SEDIMENT REMOVAL	2,096.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	8,116.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	26,532.000	L.F.
209-08.05	ENHANCED SILT FENCE CHECK (V-DITCH)	12.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	24.000	EACH
209-09.01	SANDBAGS	300.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	9.000	EACH
209-40.41	CATCH BASIN FILTER ASSEMBLY(TYPE 1)	1.000	EACH
209-40.42	CATCH BASIN FILTER ASSEMBLY(TYPE 2)	1.000	EACH
209-40.43	CATCH BASIN FILTER ASSEMBLY(TYPE 3)	2.000	EACH
209-40.44	CATCH BASIN FILTER ASSEMBLY(TYPE 4)	2.000	EACH

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
209-65.03	TEMPORARY DIVERSION CHANNEL	780.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	35,687.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY) (ROADWAY)	2,274.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	452.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	4,359.000	TON
307-01.02	ASPHALT CEMENT (PG64-22) (BPMB-HM) GRADING A-S	51.000	TON
307-01.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	1,504.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	2,016.000	TON
313-03	TREATED PERMEABLE BASE	24,165.000	S.Y.
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	74.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	293.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	31.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,320.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	1,375.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	1,880.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	2.100	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	1.900	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	0.800	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	2,890.000	TON
501-01.03	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 10"	23,650.000	S.Y.
604-01.01	CLASS A CONCRETE (ROADWAY)	342.000	C.Y.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	48,779.000	LB.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	140.000	L.F.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	212.000	L.F.
607-07.02	36" CONCRETE PIPE CULVERT (CLASS III)	128.000	L.F.
607-07.03	36" CONCRETE PIPE CULVERT (CLASS IV)	102.000	L.F.

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
607-08.30	42" PIPE CULVERT	128.000	L.F.
607-09.03	48" CONCRETE PIPE CULVERT (CLASS IV)	124.000	L.F.
607-10.04	54" CONCRETE PIPE CULVERT (CLASS V)	222.000	L.F.
607-39.01	15" PIPE CULVERT (SIDE DRAIN)	44.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	358.000	L.F.
607-39.06	42" PIPE CULVERT (SIDE DRAIN)	32.000	L.F.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	290.000	L.F.
611-01.02	MANHOLES, > 4' - 8' DEPTH	1.000	EACH
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	26.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	386.000	LB.
611-07.30	15IN ENDWALL (SIDE DRAIN)	4.000	EACH
611-07.31	18IN ENDWALL (SIDE DRAIN)	16.000	EACH
611-07.56	18IN ENDWALL (CROSS DRAIN) 6:1	2.000	EACH
611-07.63	36IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.66	42IN ENDWALL (CROSS DRAIN) 3:1	3.000	EACH
611-07.69	48IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-38.04	CATCH BASINS, TYPE 38, > 12' - 16' DEPTH	1.000	EACH
611-39.01	CATCH BASINS, TYPE 39, 0' - 4' DEPTH	2.000	EACH
611-39.02	CATCH BASINS, TYPE 39, > 4' - 8' DEPTH	2.000	EACH
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	1.000	EACH
621-01.01	TEMPORARY STRUCTURE (DESCRIPTION - STATION) (56' OF 18" PIPE - STA 14+29.50)	(1)	LS
621-01.02	TEMPORARY STRUCTURE (DESCRIPTION - STATION) (90' OF 18" PIPE - STA 15+12.00)	(1)	LS
621-01.03	TEMPORARY STRUCTURE (DESCRIPTION - STATION) (80' OF 18" PIPE - STA 19+85.00)	(1)	LS
701-01.01	CONCRETE SIDEWALK (4 ")	1,867.000	S.F.
701-02	CONCRETE DRIVEWAY	144.000	S.F.
702-01	CONCRETE CURB	13.000	C.Y.
703-01	CEMENT CONCRETE DITCH PAVING	8.000	C.Y.
705-01.01	GUARDRAIL AT BRIDGE ENDS	162.000	L.F.

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
705-02.02	SINGLE GUARDRAIL (TYPE 2)	4,998.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	4.000	EACH
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	1.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	17.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	7.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	11.000	EACH
706-01	GUARDRAIL REMOVED	527.000	L.F.
707-01.11	CHAIN LINK FENCE (6 FOOT)	6,020.000	L.F.
707-01.12	END & CORNER POST ASSEMBLY(CHAIN-LINK FENCE 6')	20.000	EACH
707-04	WATER CROSSING	60.000	L.F.
707-05	WATER GATE	56.000	S.F.
707-06.01	REMOVAL OF FENCE (DESCRIPTION) (STOCK)	6,105.000	L.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	1,440.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	36.000	EACH
709-01.01	RUBBLE STONE RIP-RAP	11.000	C.Y.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	295.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	1,202.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	517.000	TON
709-05.09	MACHINED RIP-RAP (CLASS C)	1,390.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	14,145.000	L.F.
710-06.11	LATERAL UNDERDRAIN ENDWALL (2:1)	8.000	EACH
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	16.000	EACH
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	11.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	23.000	EACH
711-05.71	51IN SINGLE SLOPE CONCRETE BARRIER WALL	680.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	5,890.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	420.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	270.000	EACH

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,292.000	S.F.
712-06.01	VERTICAL PANELS	348.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	144.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	3.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	808.000	LB.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	75.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	22.000	EACH
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	2,625.000	LB.
713-11.21	P POST SLIP BASE	220.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	75.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	75.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	728.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.07	END OF ROADWAY SIGN AND SUPPORT	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	16.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	182.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	237.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	33.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	158.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	428.000	L.F.
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	6.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	4.500	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	106.000	L.F.
716-05.09	PAINTED PAVEMENT MARKING(STRAIGHT-TURN ARROW)	8.000	EACH
716-05.11	PAINTED PAVEMENT MARKING(STRAIGHT ARROW)	4.000	EACH

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	4.500	L.M.
716-05.49	PAINTED PAVEMENT MARKINGS(8" LINE)	4.500	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVTM MRKNG (6IN LINE)	6.900	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVTM MRKNG (8IN BARRIER LINE)	1,072.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVTM MRKNG (6IN DOTTED LINE)	1,916.000	L.F.
716-13.01	SPRAY THERMO PVTM MRKNG (60 mil) (4IN LINE)	3.100	L.M.
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	1.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	2,848.000	S.Y.
801-01	SEEDING (WITH MULCH)	1,093.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	100.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	100.000	UNIT
801-03	WATER (SEEDING & SODDING)	1,210.000	M.G.
801-07	SEED (SUPPLEMENTAL APPLICATION)	246.000	LB.
801-08	FERTILIZER (SUPPLEMENTAL APPLICATION)	2.000	TON
803-01	SODDING (NEW SOD)	107,955.000	S.Y.
805-01.02	TURF REINFORCEMENT MAT (CLASS II)	11,767.000	S.Y.
805-01.03	TURF REINFORCEMENT MAT (CLASS III)	424.000	S.Y.
806-02.03	PROJECT MOWING	4.000	CYCL
204-02.01	DRY EXCAVATION (BRIDGES)	332.000	C.Y.
303-01.02	GRANULAR BACKFILL (BRIDGES)	40.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	136,023.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	307.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	47,100.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	311.000	S.Y.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	414.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	3,809.000	S.Y.
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	1,819.000	S.Y.

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
606-02.03	STEEL PILES (10 INCH)	2,086.000	L.F.
606-02.06	PILE TIPS (STEEL PILES, 10 INCH)	86.000	EACH
615-01.11	PRESTRESSED CONCRETE BULB TEE BEAM (6" WEB)(BT-63)	1,647.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	550.000	L.F.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	174.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	36.000	L.F.
790-02.04	POLE 35FT CLASS 5 WOOD	3.000	EACH
790-03.01	POLE 40FT CLASS 2 WOOD	2.000	EACH
790-03.03	POLE 40FT CLASS 4 WOOD	3.000	EACH
790-04.02	POLE 45FT CLASS 2 WOOD	3.000	EACH
790-04.04	POLE 45FT CLASS 4 WOOD	2.000	EACH
790-05.03	POLE 50FT CLASS 3 WOOD	2.000	EACH
790-09.05	POLE 70FT CLASS H2 METAL	4.000	EACH
790-10.07	POLE 75FT CLASS H4 METAL	3.000	EACH
790-11.05	POLE 80FT CLASS H2 METAL	2.000	EACH
790-11.07	POLE 80FT CLASS H4 METAL	1.000	EACH
790-12.05	POLE 85FT CLASS H2 METAL	3.000	EACH
790-20.01	POLE(DESCRIPTION) (60FT CLASS H4 METAL)	1.000	EACH
790-20.02	POLE(DESCRIPTION) (63FT SELF SUPPORTING METAL)	1.000	EACH
790-20.03	POLE(DESCRIPTION) (65FT CLASS 1 METAL)	7.000	EACH
790-20.04	POLE(DESCRIPTION) (65FT CLASS H1 METAL)	1.000	EACH
790-20.05	POLE(DESCRIPTION) (70FT CLASS 1 METAL)	4.000	EACH
790-20.06	POLE(DESCRIPTION) (70FT CLASS H1 METAL)	6.000	EACH
790-20.07	POLE(DESCRIPTION) (75FT CLASS 1 METAL)	3.000	EACH
790-20.08	POLE(DESCRIPTION) (75FT CLASS H1 METAL)	4.000	EACH
790-20.09	POLE (SPECIFY POLE LENGTH, CLASS, AND MATERIAL) (80FT SELF SUPPORTING METAL)	1.000	EACH
790-20.10	POLE (SPECIFY POLE LENGTH, CLASS, AND MATERIAL) (80FT CLASS 1 METAL)	1.000	EACH

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
790-20.11	POLE (SPECIFY POLE LENGTH, CLASS, AND MATERIAL) (85FT CLASS H1 METAL)	1.000	EACH
790-20.12	POLE (SPECIFY POLE LENGTH, CLASS, AND MATERIAL) (90FT CLASS 1 METAL)	1.000	EACH
790-20.13	POLE (SPECIFY POLE LENGTH, CLASS, AND MATERIAL) (90FT CLASS H1 METAL)	2.000	EACH
790-20.14	POLE (SPECIFY POLE LENGTH, CLASS, AND MATERIAL) (92FT SELF SUPPORTING METAL)	1.000	EACH
790-20.30	TOP EXISTING POLE	7.000	EACH
790-20.31	FIELD POLE MODIFICTION	20.000	EACH
790-20.51	4 FT. DIA DRILLED PIER FOUNDATION	16.000	V.F.
790-20.52	5 FT. DIA DRILLED PIER FOUNDATION	18.000	V.F.
790-20.53	6 FT. DIA DRILLED PIER FOUNDATION	20.000	V.F.
790-21.05	1PH DBL PRIMARY SUPPORT 15KV	1.000	EACH
790-21.07	1PH PRIMARY LG ANGLE 15KV	1.000	EACH
790-21.08	1PH DEADEND 15KV	1.000	EACH
790-21.09	1PH PRIMARY TAP 15KV	4.000	EACH
790-21.10	1PH VERTICAL DDE 15KV	3.000	EACH
790-25.17	3PH VERTICAL DEADEND LARGE ANGLE 15KV	2.000	EACH
790-25.29	3PH CROSSARM SGL 10FT LRG COND 15KV	1.000	EACH
790-25.30	3PH CROSSARM DBL 10FT LRG COND 15KV	6.000	EACH
790-25.37	3PH 8FT FIBERGLASS CROSSARM DEADEND 15kV	5.000	EACH
790-25.38	3PH 10FT FIBERGLASS CROSSARM DEADEND 15kV	5.000	EACH
790-25.39	3PH 8FT FIBERGLASS DOUBLE DEADEND 15KV	4.000	EACH
790-25.40	3PH 10FT FIBERGLASS DOUBLE DEADEND 15kV	12.000	EACH
790-25.41	3PH FIBERGLASS 8FT CROSSARM DOUBLE SUPPORT	1.000	EACH
790-25.43	3PH FIBERGLASS DOUBLE 10FT LARGE CONDUCTOR 15kV	27.000	EACH
790-25.46	3PH FIBERGLASS WITH NEUTRAL ON ARM	5.000	EACH
790-30.03	SECONDARY ASSEMBLIES DEADEND	19.000	EACH
790-31.11	SERVICE CONDUCTOR 2 AL TRIPLEX	0.345	L.F.
790-31.12	SERVICE CONDUCTOR 1/0 AL TRIPLEX	0.387	L.F.

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
790-32.01	DOWN GUY - THROUGH BOLT TYPE	13.000	EACH
790-32.07	OH GUY - THROUGH BOLT TYPE	1.000	EACH
790-32.23	GUY GUARD	72.000	EACH
790-33.04	SCREW TYPE ANCHOR 10,000LB-12,000LB	11.000	EACH
790-33.20	ANCHOR TRIPLE EYE POWER INSTALLED	57.000	EACH
790-33.21	ANCHOR TWIN EYE POWER INSTALLED	5.000	EACH
790-40.03	OH COND 1/0 6/1 ACSR RAVEN	2.000	L.F.
790-40.05	OH COND 3/0 6/1 ACSR PIGEON	7.000	L.F.
790-40.09	OH COND 336.4 18/1 ACSR MERLIN	2.000	L.F.
790-40.49	OH COND 795 37 AAC ARBUTUS	61.000	L.F.
790-40.73	OH PRI COND _____ (2 6/1 ACSR SPARROW)	1.000	L.F.
790-40.74	OH PRI COND _____ (3/8" HIGH STRENGTH STEEL OHGW)	9.000	L.F.
790-46.01	1PH TRANSFORMER	1.000	EACH
790-46.03	1PH TRANSFORMER CONV W/XARM MTD FUSE & LA	4.000	EACH
790-58.05	GOLB SWITCH 15KV	4.000	EACH
790-68.01	POLE GROUND ROD TYPE	11.000	EACH
790-68.08	POLE GROUND W/ PLTFM FOR AIR BREAK SWCH	4.000	EACH
790-68.10	MISCELLANEOUS ASSEMBLIES	86.000	EACH
790-68.13	SGL PHASE MOUNTING BRACKET - FIBERGLASS	8.000	EACH
790-69.11	GROUND-GROUND ROD FOR ST POLE	50.000	EACH
790-69.18	GND ASSY GOLB ON ST POLE	3.000	EACH
790-69.28	EXTENSION LINK - EPOXY -6FT	20.000	EACH
790-69.33	DEADEND ASSEMBLY	30.000	EACH
790-70.01	STREET LIGHT ON WOOD POLE	2.000	EACH
790-71.20	TANGENT HOR LN POSTS 69KV MAX	27.000	EACH
790-71.21	SML ANGLE HOR LINE POSTS 69KV MAX	2.000	EACH
790-71.33	DDE LRG VERT ANG 69KV MAX	17.000	EACH
790-71.50	DDE 2 POLE 69KV MAX	1.000	EACH

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
790-72.06	GUY 3 BOLT CLAMP W/ THIMBLE CLEVIS	22.000	EACH
790-72.07	GUY FACTORY FORMED WITH THIMBLE CLEVIS	91.000	EACH
790-72.10	LIGHT DUTY GUYING PLATE - GUY ATTACHMENT	2.000	EACH
790-72.17	MEDIUM DUTY POLE EYE PLATES	39.000	EACH
790-73.03	LINE POST	31.000	EACH
790-73.15	SWITCH GOAB 1W 1200A 69KV MAX	3.000	EACH
790-98.01	REMOVE WIRE	67.000	L.F.
790-98.02	REMOVE POLES	46.000	EACH
790-98.03	REMOVE FRAMING/ASSOCIATED APPARATUS	357.000	EACH
790-98.20	TREE AND BRUSH REMOVAL OFF ROW	(1)	LS
791-01.02	2IN STEEL GAS MAIN	4,150.000	L.F.
791-05.02	BORE/JACK 6IN - STEEL CASING PIPE - UNCON.	400.000	L.F.
791-05.52	6IN STEEL CASING OPEN CUT	700.000	L.F.
791-06.10	CONNECT TO 2IN EX. STL MAIN	3.000	EACH
791-07.09	2IN STEEL GAS VALVE ASSEMBLY	5.000	EACH
791-08.12	3/4IN STEEL SERVICE PIPE	250.000	L.F.
791-08.22	HDD 3/4IN STEEL SERVICE PIPE	175.000	L.F.
791-08.40	RECONNECT SERVICE ASSEMBLY	5.000	EACH
791-09.02	3-WIRE CATHODIC PROTECTION STATION	2.000	EACH
791-10.04	RETIRE IN PLACE 2IN SERV CUT & PLUG	3.000	EACH
795-01.05	8IN DIP RESTRAINED JOINT WATER LINE	900.000	L.F.
795-03.06	8IN PVC WATER LINE	3,050.000	L.F.
795-05.65	BORE/JACK 16IN STEEL CASING PIPE-UNCON.	220.000	L.F.
795-06.04	CONNECT TO 6IN WATER LINE	2.000	EACH
795-08.04	6IN GATE VALVE ASSEMBLY	2.000	EACH
795-08.05	8IN GATE VALVE ASSEMBLY	5.000	EACH
795-09.01	3/4IN WATER SERVICE METER ASSEMBLY	6.000	EACH
795-09.09	RELOCATE/RECONNECT SERVICE ASSEMBLY	2.000	EACH
795-09.10	SAMPLE TAP	1.000	EACH
795-09.14	3/4IN HDPE SERVICE PIPE	750.000	L.F.

Contract ID CNQ213 - MAURY

Item No.	Description	Quantity	Units
795-10.03	1IN AUTO AIR RELEASE VALVE ASSEMBLY	2.000	EACH
795-11.02	FIRE HYDRANT ASSEMBLY	2.000	EACH
795-12.01	REMOVE FIRE HYDRANT	1.000	EACH
795-13.01	DI FITTINGS	2,500.000	LB.
795-13.05	CREEK CROSSING	(1)	LS
795-15.25	16IN STEEL CASING PIPE OPEN CUT METHOD	650.000	L.F.
797-05.51	8IN PVC GRAVITY SEWER 0FT-6FT DEPTH	555.000	L.F.
797-07.01	48IN MANHOLE 0FT-4FT DEPTH	2.000	EACH
797-08.05	6IN PVC PIPE FOR SERVICE LATERAL	200.000	L.F.
797-08.08	6IN CLEAN OUT ASSEMBLY	5.000	EACH
797-10.02	CONNECT 8IN SEWER TO EXIST. MANHOLE	1.000	EACH
797-10.06	CONNECT 6IN LATERAL TO SEWER LINE	5.000	EACH
797-11.25	RETIREIN PLACE 48IN MANHOLE	2.000	EACH
797-11.31	RETIREIN PLACE EXISTING SEWER 8IN-14IN	570.000	L.F.
797-11.38	BY-PASS PUMPING	(1)	LS
797-11.40	RESTORE ASPHALT	75.000	S.Y.

