

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Parameters: **Product Category:** 15 - Pre-Packaged Concrete Mixture
Approved Begin Date: 01/01/1990
Approved End Date: 01/01/2050
Display Expired Materials? No
Expired Begin Date: 01/01/1990
Expired End Date: 01/01/2050
Display Address Info For Sources: No

Product Category: 15 - Pre-Packaged Concrete Mixture
Section:
Material: QPL.15.001 - Pre-Packaged Concrete Mixture

89901502 - MAPEI Corporation

<u>Trade Name</u>	<u>Evaluation #</u>
Planitop 11	20037
28-day strength > 6000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	
Planitop 11 SCC	20038
28-day strength > 7000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	

89900741 - Quikrete Co

<u>Trade Name</u>	<u>Evaluation #</u>
Comm Grade FastSet DOT Mix - Extended	20022
28-day strength = 8000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	
FastSet Concrete Mix	20024
28-day strength = 8000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer. (No. 1004-51).	
Form & Pour Concrete Mix MS	20023
28-day strength = 6500 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer. (No. 1120-80).	

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Product Category: 15 - Pre-Packaged Concrete Mixture
Section:
Material: QPL.15.001 - Pre-Packaged Concrete Mixture

89901532 - Sakrete of North America

<u>Trade Name</u>	<u>Evaluation #</u>
Sakrete Fast Setting Concrete Mix	20117
3-day strength = 2500 psi; 7-day strength = 3500 psi; 28-day strength = 4000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	
Sakrete High Strength Concrete Mix	20043
28-day strength = 4000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	
Sakrete Pro-Mix Accelerated Concrete Mix	19068
28-day strength > 6000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	

Number of Approved Materials in Report:

8