

arameters:	Product	Category:	45 - MASH Approved	Safety Hardware	
	Approve	d Begin Date:	01/01/1990		
	Approve	d End Date:	01/01/2050		
	Display E	Expired Materia	IIS? No		
	Expired I	Begin Date:	01/01/1990		
	Expired I	End Date:	01/01/2050		
	Display A	Address Info Fo	or Sources? No		
Product C	Category:	45 - MASH A	pproved Safety Ha	rdware	
		A-Longitudir			
		QPL.45.002		Thrie Beam Guardrail	
		Q: 1.101001			
89901059) -	Gregory Ind	dustries Inc		
		Trade Name		Evalu	ation #
		Guardian 5		18015	
		0			
		MASH TL-5 Thrie beam			
		Thrie beam			
		Thrie beam 45 - MASH A	pproved Safety Ha	rdware	
		Thrie beam		rdware	
	Seciton:	Thrie beam 45 - MASH A		rdware Cable Barrier Systems	
	Seciton: Material:	Thrie beam 45 - MASH A A-Longitudir	nal Barriers		
	Seciton: Material:	Thrie beam 45 - MASH A A-Longitudir QPL.45.003 Brifen USA	nal Barriers	Cable Barrier Systems	ation #
	Seciton: Material:	Thrie beam 45 - MASH A A-Longitudir QPL.45.003 Brifen USA <u>Trade Name</u>	nal Barriers	Cable Barrier Systems	ation #
	Seciton: Material:	Thrie beam 45 - MASH A A-Longitudir QPL.45.003 Brifen USA <u>Trade Name</u> Brifen MASH	O-Post and MASH	Cable Barrier Systems <u>Evalu</u> MGT 20093	
89900132	Seciton: Material:	Thrie beam 45 - MASH A A-Longitudir QPL.45.003 Brifen USA <u>Trade Name</u> Brifen MASH MASH TL-3.	O-Post and MASH	Cable Barrier Systems	
	Seciton: Material:	Thrie beam 45 - MASH A A-Longitudir QPL.45.003 Brifen USA <u>Trade Name</u> Brifen MASH	O-Post and MASH	Cable Barrier Systems <u>Evalu</u> MGT 20093	
89900132	Seciton: Material:	Thrie beam 45 - MASH A A-Longitudir QPL.45.003 Brifen USA <u>Trade Name</u> Brifen MASH MASH TL-3.	nal Barriers O-Post and MASH Brifen Wire Rope S	Cable Barrier Systems <u>Evalua</u> MGT 20093 afety Fence, O-Post; Brifen End Terminal. For	
89900132	Seciton: Material:	Thrie beam 45 - MASH A A-Longitudir QPL.45.003 Brifen USA Trade Name Brifen MASH MASH TL-3. Gibraltar Trade Name	nal Barriers O-Post and MASH Brifen Wire Rope S	Cable Barrier Systems <u>Evalua</u> MGT 20093 afety Fence, O-Post; Brifen End Terminal. For <u>Evalua</u>	slopes 6:1 or flatter.



Product	Category	: 45 - MASH Approved Safety Hard	lware		
	Seciton	: A-Longitudinal Barriers			
	Material	: QPL.45.007	Alt. Systems: Roller barriers		
89901533	3 -	ETI USA, Inc.			
		<u>Trade Name</u>	Evaluation #		
		ETI-GR02-TL4	18094		
		MASH TL-4. Approved by MASH C	committee for use with Thrie Beam to ETI Roller Barrier Transition.		
89901529	9 -	KSI			
		Trade Name	Evaluation #		
		KSI Global Safety Roller Barrier	18095		
		MASH TL-4. Approved by MASH C	committee for use with Safety Roller Barrier MASH TL-3 Transition to W-Beam.		
	• •				
Product		: 45 - MASH Approved Safety Hard	iware		
		A-Longitudinal Barriers			
	Material	: QPL.45.011	Attachments		
89901574	4 -	Durisol USA, Inc.			
		Trade Name	Evaluation #		
		Acrylite Soundstop Structure Moun	ted NB 21014		
		TL-4 Noise barrier system. Max. He determined by wind load calculatio	eight from Pavement = 17 ft. Actual height will depend on required height as determined by noise study, allowable height as ns, and other factors.		
		Ground Mounted NB System TL-3	22069		
		TL-3 Noise barrier system. Max. Height from Pavement = 17.3 ft. Actual height will depend on required height as determined by noise study, allowable height as determined by wind load calculations, and other factors.			
		Ground Mounted NB System TL-4	22070		
		TL-4 Noise barrier system. Max. He determined by wind load calculatio	eight from Pavement = 17.3 ft. Actual height will depend on required height as determined by noise study, allowable height as ns, and other factors.		
		Structure Mounted Aluminum NB S	22071 22071		
		TL-4 Noise barrier system. Max. He determined by wind load calculatio	eight from Pavement = 17 ft. Actual height will depend on required height as determined by noise study, allowable height as ns, and other factors.		



	y: 45 - MASH Approved Safety Hardv n: B-Guardrail End Terminals	vare		
	I: QPL.45.014	Tangential		
89900775 -	Road Systems Inc			
	Trade Name		Evaluation #	
	MSKT (TL-2)		17033	
	MASH TL-2 (S-GRT-3) Type 21 Guardrail Termir	al		
	MSKT (TL-3)		16048	
	MASH TL-3 (S-GRT-2) Type 38 Guardrail Termir	al		
89901319 -	SPIG Industry, LLC			
	Trade Name		Evaluation #	
	SPIG Guardrail End Treatment			
	SPIG Guardrail End Treatment (SGE	T)	19069	
	MASH TL-3.			
89900959 -	Valtir, LLC			
	Trade Name		Evaluation #	
	SoftStop (TL-2)		17029	
	MASH TL-2 (S-GRT-3) Type 21 Guardrail Termir	al		
	SoftStop (TL-3)		13058	



•••	45 - MASH Approved Safety Hard	ware		
	B-Guardrail End Terminals			
Material:	QPL.45.016	Median Guardrail End Terminals		
89900959 -	Valtir, LLC			
	Trade Name		Evaluation #	
	MATT (Median Attenuating TREND	Terminal) 2	22030	
	MASH TL-3. Median W-beam tangent redirective guardrail end terminal (approach or departure).			
Product Category:	45 - MASH Approved Safety Hard	ware		
Seciton:	C-Crash Cushions			
Material:	QPL.45.017	Reusable		
89900950 -	Traffix Devices Inc			
	Trade Name		Evaluation #	
	Delta Crash Cushion	2	21032	
	MASH TL-3.			
89900959 -	Valtir, LLC			
	Trade Name		Evaluation #	
	QuadGuard M Wide	2	20144	
	MASH TL-3. Redirective, non-gating, reusable crash cushion.			
	QuadGuard M10	1	12009	
	MASH TL-3 Non-gating reusable sy	stem. Hazards norrower than 36". Co	oncrete pad required.	
	QuadGuard M10 24 in. TL-2	2	22059	
	MASH TL-2. Redirective, non-gating	, reusable crash cushion.		



Product Category:	: 45 - MASH Approved Safety Hardv	vare
Seciton	C-Crash Cushions	
Material	: QPL.45.018	Low Maintenance
89900959 -	Valtir, LLC	
	Trade Name	Evaluation #
	QuadGuard Elite M10 24-inch	19082
	MASH TL-3. Redirective, non-gating	. Can be used to shield fixed objects up to 24 inches wide.
	QuadGuard Elite M10 Wide	20090
	MASH TL-3. Redirective, non-gating	crash cushion used to shield fixed objects up to 69 in. wide. Has transitions to concrete barrier, guardrail, etc.
89901033 -	Work Area Protection Corp	
	Trade Name	Evaluation #
	SCI-100 GM (Narrow)	03151
	MASH TL-3 Non-gating, low maintenance system Hazards narrower than 36" Concrete pad required	1
	SCI-100 GM (Wide)	03151
	MASH TL-3 Non-gating, low maintenance system Hazards wider than 36" Concrete pad required	l
Product Category:	: 45 - MASH Approved Safety Hardv	vare
Seciton	: C-Crash Cushions	
Material	: QPL.45.019	Self-Restoring
89900959 -	Valtir, LLC	
	Trade Name	Evaluation #
	REACT M	21004
	MASH TL-3. Redirective, non-gating	, self-restoring crash cushion.



	45 - MASH Approved Safety Hardv D-Category I Work Zone Devices	vare
	QPL.45.009	Pedestrian Channelizers (< 100lbs.)
89900950 -	Traffix Devices Inc	
	Trade Name	Evaluation #
	ADA Urbanite Longitudinal Device	18028
	MASH TL-3.	
Product Category:	45 - MASH Approved Safety Hardv	vare
Seciton:	E-Category II Work Zone Devices	
Material:	QPL.45.025	Long. Channelizers for Traffic Control
89900678 -	Pexco LLC	
	Trade Name	Evaluation #
	FG 300 Interstate Grade Curb Syste	m 06073
		00075
	-	
89901545 -	 FG 300 Turnpike Grade Curb Syster	
89901545 -	 FG 300 Turnpike Grade Curb Syster	
89901545 -	 FG 300 Turnpike Grade Curb Syster Traffic Safety Service LLC	n 13015



Materia	I: QPL.45.025	Long. Channelizers for Traffic Control			
9900959 -	Valtir, LLC				
	Trade Name	Evaluation #			
	ArmorZone TL-2 Barrier	23053			
	Limited to use for zones with	traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual.			
	SiteGuide TL-3 Long. Chann	nelizing Device 22082			
	Limited to use for zones with traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual.				
	Yodock 2001M	21115			
	Limited to use for zones with traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual.				
	Yodock 2001MB				
	Limited to use for zones with	21116 h traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual.			
		a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual.			
Secitor	Limited to use for zones with	a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual.			
Secitor	Limited to use for zones with y: 45 - MASH Approved Safet	a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual. Ty Hardware revices Other Lightweight TCDs			
Secitor Materia	Limited to use for zones with y: 45 - MASH Approved Safet n: E-Category II Work Zone D I: QPL.45.028	a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual. Ty Hardware revices Other Lightweight TCDs			
Secitor Materia	Limited to use for zones with y: 45 - MASH Approved Safet n: E-Category II Work Zone Do I: QPL.45.028 • Eastern Metal of Elmira,	a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual. ty Hardware revices Other Lightweight TCDs Inc.			
Secitor Materia	Limited to use for zones with y: 45 - MASH Approved Safet n: E-Category II Work Zone D I: QPL.45.028 F Eastern Metal of Elmira, <u>Trade Name</u> Apex Compact Sign Stand	a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual. ty Hardware evices Other Lightweight TCDs Inc. Evaluation #			
Secitor Materia	Limited to use for zones with y: 45 - MASH Approved Safet n: E-Category II Work Zone D I: QPL.45.028 F Eastern Metal of Elmira, <u>Trade Name</u> Apex Compact Sign Stand	a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual. Ty Hardware evices Other Lightweight TCDs Inc. Evaluation # 22064 el sign stand base. For roll-up signs.			
Secitor Materia	Limited to use for zones with y: 45 - MASH Approved Safet n: E-Category II Work Zone D I: QPL.45.028 Eastern Metal of Elmira, <u>Trade Name</u> Apex Compact Sign Stand TL-3. Aluminum legs on stee Apex Dual Recoil Max Sign S	a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual. Ty Hardware evices Other Lightweight TCDs Inc. Evaluation # 22064 el sign stand base. For roll-up signs.			
Secitor Materia	Limited to use for zones with y: 45 - MASH Approved Safet n: E-Category II Work Zone D I: QPL.45.028 Eastern Metal of Elmira, <u>Trade Name</u> Apex Compact Sign Stand TL-3. Aluminum legs on stee Apex Dual Recoil Max Sign S	a traffic < 45mph. Use in accordance with TDOT Work Zone Design Manual.			



Product Categ	ory: 45 - MASH Approved Safety H	ardware	
Sec	ton: E-Category II Work Zone Devi	ces and the second s	
Mate	rial: QPL.45.028	Other Lightweight TCDs	
89900678	- Pexco LLC		
	Trade Name	Evaluation #	
	WZ-380 Type III Barricade	06074	
	MASH TL-3. With perforated square steel tube (PSST) feet and uprights.		
	WZ-381 Type III Barricade	06074	
	With angle iron feet and X-tube	upright.	
89900689	- Plasticade Products		
	Trade Name	Evaluation #	



		1796
Plasticade SS100 Tripod	20078	
Plasticade SS105 Tripod	20079	
Plasticade SS300 Sign Stand	20080	
Plasticade SS300A Sign Stand	20081	
Plasticade SS310 Sign Stand	20082	
Plasticade SS310A Sign Stand	20083	
Plasticade SS340A Sign Stand	20084	
Plasticade SS410A Sign Stand	20085	
Plasticade SS420A Sign Stand	20086	
Plasticade SS520 Sign Stand	20087	
Plasticade SSRB800 Sign Stand	20077	
Safetycade Type 1 & 2 Barricade	23056	
Verticade Vertical Panel Barricade	23057	



-	ory: 45 - MASH Approved Safety Ha on: F-Category III Work Zone Devic	
	rial: QPL.45.029	Portable Barriers: Concrete, free-standi
89900294	- Easi-Set Worldwide	
	Trade Name	Evaluation #
	12" J-J Hooks Free Stdg 20' F Sh	ape 19038
	MASH TL-3. Easi-Set Worldwide approved producer of this barrier.	certifies producers of this product. Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an
	12" J-J Hooks Free Stdg 20' Jers	ey Shape 19038
	MASH TL-3. Easi-Set Worldwide approved producer of this barrier.	certifies producers of this product. Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an
	J-J Hooks MASH Free Standing	17095
	MASH TL-3. Easi-Set Worldwide approved producer of this barrier.	certifies producers of this product. Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an
89900450	- Hill & Smith Inc	
	<u>Trade Name</u>	Evaluation #
	ZoneBloc	19055
	MASH TL-3 (REBLOC RB80S_12	2) ()
89901558	- Rockingham Precast	
	<u>Trade Name</u>	Evaluation #
	F-Shape Precast Concrete Traffic	Barrier 21033
	TL-3. T-LOK 11A.	



	on: F-Category III Work Zone Devices			
Materia	al: QPL.45.030	Portable Barriers: Concrete, anchored		
39901575 ·	- Eagle Precast			
	Trade Name	Evaluation #		
	12.5' F Shape K Wall	21106		
	12'-6" sections, 22-1/2" wic are approved producers fo	Ith, 32" height, 8" top. Ends of barrier wall section must be anchored. Eagle Precast facilities at Kings Mountain, NC and Forsyth, GA r this barrier.		
39900294 ·	- Easi-Set Worldwide			
	Trade Name	Evaluation #		
	J-J Hooks MASH 20' Bolt/F	Pin Down Barrier 13092		
	=	ons with 3-bolt (or 4-pin) configuration. Easi-Set Worldwide certifies Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier.		
Product Categor	=	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier.		
	producers of this product.	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier.		
Secito	producers of this product. (Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier.		
Secito Materia	producers of this product. (ry: 45 - MASH Approved Saf	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier. ety Hardware Devices		
Secito Materia	producers of this product. (ry: 45 - MASH Approved Saf on: F-Category III Work Zone al: QPL.45.031	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier. ety Hardware Devices		
Secito Materia	producers of this product. (ry: 45 - MASH Approved Saf on: F-Category III Work Zone al: QPL.45.031 - Hill & Smith Inc	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier. ety Hardware Devices Portable Barriers: Steel, anchored		
Secito Materia	producers of this product. (ry: 45 - MASH Approved Saft n: F-Category III Work Zone al: QPL.45.031 - Hill & Smith Inc <u>Trade Name</u>	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier. ety Hardware Devices Portable Barriers: Steel, anchored Evaluation #		
Secito Materia	producers of this product. (ry: 45 - MASH Approved Saf m: F-Category III Work Zone al: QPL.45.031 - Hill & Smith Inc <u>Trade Name</u> Zoneguard	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier. ety Hardware Devices Portable Barriers: Steel, anchored Evaluation #		
Secito Materia	producers of this product. (ry: 45 - MASH Approved Saf m: F-Category III Work Zone al: QPL.45.031 - Hill & Smith Inc <u>Trade Name</u> Zoneguard MASH TL-3.	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier. ety Hardware Devices Portable Barriers: Steel, anchored Evaluation #		
Secitor Materia	producers of this product. (ry: 45 - MASH Approved Saft in: F-Category III Work Zone al: QPL.45.031 - Hill & Smith Inc Trade Name Zoneguard MASH TL-3. - Safe Barriers, LLC	Chris-Hill Construction Company is an approved producer of this barrier. Ross Prestess is an approved producer of this barrier. ety Hardware Devices Portable Barriers: Steel, anchored Evaluation # 21015		



-	ory: 45 - MASH Approved Safety Haton: F-Category III Work Zone Devi			
	rial: QPL.45.031	Portable Barriers: Steel	l, anchored	
89900959	- Valtir, LLC			
	Trade Name		Evaluation #	
	HighwayGuard Barrier Transitior	I	21078	
	TL-3.			
	HighwayGuard Low Deflection B	arrier LDS	21078	
	TL-3 and TL-4.			
	HighwayGuard Min. Deflection B	arrier MDS	22084	
	TL-3.			
	HighwayGuard Standard Barrier	SDS	21077	
	TL-3.			
Product Catego	ory: 45 - MASH Approved Safety Ha	ardware		
-	ton: F-Category III Work Zone Devi			
	rial: QPL.45.032	Portable Barriers: Steel	l, free-standing	
89901530	- Saferoads			
	Trade Name		Evaluation #	
	HV2 Safety Barrier		18100	
	MASH TL-3 and TL-4. Steel bar	rier with concrete ballast.		
	HV2 Transition to Crash Cushior	1	18100	



	: 45 - MASH Approved Safety Hardv	vare				
	: F-Category III Work Zone Devices : QPL.45.034	Crash Cushions: Redirective				
89900959 -	Valtir, LLC					
	Trade Name	Evaluation #				
	QuadGuard Elite M10 24-inch	19082				
	MASH TL-3. Redirective, non-gating. Can be used to shield fixed objects up to 24 inches.					
	QuadGuard Elite M10 Wide	20090				
	MASH TL-3. Redirective, non-gating, reusable crash cushion.					
	QuadGuard Elite System (Narrow)	12010				
	MASH TL-3. Hazards narrower than 36". Concrete pad required.					
	QuadGuard Elite System (Wide)	12011				
	MASH TL-3. Hazards wider than 36". Concrete pad required.					
	QuadGuard M Wide	20144				
	MASH TL-3. Redirective, non-gating, reusable crash cushion.					
	QuadGuard M10	12009				
	MASH TL-3. Non-gating reusable system. Hazards narrower than 36". Concrete pad required.					
	REACT M	21004				
	MASH TL-3. Redirective, non-gating, self-restoring crash cushion.					



Product Category:	45 - MASH Approved Safety Hardv	vare	
Seciton:	F-Category III Work Zone Devices		
Material:	QPL.45.034	Crash Cushions: Redirective	
89901033 -	Work Area Protection Corp		
	Trade Name		Evaluation #
	SCI-100 GM (Narrow)		03151
	MASH TL-3 Non-gating, low maintenance system Hazards narrower than 36" Concrete pad required	1	
	SCI-100 GM (Wide)		03151
	MASH TL-3 Non-gating, low maintenance system Hazards wider than 36" Concrete pad required	1	
Product Category:	45 - MASH Approved Safety Hardv	vare	
Seciton:	G-Category IV Work Zone/Traffic C	Control	
Material:	QPL.45.035	Attenuators: Truck-mounted	
89900959 -	Valtir, LLC		
	Trade Name		Evaluation #
	SS180M Truck-Mounted Attenuator		20003
	MASH TL-3.		



Seciton:	G-Category IV Work Zone/Traffic Control				
Material:	QPL.45.036	Attenuators: Trailer-mounted			
89901059 -	Gregory Industries Inc				
	Trade Name		Evaluation #		
	TTMA-200 Trailer Mounted Attenuat	or	19027		
	MASH TL-3. Roll-ahead distance 35 feet for non-blocked wheels.				
89900950 -	Traffix Devices Inc				
	Trade Name		Evaluation #		
	Scorpion II Truck-Mounted Attenuate	or	18027		
	MASH TL-3.				
89900959 -	Valtir, LLC				
	Trade Name		Evaluation #		
	SMT		20004		
	MASH TL-3.				
	VORTEQ M Trailer-Mounted Attenua	ator	23016		
	MASH TL-3.				
			Number of Approved Materials in Report:	81	

Number of Approved Materials in Report:

81