

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
01S23970009	ANDERSON	SR170	1.17	BYRAMS FORK CREEK	WEIGHT POSTED	1/19/2017	1940	36.163067	-84.017300	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.9
02E00290029	BEDFORD	SR269	10.61	GARRISON FORK CREEK	WEIGHT POSTED	10/20/2016	1940	35.520000	-86.318333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.7
02S42890003	BEDFORD	SR269	18.96	CARR BRANCH	WEIGHT POSTED	10/20/2016	1941	35.441667	-86.263333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.5
03017720001	BENTON	SR147	1.83	DRY CREEK	OPEN	5/11/2016	1977	36.245278	-88.060861	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.4
05SR0350001	BLOUNT	SR035	0.13	SR 115 (US 129 NB)	OPEN	11/1/2017	1959	35.788850	-83.992117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.9
07I00750019	CAMPBELL	01280	16.36	I75	OPEN	9/7/2017	1965	36.416750	-84.282400	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.8
07I00750013	CAMPBELL	I0075	5.57	NFA A031	OPEN	9/6/2017	1967	36.305983	-84.225967	CONCRETE CONTINUOUS	TEE BEAM	51.6
07I00750014	CAMPBELL	I0075	5.57	NFA A031	OPEN	9/6/2017	1967	36.305817	-84.225967	CONCRETE CONTINUOUS	TEE BEAM	49.3
07SR0090013	CAMPBELL	SR009	24.15	BIG CREEK	OPEN	4/20/2017	1921	36.382083	-84.121200	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	56.7
07SR0900009	CAMPBELL	SR090	6.71	ROSE CREEK	OPEN	4/24/2017	1977	36.551517	-83.984000	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	58.2
09SR0224001	CARROLL	SR022	0.34	BRIER CREEK	OPEN	9/19/2017	1968	35.987778	-88.420556	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	93.9
09SR0224005	CARROLL	SR022	3.1	CSX RAILROAD	OPEN	9/19/2017	1969	36.000278	-88.444722	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.4
09S81460005	CARROLL	SR114	12.83	MAPLE CREEK	WEIGHT POSTED	9/20/2017	1961	35.922917	-88.298611	CONCRETE	CHANNEL BEAM	55.5
09S82330001	CARROLL	SR436	0.68	REEDY CREEK	WEIGHT POSTED	10/2/2017	1960	36.014333	-88.540972	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	47.1
10023770003	CARTER	06022	2.73	GAP CREEK	OPEN	8/1/2017	1948	36.313617	-82.240267	CONCRETE CONTINUOUS	SLAB	46.5
10SR0670031	CARTER	SR067	2.4	POWDER BRANCH	OPEN	7/17/2017	1986	36.317911	-82.277500	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	36.5

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
11I00400007	CHEATHAM	I0040	4.08	HARPETH RIVER	OPEN	9/7/2016	1960	36.085250	-87.088700	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	59.9
11I00400008	CHEATHAM	I0040	4.08	HARPETH RIVER	OPEN	9/7/2016	1960	36.085300	-87.088683	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	61.3
11S63600013	CHEATHAM	SR249	11.54	DRY CREEK	OPEN	9/15/2016	1965	36.212300	-87.045067	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	45.9
12S80610001	CHESTER	SR200	2.18	S. FK. FORKED DEER RIVER	OPEN	7/26/2017	1986	35.467583	-88.613417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	62.9
13SR0330009	CLAIBORNE	SR033	20.56	SOUTH FORK SYCAMORE CREEK	WEIGHT POSTED	6/8/2016	1967	36.473867	-83.410700	CONCRETE	CHANNEL BEAM	47.9
15I00400015	COCKE	I0040	7.17	GOLF COURSE RD (A526)	OPEN	5/16/2016	1970	35.926917	-83.191650	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
15I00400037	COCKE	I0040	21	GREEN CORNER RD (1321)	OPEN	5/18/2016	1970	35.783800	-83.110633	CONCRETE CONTINUOUS	TEE BEAM	51.9
15SR0090007	COCKE	SR009	6.82	PIGEON RIVER	OPEN	8/8/2017	1936	35.961233	-83.174283	CONCRETE	TEE BEAM	58.9
15SR1600009	COCKE	SR160	11.87	NOLICHUCKY RIVER	WEIGHT POSTED	8/8/2017	1948	36.126767	-83.175533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	41.2
16SR0020015	COFFEE	SR002	14.28	CFW RAILROAD	WEIGHT POSTED	11/2/2017	1928	35.480250	-86.085800	CONCRETE	TEE BEAM	41.5
16SR1270003	COFFEE	SR127	4.66	BRADLEY CREEK	WEIGHT POSTED	11/8/2017	1956	35.395583	-85.978000	CONCRETE	TEE BEAM	25
16S42600001	COFFEE	SR127	6.21	BRADLEY CREEK	OPEN	11/8/2017	1940	35.416217	-85.969300	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.7
16S42600005	COFFEE	SR127	9.76	BRADLEY CREEK	WEIGHT POSTED	11/16/2017	1940	35.456200	-85.931211	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47
180A1530003	CUMBERLAND	0A153	15.067	DADDY'S CREEK (CWMA)	WEIGHT POSTED	2/8/2016	1950	36.059161	-84.792239	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.9
18I00400001	CUMBERLAND	I0040	0.24	SR 24	OPEN	10/9/2017	1963	36.099700	-85.236283	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93
18I00400002	CUMBERLAND	I0040	0.24	SR 24	OPEN	10/9/2017	1963	36.100033	-85.236100	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	83
19I00400112	DAVIDSON	0F588	0.169	ARLINGTON AVENUE / I40 L	OPEN	12/12/2017	1965	36.141067	-86.731633	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	60.1
19I00240071	DAVIDSON	I0024	8.51	I24 RL / OLD HICKORY BLV	OPEN	9/18/2017	1972	36.276667	-86.800000	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
19I00240072	DAVIDSON	I0024	8.51	I24 LL / OLD HICKORY BLV	OPEN	9/18/2017	1972	36.276667	-86.800000	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70
19I00240103	DAVIDSON	I0024	13.16	I24 RAMP STR 40 / I24-EB	OPEN	9/21/2017	1961	36.190000	-86.775000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49
19I00240109	DAVIDSON	I0024	14.025	I24 / SPRING STREET	OPEN	9/21/2017	1961	36.177033	-86.772933	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	82.2
19I00240111	DAVIDSON	I0024	14.215	I24 / CSX RR & OLDHAM ST	OPEN	9/21/2017	1961	36.173333	-86.770000	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	68
19I00240039	DAVIDSON	I0024	23.17	MILL CREEK	OPEN	10/3/2017	1958	36.050000	-86.670000	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	49.8
19I00400027	DAVIDSON	I0040	11.56	I40 / WESTBORO ROAD	OPEN	10/18/2017	1962	36.149133	-86.873533	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	81
19I00240067	DAVIDSON	I0040	21.58	I40 STR 5B / I24	OPEN	12/13/2017	1960	36.138333	-86.728333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	67
19I00650145	DAVIDSON	I0065	10.24	CUMBERLAND RV & COWAN ST	OPEN	2/12/2016	1967	36.191333	-86.784533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47.5
19I00650113	DAVIDSON	I0440	4.85	L4-SN167-RL/L3-SN164&165	OPEN	3/7/2016	1985	36.115650	-86.774917	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	39
19I00650114	DAVIDSON	I0440	4.85	L4-SN166-LL/L3-SN164&165	OPEN	3/7/2016	1985	36.115750	-86.774933	STEEL CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	39
19SR0010015	DAVIDSON	SR001	12.95	SUGAR TREE CREEK	OPEN	2/10/2017	1923	36.122833	-86.850250	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	34.8
19SR0010017	DAVIDSON	SR001	13.81	BRANCH	OPEN	2/10/2017	1923	36.130183	-86.837517	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	49.5
19SR0010031	DAVIDSON	SR001	21.99	MILL CREEK	OPEN	2/13/2017	1940	36.129033	-86.714317	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	69.2
19FA0060015	DAVIDSON	SR006	12.17	SR 6 RL / DOUGLAS AVENUE	OPEN	2/23/2017	1969	36.191667	-86.753333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	42.8
19SR0060027	DAVIDSON	SR006	22.84	MANSKER CREEK	OPEN	3/8/2017	1937	36.309350	-86.672533	CONCRETE	TEE BEAM	48.9

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
19I04400039	DAVIDSON	SR011	10.34	NOLENSVILLE RD / I440	OPEN	3/9/2016	1984	36.122683	-86.750950	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	57.3
19SR0240013	DAVIDSON	SR024	15.93	CSX RAILROAD	OPEN	3/16/2017	1924	36.153717	-86.722183	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	30.5
19SR0650005	DAVIDSON	SR065	6.05	EARTHMAN FORK CREEK	OPEN	3/21/2017	1932	36.265167	-86.830767	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28
20SR0690001	DECATUR	SR069	4.9	STEWAMANS CREEK	WEIGHT POSTED	4/28/2016	1950	35.393031	-88.134619	STEEL	TRUSS - THRU	44.2
220A3440001	DICKSON	0A237	0.469	BRANCH (MBSP)	OPEN	6/27/2016	2006	36.094150	-87.286683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	55
22I00400005	DICKSON	I0040	5.13	I40-RL / EAST PINEY RD.	OPEN	6/1/2016	1963	36.006950	-87.404517	CONCRETE	TEE BEAM	58.2
22003430003	DICKSON	SR046	15.59	BRANCH	WEIGHT POSTED	6/13/2016	1940	36.124350	-87.493183	CONCRETE	TEE BEAM	42
22S61430005	DICKSON	SR046	15.74	BRANCH	WEIGHT POSTED	6/13/2016	1917	36.124833	-87.495517	CONCRETE	TEE BEAM	38.7
22S61430013	DICKSON	SR046	19.06	YELLOW CREEK	OPEN	6/14/2016	1956	36.164783	-87.521767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	42.1
22I00400001	DICKSON	SR048	0.21	SR 48 / I40	OPEN	6/15/2016	1963	35.988633	-87.487950	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	44.6
23SR0200009	DYER	SR104	6.89	OBION RIVER	OPEN	3/7/2016	1948	36.049139	-89.557889	STEEL	TRUSS - THRU	56.1
23002270007	DYER	SR211	6.36	BRANCH	OPEN	3/15/2016	1922	36.088250	-89.311056	CONCRETE	TEE BEAM	48.9
24SR0150001	FAYETTE	SR015	0.4	BRANCH	OPEN	9/22/2016	1992	35.212861	-89.631833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	56.9
24I00400019	FAYETTE	SR059	3.77	SR-59 / I-40	OPEN	9/27/2016	1960	35.348972	-89.519083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.7
24SR0760015	FAYETTE	SR076	14.04	LOOSAHATCHIE RIVER	WEIGHT POSTED	9/28/2016	1947	35.258250	-89.353583	CONCRETE	TEE BEAM	66.6
24014580003	FAYETTE	SR193	7.72	BRANCH	WEIGHT POSTED	9/28/2016	1965	35.148361	-89.505167	CONCRETE	CHANNEL BEAM	41.1
25SR0280003	FENTRESS	SR028	29.4	WOLF RIVER	WEIGHT POSTED	7/27/2016	1940	36.542300	-84.961867	STEEL	TRUSS - THRU	28
26SR1270001	FRANKLIN	SR127	6.21	ELK RIVER	WEIGHT POSTED	7/25/2017	1951	35.299317	-86.059933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	28.5
27SR0540007	GIBSON	SR054	5.51	DAVIS CREEK	OPEN	8/9/2017	1992	35.916111	-89.008028	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	59

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
27SR0540019	GIBSON	SR054	16.17	RUTHERFORD FK.OBION RIVE	WEIGHT POSTED	8/9/2017	1975	36.052500	-88.878583	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.9
28SR0110013	GILES	SR011	23.38	PIGEON ROOST CREEK	WEIGHT POSTED	11/21/2017	1938	35.240000	-86.971667	CONCRETE	TEE BEAM	28.9
28S62000011	GILES	SR166	26.06	FACTORY CREEK	WEIGHT POSTED	1/10/2018	1959	35.365000	-87.148333	CONCRETE	TEE BEAM	48.3
28S62010003	GILES	SR245	0.62	YOKLEY CREEK	WEIGHT POSTED	1/11/2018	1959	35.366667	-87.136667	CONCRETE	TEE BEAM	39.3
29SR1310001	GRAINGER	SR131	7.73	WILLIAMS CREEK	WEIGHT POSTED	4/20/2016	1973	36.298050	-83.583983	CONCRETE	CHANNEL BEAM	33.5
30SR0340008	GREENE	SR034	5.69	LICK CREEK	OPEN	3/7/2016	1980	36.197600	-82.996933	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	68.9
30SR0700021	GREENE	SR070	26.17	BRANCH	OPEN	1/3/2018	2002	36.264200	-82.918567	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.9
30SR1070007	GREENE	SR107	12.65	NOLICHUCKY RIVER	OPEN	3/8/2016	1951	36.156900	-82.726200	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	40
31SR0560013	GRUNDY	SR056	31.24	PEPPER HOLLOW BRANCH	OPEN	5/19/2016	1930	35.509383	-85.665967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.1
33I00240047	HAMILTON	0B323	0.412	OLD RINGGOLD RD / I-24	OPEN	10/26/2016	1963	35.016767	-85.269200	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.8
33I00240075	HAMILTON	I0024	13.58	BRANCH	OPEN	10/3/2016	1960	35.003483	-85.227033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	44.1
33I01240014	HAMILTON	I0124	1.34	W. 9TH ST. (FAU 3551)	OPEN	8/2/2016	1958	35.046383	-85.314167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	44.6
33I01240013	HAMILTON	I0124	1.34	I-124-RL / W. 9TH ST.	OPEN	8/2/2016	1958	35.046250	-85.313867	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	43.4
33I01240018	HAMILTON	I0124	1.74	W. 4TH ST (SR 389)	OPEN	8/10/2016	1958	35.051950	-85.313933	CONCRETE	TEE BEAM	52.7
33SR0080007	HAMILTON	SR008	9.68	TN RIVER & FAU 5395	OPEN, POSTING ORDERED	6/4/2017	1917	35.056550	-85.309600	STEEL	MOVABLE - BASCULE	30.5
33SR0290093	HAMILTON	SR029	20.58	BIG SODDY CREEK	OPEN	2/13/2017	1991	35.296967	-85.151100	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57
33SR0580020	HAMILTON	SR319	0	SR 58 WB / SR 153	OPEN	4/4/2017	1963	35.090450	-85.218533	CONCRETE CONTINUOUS	TEE BEAM	33



# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
33SR0580019	HAMILTON	SR319	0	SR 58 EB / SR 153	OPEN	4/4/2017	1963	35.090367	-85.218367	CONCRETE CONTINUOUS	TEE BEAM	33
34SR0330007	HANCOCK	SR033	11.77	GREASY ROCK CREEK	WEIGHT POSTED	6/28/2016	1936	36.528200	-83.219367	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	30.5
35SR1250037	HARDEMAN	SR125	29.69	BRANCH	WEIGHT POSTED	8/17/2016	1991	35.343694	-88.820333	CONCRETE	CHANNEL BEAM	57
36SR0690035	HARDIN	SR069	10.06	DOE CREEK	WEIGHT POSTED	5/26/2016	1944	35.387222	-88.197417	STEEL	TRUSS - THRU	28
37SR0010038	HAWKINS	SR001	41.3	NORTH FORK HOLSTON RIVER	OPEN	8/16/2016	1962	36.553983	-82.615967	CONCRETE CONTINUOUS	TEE BEAM	55.1
37SR0310007	HAWKINS	SR031	4.17	POOR VALLEY CREEK	WEIGHT POSTED	8/2/2016	1958	36.392017	-83.215950	CONCRETE	TEE BEAM	16.8
37SR0700009	HAWKINS	SR070	6.19	SOUTHERN RAILWAY	OPEN	8/8/2016	1967	36.351983	-83.010800	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	39
37SR0700013	HAWKINS	SR070	8.91	CANEY CREEK	OPEN	9/14/2016	1971	36.447867	-82.988200	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	58.6
37SR0700023	HAWKINS	SR070	21.41	MILL CREEK	WEIGHT POSTED	9/19/2016	1981	36.543667	-83.022000	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	63.4
37013620005	HAWKINS	SR346	3.9	SURGOINSVILLE CREEK	WEIGHT POSTED	8/11/2016	1923	36.471050	-82.851517	CONCRETE	SLAB	74.5
37S23670001	HAWKINS	SR347	3.22	BIG CREEK	WEIGHT POSTED	9/13/2016	1941	36.417933	-82.952133	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.4
37S24630001	HAWKINS	SR347	10.14	NORTH FORK CREEK	OPEN	9/12/2016	1958	36.389733	-82.848483	CONCRETE	TEE BEAM	70.3
38SR0010001	HAYWOOD	SR001	2.13	MUDDY CREEK	WEIGHT POSTED	10/31/2017	1926	35.450528	-89.438806	CONCRETE	TEE BEAM	48.2
38SR0010003	HAYWOOD	SR001	2.89	BRANCH	WEIGHT POSTED	11/1/2017	1926	35.455139	-89.426722	CONCRETE	TEE BEAM	35.7
38SR0010033	HAYWOOD	SR001	19.58	BRANCH	OPEN	11/1/2017	1925	35.593028	-89.222917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.5
38SR0010039	HAYWOOD	SR001	24.24	MUD CREEK	WEIGHT POSTED	11/6/2017	1925	35.588944	-89.140417	CONCRETE	SLAB	31.5
38SR0540003	HAYWOOD	SR054	13.88	BRANCH	WEIGHT POSTED	11/2/2017	1989	35.609889	-89.256806	CONCRETE	CHANNEL BEAM	45
38SR0540015	HAYWOOD	SR054	22.12	OVERFLOW	OPEN	11/6/2017	1984	35.715944	-89.213167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.3
38SR0760027	HAYWOOD	SR076	8.98	HATCHIE RIVER	CLOSED	10/31/2017	1949	35.522389	-89.253722	STEEL	TRUSS - THRU	11.9
38S80510007	HAYWOOD	SR180	4.57	OVERFLOW	WEIGHT POSTED	11/8/2017	1960	35.751639	-89.393472	CONCRETE	CHANNEL BEAM	52.8

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
41I00400014	HICKMAN	I0040	4.21	SR 230	OPEN	11/8/2016	1965	35.893950	-87.642417	CONCRETE CONTINUOUS	TEE BEAM	67.2
41I00400013	HICKMAN	I0040	4.21	SR 230	OPEN	11/8/2016	1965	35.893783	-87.642117	CONCRETE CONTINUOUS	TEE BEAM	62.9
41S61730001	HICKMAN	SR230	11.46	PINEY RIVER	OPEN	12/2/2016	1953	35.870083	-87.500267	CONCRETE	TEE BEAM	37.4
42SR0490003	HOUSTON	SR049	5.875	WELLS CREEK	OPEN	1/23/2018	1932	36.319233	-87.675367	CONCRETE	TEE BEAM	15.9
42FA1230001	HOUSTON	SR232	1.78	HURRICANE CREEK	OPEN	1/25/2018	1961	36.333333	-87.915000	CONCRETE	TEE BEAM	61
43S63270001	HUMPHREYS	0A658	0.22	CSX RAILROAD	WEIGHT POSTED	12/11/2017	1960	36.023683	-87.962283	CONCRETE	TEE BEAM	44.3
43SR0130009	HUMPHREYS	SR013	3.54	BLACK BRANCH	OPEN	10/25/2017	1949	35.881367	-87.800550	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.3
43SR0130025	HUMPHREYS	SR013	19.35	SR13/TRACE CR-A469A504-R	WEIGHT POSTED	10/31/2017	1963	36.085733	-87.793367	CONCRETE CONTINUOUS	TEE BEAM	45
43S62220007	HUMPHREYS	SR230	8.17	HURRICANE CREEK	WEIGHT POSTED	10/20/2017	1959	36.001200	-87.732483	CONCRETE	TEE BEAM	49.9
43S62220005	HUMPHREYS	SR230	8.33	HURRICANE CREEK	WEIGHT POSTED	10/20/2017	1958	36.001983	-87.735233	CONCRETE	TEE BEAM	28.1
44SR1510007	JACKSON	SR151	3.5	HUDSON CREEK	WEIGHT POSTED	6/8/2017	1950	36.503067	-85.793717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.3
45I00400039	JEFFERSON	I0040	11.68	RAMP FROM I81 LT LN	OPEN	6/9/2016	1961	36.067800	-83.386583	CONCRETE CONTINUOUS	TEE BEAM	56.2
45SR0090009	JEFFERSON	SR009	13.23	RIMMER CREEK	WEIGHT POSTED	10/11/2017	1934	36.027683	-83.397683	CONCRETE	TEE BEAM	33.8
45SR0090011	JEFFERSON	SR009	14.24	KOONTZ CREEK	WEIGHT POSTED	10/11/2017	1930	36.034583	-83.381800	CONCRETE	TEE BEAM	32.7
45SR0920003	JEFFERSON	SR092	3.115	MUDDY CREEK	WEIGHT POSTED	10/11/2017	1946	35.954250	-83.366817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	31.7
45S25620001	JEFFERSON	SR363	2.75	INDIAN CREEK	WEIGHT POSTED	9/7/2017	1942	35.982117	-83.334750	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	33.6
47I02750011	KNOX	03789	1.43	RL-HEISKELL AVE. / I275	OPEN	12/5/2016	1959	35.991267	-83.951667	CONCRETE	TEE BEAM	59.8
47I02750005	KNOX	05942	0.438	BAXTER AVE-RL / I275	OPEN	11/16/2016	1959	35.976667	-83.935200	CONCRETE	TEE BEAM	41.8
47I02750006	KNOX	05942	0.438	BAXTER AVE-LL / I275	OPEN	11/16/2016	1959	35.976800	-83.935317	CONCRETE	TEE BEAM	41.8
47SR0090013	KNOX	SR009	13.39	SR9-ASHEVILLE / SR 34	OPEN	11/28/2017	1933	36.027467	-83.734050	CONCRETE	TEE BEAM	52
480A2000001	LAKE	0A200	0	SLOUGH OF REELFOOT LAKE	OPEN	10/19/2017	1983	36.352778	-89.406222	CONCRETE	CHANNEL BEAM	47.5

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
48SR0210003	LAKE	SR021	7.61	REELFOOT LAKE SPILLWAY	OPEN	7/25/2016	1930	36.352306	-89.405750	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	31.5
49SR0880071	LAUDERDALE	SR088	22.79	S. FK. FORKED DEER RIVER	OPEN	4/11/2016	1952	35.818111	-89.358083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	36.6
51SR0480007	LEWIS	SR048	9.08	ROCKHOUSE CREEK	OPEN	8/8/2017	1931	35.529883	-87.575867	CONCRETE	TEE BEAM	48.5
52SR0100013	LINCOLN	SR010	17.17	NORRIS CREEK	WEIGHT POSTED	9/20/2017	1923	35.226417	-86.565183	CONCRETE	TEE BEAM	49.2
53I00400005	LOUDON	I0040	0.57	SR 73	OPEN	10/3/2016	1960	35.874767	-84.324550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.9
53SR0950011	LOUDON	SR095	10.72	CLINCH RIVER	OPEN	3/15/2017	1962	35.888283	-84.323567	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	38
57I00400027	MADISON	I0040	14.73	SR 5	OPEN	6/19/2017	1961	35.670500	-88.830083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.1
57SR1380007	MADISON	SR138	4.69	OVERFLOW	WEIGHT POSTED	6/27/2017	1949	35.481028	-89.043444	CONCRETE	CHANNEL BEAM	48.4
57S80590013	MADISON	SR198	8.65	BEAR CREEK	WEIGHT POSTED	6/29/2017	1948	35.613194	-88.654444	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.7
57S81960003	MADISON	SR223	2.28	BRANCH	WEIGHT POSTED	8/3/2017	1952	35.495250	-89.001278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	11.8
58I00240037	MARION	I0024	21.34	SEQUATCHIE RIVER	OPEN	8/8/2016	1965	35.048417	-85.626567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.7
58SR1560013	MARION	SR156	25.58	RUNNING WATER CREEK	OPEN	9/1/2016	1968	35.018883	-85.538167	CONCRETE	TEE BEAM	50.4
59SR1300001	MARSHALL	SR130	0.04	CANE CREEK	OPEN	9/7/2016	1954	35.320000	-86.638333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.9
60S61810005	MAURY	SR246	2.34	MAHON BRANCH	OPEN	6/7/2016	1957	35.698533	-87.013550	CONCRETE	TEE BEAM	39.7
60S62540001	MAURY	SR247	1.05	LEIPERS CREEK	WEIGHT POSTED	6/6/2016	1960	35.695267	-87.202750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41
60004150009	MAURY	SR247	9.58	SNOW CREEK	OPEN	6/6/2016	1960	35.758700	-87.085133	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	51.2
54SR0300012	McMINN	SR030	7.27	NORTH MOUSE CREEK	OPEN	3/13/2017	1974	35.461267	-84.640000	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	90.8



# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
54S43200001	McMINN	SR307	0.5	OOSTANAULA CREEK	OPEN	4/5/2017	1986	35.448183	-84.584167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.9
61SR0580003	MEIGS	SR058	5.22	HIWASSEE RIVER	WEIGHT POSTED	5/2/2017	2007	35.366317	-84.910450	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.2
61SR0600001	MEIGS	SR060	3.1	TENNESSEE RIVER	OPEN	5/8/2017	1995	35.410617	-85.019600	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.8
62SR0020001	MONROE	SR002	2.28	SWEETWATER CREEK	OPEN	8/23/2017	1929	35.591800	-84.468783	CONCRETE	TEE BEAM	33.9
63SR0120001	MONTGOMERY	SR012	1.08	BRUSH CREEK	OPEN	11/4/2016	1958	36.425017	-87.215583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.3
63SR0130007	MONTGOMERY	SR013	17.49	CUMBERLAND RIVER	WEIGHT POSTED	11/16/2016	1966	36.480317	-87.374933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	21.4
63SR0480001	MONTGOMERY	SR048	0.4	LITTLE BARTON'S CREEK	OPEN	11/17/2016	1930	36.326900	-87.374300	CONCRETE	TEE BEAM	33.5
63SR0480003	MONTGOMERY	SR048	3.36	LOUISE CREEK	OPEN	11/17/2016	1930	36.369733	-87.376217	CONCRETE	TEE BEAM	37.9
650A1530005	MORGAN	0A153	5.888	ISLAND CREEK	OPEN	5/30/2017	1953	36.029983	-84.720517	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	49.8
650A2530009	MORGAN	0A253	7.8	EMORY RIVER	WEIGHT POSTED	5/30/2017	1975	36.177667	-84.425033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.5
650A4090005	MORGAN	0A409	10.271	ISLAND CREEK	WEIGHT POSTED	5/30/2017	1965	36.053017	-84.666867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.2
650A2640001	MORGAN	0A413	0.006	FLAT FORK CREEK	WEIGHT POSTED	5/10/2017	1935	36.130967	-84.497917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.5
65SR0290015	MORGAN	SR029	8.85	CROOKED FORK CREEK	WEIGHT POSTED	5/16/2017	1928	36.084867	-84.554900	CONCRETE	TEE BEAM	24.9
65SR0290029	MORGAN	SR029	21.19	SOUTHERN RAILWAY	WEIGHT POSTED	5/17/2017	1975	36.217983	-84.666900	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	57.1
65SR0290033	MORGAN	SR029	26.14	MASSINGALE CREEK	WEIGHT POSTED	5/17/2017	1927	36.282050	-84.657950	CONCRETE	TEE BEAM	61.8
65SR1160003	MORGAN	SR116	2.26	STOCKSTILL CREEK	WEIGHT POSTED	5/10/2017	1970	36.097283	-84.445133	CONCRETE	CHANNEL BEAM	45.2
65SR1160005	MORGAN	SR116	2.6	STOCKSTILL CREEK	WEIGHT POSTED	5/10/2017	1970	36.101783	-84.447100	CONCRETE	CHANNEL BEAM	45.2
66SR0030016	OBION	SR003	15.39	BRANCH	OPEN	5/16/2017	1960	36.391167	-89.097833	CONCRETE	TEE BEAM	48.5

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
67SR0840005	OVERTON	SR084	10.16	BRANCH	OPEN	1/29/2018	1940	36.327200	-85.303817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.5
70SR0400005	POLK	SR040	3.12	OCOEE RIVER	WEIGHT POSTED	4/20/2016	1937	35.111700	-84.675167	CONCRETE	TEE BEAM	33.9
70SR0400031	POLK	SR040	26.93	NORTH POTATO CREEK	OPEN	4/25/2016	1968	35.025150	-84.370300	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.9
70SR0680013	POLK	SR068	16.39	BRUSH CREEK	WEIGHT POSTED	5/5/2016	1943	35.056200	-84.391633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.1
73I00400003	ROANE	0A448	1.198	I40	OPEN	9/13/2016	1969	35.912267	-84.595167	CONCRETE CONTINUOUS	TEE BEAM	66.2
74SR0490001	ROBERTSON	SR049	3.52	MILLERS CREEK	OPEN	6/2/2016	1931	36.431667	-86.980000	CONCRETE	TEE BEAM	27.5
74SR0490003	ROBERTSON	SR049	4.93	CALEBS CREEK	OPEN	6/2/2016	1931	36.447883	-86.962050	CONCRETE	TEE BEAM	31.5
74SR0760001	ROBERTSON	SR076	0.21	SULPHUR FORK CREEK	OPEN	6/9/2016	1957	36.539383	-87.114150	CONCRETE CONTINUOUS	TEE BEAM	41.5
75SR0010010	RUTHERFORD	SR001	10.75	OVERALL CREEK	OPEN	10/21/2016	1950	35.915783	-86.459983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	69.6
75SR0100007	RUTHERFORD	SR010	12.63	CSX RAILROAD	OPEN	11/10/2016	1928	35.830167	-86.393667	CONCRETE CONTINUOUS	TEE BEAM	48.9
75SR0160005	RUTHERFORD	SR016	1.71	HARPETH RIVER	OPEN	11/16/2016	1940	35.766383	-86.646667	CONCRETE	TEE BEAM	34.7
75SR0160009	RUTHERFORD	SR016	4.79	KELLY CREEK	OPEN	11/17/2016	1940	35.723600	-86.641250	CONCRETE	TEE BEAM	33.9
75SR0960009	RUTHERFORD	SR096	4.56	BRANCH	OPEN	11/18/2016	1960	35.842933	-86.520383	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	31.5
75S61900001	RUTHERFORD	SR099	28.66	MURRAY BRANCH	OPEN	12/14/2016	1945	35.759483	-86.263817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.6
75F00050005	RUTHERFORD	SR268	0.84	WEST FORK STONES RIVER	WEIGHT POSTED	1/12/2017	1966	35.887933	-86.423567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	41
78SR0660004	SEVIER	SR066	4.94	FRENCH BROAD RIVER	OPEN	10/19/2017	1987	35.936750	-83.583400	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.2
78SR0660003	SEVIER	SR066	4.94	FRENCH BROAD RIVER	OPEN	10/19/2017	1968	35.936850	-83.583183	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.2
78SR0730019	SEVIER	SR073	17.135	LITTLE PIGEON RIVER	OPEN	10/16/2017	1955	35.739033	-83.416617	CONCRETE	TEE BEAM	37.7

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
78SR0730025	SEVIER	SR073	20.76	WEBB CREEK	OPEN	9/7/2017	1954	35.760367	-83.369233	CONCRETE	TEE BEAM	30.5
78S24210011	SEVIER	SR416	3.04	LAUREL BRANCH	OPEN	10/11/2017	1950	35.772033	-83.402033	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	53
79S80770007	SHELBY	02810	2.97	AIRWAYS BLVD/YALE YARDS	OPEN	3/22/2017	1954	35.094194	-89.987278	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	50
79I00400081	SHELBY	04186	2.1	N HIGHLAND ST / I-40	OPEN	12/21/2016	1972	35.189694	-89.944583	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.1
79I02400115	SHELBY	05155	1.48	SHADY GROVE RD / I-240	OPEN	1/23/2017	1963	35.123306	-89.868139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	43.5
79SR0570011	SHELBY	05250	0.01	RAILROAD RIGHT-OF-WAY	WEIGHT POSTED	4/18/2017	1958	35.136111	-89.967861	CONCRETE	SLAB	42.1
79S80740005	SHELBY	05757	2.51	WOLF RIVER	WEIGHT POSTED	5/2/2017	1949	35.080972	-89.651333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	14.8
790A0210003	SHELBY	0A035	2.51	BRANCH	OPEN	2/15/2017	1977	35.325056	-90.050194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68
79I02400017	SHELBY	0E528	0.363	EASTMORELAND AVE / I-240	OPEN	1/12/2017	1968	35.136000	-90.024556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
79I00400001	SHELBY	I0040	0	MISSISSIPPI RIVER	OPEN	8/13/2015	1973	35.151667	-90.070000	STEEL CONTINUOUS	ARCH - THRU	47
79SR0830017	SHELBY	SR001	6.06	LICK CREEK	OPEN	1/31/2017	1956	35.151972	-89.992333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43
79SR0010009	SHELBY	SR001	7.31	0K371, 05250 & RR	OPEN	1/24/2017	1931	35.149722	-89.970139	CONCRETE	SLAB	60
79SR0010037	SHELBY	SR001	29.97	OVERFLOW	OPEN	1/30/2017	1925	35.306444	-89.643472	CONCRETE	TEE BEAM	52.7
79SR0010039	SHELBY	SR001	30.36	LOOSAHATCHIE RIVER	OPEN	2/2/2017	1925	35.310528	-89.639639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	32.2
79SR0040015	SHELBY	SR004	7.18	NONCONNAH CREEK	OPEN	12/14/2016	1961	35.077722	-89.952417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	55
79SR0140006	SHELBY	SR014	7.13	IC RR & NONCONNAH CREEK	OPEN	12/13/2016	1929	35.074417	-90.057972	STEEL	TRUSS - THRU	11.5
79SR0140043	SHELBY	SR014	31.2	CROOKED CREEK	OPEN	2/8/2017	1952	35.323611	-89.807250	CONCRETE	TEE BEAM	53.2
79SR0150001	SHELBY	SR015	5.83	W. FK. FLETCHER CREEK	OPEN	2/8/2017	1983	35.203722	-89.821278	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.8

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
79SR0230003	SHELBY	SR057	1.88	SR 23, CSX & CNIC RR	OPEN	2/14/2017	1928	35.136611	-89.972528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	32
79014500005	SHELBY	SR175	12.88	BRANCH OF JOHNS CREEK	OPEN	2/15/2017	1979	35.020306	-89.882167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54
80I00400032	SMITH	I0040	15.44	CANEY FORK RIVER	OPEN	7/25/2017	1962	36.141417	-85.832817	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	78.2
80I00400034	SMITH	I0040	16.2	CANEY FORK RIVER	OPEN	7/25/2017	1962	36.139400	-85.819417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	89.9
80SR0240013	SMITH	SR024	13.385	CANEY FORK RIVER	WEIGHT POSTED	5/19/2017	2015	36.233333	-85.911667	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	26
80SR0530001	SMITH	SR053	7.18	MULHERRIN CREEK	WEIGHT POSTED	5/26/2017	1947	36.174683	-86.006017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	11
82SR0010024	SULLIVAN	SR001	9.77	REEDY CREEK	OPEN	3/1/2017	1959	36.566383	-82.451333	CONCRETE	TEE BEAM	73
82F00330001	SULLIVAN	SR044	4.61	BRANCH	OPEN	2/6/2017	1977	36.463400	-82.225183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	51
83S62860003	SUMNER	SR174	28.2	CANEY FORK CREEK	OPEN	5/23/2017	1964	36.555350	-86.394700	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.7
83E00270011	SUMNER	SR174	39.41	LITTLE TRAMMEL CREEK	OPEN	9/13/2016	1930	36.639700	-86.264433	CONCRETE	TEE BEAM	45.2
84SR0030011	TIPTON	SR003	11.5	BRANCH	OPEN	6/23/2016	1926	35.510306	-89.709639	CONCRETE	TEE BEAM	37.7
85SR1410005	TROUSDALE	SR141	6.25	CUMBERLAND RIVER	OPEN	2/3/2017	1981	36.374400	-86.174933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.9
85SR1410007	TROUSDALE	SR141	6.5	OVERFLOW CUMBERLAND RIVE	OPEN	2/9/2017	1979	36.370767	-86.175833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.9
86SR1070007	UNICOI	SR107	5.215	INDIAN CREEK	WEIGHT POSTED	11/7/2016	1928	36.150833	-82.413611	CONCRETE	TEE BEAM	23.9
89SR0080001	WARREN	SR008	8.14	COLLINS RIVER	OPEN	5/22/2017	1963	35.594700	-85.687867	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	41.9
90SR0340002	WASHINGTON	SR034	1.72	BIG LIMESTONE CREEK	NEW STRUCTURE	12/6/2017	1952	36.200000	-82.615000	CONCRETE	TEE BEAM	37.7
90SR0340007	WASHINGTON	SR034	15.53	CSX RAILROAD	WEIGHT POSTED	11/29/2017	1931	36.310136	-82.393200	CONCRETE	TEE BEAM	53

# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
90S24520005	WASHINGTON	SR353	11.72	LITTLE LIMESTONES CREEK	WEIGHT POSTED	11/2/2017	1945	36.264450	-82.499850	CONCRETE	TEE BEAM	36.6
91S61940003	WAYNE	SR203	3.8	BEAR CREEK	WEIGHT POSTED	1/25/2017	1962	35.153683	-87.929483	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	53.4
92SR1180003	WEAKLEY	SR118	4.71	STRAWBERRY BRANCH	OPEN	10/26/2016	1954	36.359789	-88.713139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.1
94I00650009	WILLIAMSON	I0065	8.24	BRANCH	OPEN	2/23/2017	1963	35.851683	-86.832100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43
94SR8400106	WILLIAMSON	I0840	10.33	I840/ S GARRISON BRANC	OPEN	4/28/2017	2012	35.852083	-87.071167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.4
94SR0060009	WILLIAMSON	SR006	8.89	CSX RAILROAD	WEIGHT POSTED	2/13/2017	1930	35.875367	-86.882400	CONCRETE	TEE BEAM	20.9
94SR0060013	WILLIAMSON	SR006	12.51	HARPETH RIVER	WEIGHT POSTED	2/13/2017	1929	35.928033	-86.865567	CONCRETE	TEE BEAM	49
94SR0110017	WILLIAMSON	SR011	9.46	MC CANLESS BRANCH	WEIGHT POSTED	2/17/2017	1930	35.884167	-86.662100	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	30.5
94SR0110023	WILLIAMSON	SR011	14.78	MILL CREEK	WEIGHT POSTED	2/27/2017	1930	35.956983	-86.671600	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	31.5
94SR0110025	WILLIAMSON	SR011	16.23	BRANCH	OPEN	2/27/2017	1932	35.977267	-86.678100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.8
94SR0960013	WILLIAMSON	SR096	10.74	HARPETH RIVER	OPEN	2/23/2017	1958	35.920533	-86.865317	CONCRETE	TEE BEAM	52
94SR0960019	WILLIAMSON	SR096	16.76	MAYES CREEK	OPEN	2/22/2017	1948	35.892467	-86.767117	CONCRETE	TEE BEAM	38
94I00650001	WILLIAMSON	SR247	2.38	SR 247 / I65	OPEN	2/8/2017	1961	35.751683	-86.870483	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	49.4
95I00400034	WILSON	I0040	16.76	CSX RAILROAD	OPEN	10/19/2017	1964	36.187950	-86.270800	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.6
95I00400033	WILSON	I0040	16.76	CSX RAILROAD	OPEN	10/19/2017	1964	36.187650	-86.270567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	62.4
95I00400038	WILSON	I0040	18.61	SPRING CREEK	OPEN	10/24/2017	1964	36.193733	-86.238083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.9



# Tennessee State Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
95SR0100011	WILSON	SR010	13.56	TOWN CREEK	OPEN	11/15/2017	1959	36.197100	-86.292483	CONCRETE	TEE BEAM	46
95SR0100012	WILSON	SR010	13.56	TOWN CREEK	OPEN	3/7/2016	1959	36.197167	-86.292633	CONCRETE	TEE BEAM	46
95SR0100017	WILSON	SR010	20.91	CUMBERLAND RIVER	OPEN	3/29/2016	1991	36.298700	-86.263467	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	55.1
95SR0240037	WILSON	SR024	17.1	SINKING CREEK	OPEN	11/29/2017	1931	36.208217	-86.291933	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	50.5
95FA0243004	WILSON	SR026	2.33	SINKING CREEK	OPEN	12/1/2017	1960	36.213017	-86.296133	CONCRETE	TEE BEAM	49.7
95SR0960005	WILSON	SR096	2.91	SMITH FORK CREEK	OPEN	12/6/2017	1956	35.988600	-86.040200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
01024620005	ANDERSON	02462	0.55	BEECH GROVE CREEK	WEIGHT POSTED	6/26/2017	1975	36.220433	-84.171017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18
010B0480001	ANDERSON	04365	1.47	BRANCH	OPEN	7/7/2017	1970	36.024850	-84.208017	CONCRETE	CHANNEL BEAM	42
010A2760001	ANDERSON	0A276	0.39	BULL RUN CREEK	OPEN	7/13/2017	1940	36.033150	-84.096667	CONCRETE	TEE BEAM	46.2
010A4600001	ANDERSON	0A460	0.108	RIGHT FORK COAL CREEK	OPEN	6/21/2017	1970	36.222733	-84.158267	CONCRETE	SLAB	43.4
010A4840001	ANDERSON	0A484	0.076	FORK COAL CREEK	CLOSED	6/21/2017	1965	36.235600	-84.161217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.6
020A0480001	BEDFORD	0A048	0.379	NORTH FORK CREEK	OPEN	11/23/2016	1983	35.589333	-86.582150	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.9
020A1220001	BEDFORD	0A122	0.892	FALL CREEK	WEIGHT POSTED	11/21/2016	1940	35.564617	-86.516367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.8
020A1700001	BEDFORD	0A170	0.713	STRAIGHT CREEK	OPEN	2/3/2017	1940	35.554633	-86.281783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.4
020A2330001	BEDFORD	0A233	0.065	SHIPPMAN CREEK	WEIGHT POSTED	1/18/2017	1940	35.458833	-86.301050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.7
020A3100001	BEDFORD	0A310	0.8	NORMAN CREEK	WEIGHT POSTED	11/3/2016	1940	35.448567	-86.258033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.3
020A3900001	BEDFORD	0A390	2.019	BELL BUCKLE CREEK	OPEN	2/13/2017	1940	35.613883	-86.377550	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.4
020A1420003	BEDFORD	0A468	4.404	PANNELL CREEK	OPEN	1/25/2017	1960	35.531150	-86.373500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.2
020A6640001	BEDFORD	0A664	0.113	STOKES BRANCH	WEIGHT POSTED	2/1/2017	1940	35.511550	-86.337117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
03S80400019	BENTON	00911	15.72	RAMBLE CREEK	OPEN	5/19/2016	1950	36.208028	-88.114917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.3
03017530005	BENTON	01753	6.87	SULPHUR CREEK	OPEN	5/18/2016	1971	36.187000	-87.985083	CONCRETE	CHANNEL BEAM	52.1
030A1560001	BENTON	0A156	0.08	SULPHUR CREEK	OPEN, TEMP STRUCTURE	5/16/2016	1998	36.178778	-88.017083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	14
030A1830001	BENTON	0A183	0.936	BEAVERDAM CREEK	OPEN	5/18/2016	2004	36.109650	-88.047050	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	46.5
030A1970001	BENTON	0A197	0.215	CHARLIE CREEK	OPEN	5/19/2016	1982	36.065444	-88.093167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.2

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
04021740007	BLEDSON	02174	0.45	ROCKY BRANCH	CLOSED	6/14/2016	1977	35.688417	-85.114200	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	32.9
04021740003	BLEDSON	02174	4.39	SWAFFORD BRANCH	OPEN	6/14/2016	1976	35.726950	-85.067333	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.3
040A0680001	BLEDSON	0A068	4.215	POND CREEK	OPEN	7/6/2016	1968	35.490050	-85.304583	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.2
040A3100001	BLEDSON	0A310	0.741	BRANCH	OPEN, TEMP STRUCTURE	7/6/2016	1976	35.456700	-85.297200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.9
05S24980003	BLOUNT	01246	4.569	BRANCH	OPEN	1/22/2018	1920	35.809250	-83.876767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.1
05012670001	BLOUNT	01267	1.75	BAKER CREEK	OPEN	7/24/2017	1960	35.698883	-84.046017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.7
050A0050001	BLOUNT	0A005	0.08	CSX RAILROAD	WEIGHT POSTED	12/13/2017	1993	35.693017	-84.087317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.4
050A8680001	BLOUNT	0A868	0.021	NINE MILE CREEK	WEIGHT POSTED	1/24/2018	1930	35.606483	-84.173017	CONCRETE	TEE BEAM	2
06022650009	BRADLEY	02265	5.42	CHATATA CREEK	WEIGHT POSTED	10/18/2017	1940	35.241767	-84.754950	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.5
060A0160001	BRADLEY	04615	0.09	LITTLE CHATTA CREEK	WEIGHT POSTED	8/17/2017	1960	35.169383	-84.825633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2
06022590005	BRADLEY	0A003	4.752	BLACK FOX CREEK	WEIGHT POSTED	10/2/2017	1940	35.084733	-84.922333	CONCRETE	SLAB	48.9
060A0620001	BRADLEY	0A062	2.979	BRYMER CREEK	WEIGHT POSTED	10/11/2017	1965	35.130267	-84.977650	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.4
060A2340001	BRADLEY	0A234	0.563	CANDIES CREEK	OPEN	9/18/2017	1965	35.150517	-84.917633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	27.8
060A0260001	BRADLEY	0D947	6.157	BLACK FOX CREEK	OPEN	10/12/2017	1940	35.098667	-84.936750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.2
07S24480003	CAMPBELL	01278	3.77	PRIVATE ROAD	OPEN	5/18/2016	1940	36.339883	-84.151850	CONCRETE	CHANNEL BEAM	27.2
07S25820003	CAMPBELL	01282	5	DAVIS BRANCH	OPEN	5/4/2016	1975	36.477450	-84.014000	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	54.7
07S25820005	CAMPBELL	01282	5.27	DAVIS BRANCH	OPEN	5/4/2016	1977	36.479833	-84.010139	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	41.8
07024250001	CAMPBELL	02425	7.97	TITUS CREEK	OPEN	5/9/2016	1930	36.392083	-84.279100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	46.1

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
070A0800005	CAMPBELL	0A080	0.785	STINKING CREEK	OPEN	5/16/2016	1930	36.507317	-84.143783	CONCRETE	ARCH - DECK	49.7
070A1190001	CAMPBELL	0A119	0.394	ELK FORK CREEK	OPEN	5/23/2016	1984	36.590033	-84.136267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.2
070A0790001	CAMPBELL	0A247	0.292	STINKING CREEK	WEIGHT POSTED	5/24/2016	1950	36.491722	-84.169750	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	13.1
070A6220001	CAMPBELL	0A622	0.273	CSX RAILROAD	WEIGHT POSTED	6/14/2016	1992	36.378517	-84.129867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	24.2
070B0010001	CAMPBELL	0B001	0.236	CSX RAILROAD	CLOSED	7/11/2016	1915	36.338533	-84.164689	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17
08SR0010003	CANNON	01376	2.25	LOCKE CREEK	OPEN	3/6/2017	1920	35.818269	-86.143081	CONCRETE	TEE BEAM	47.5
08013760001	CANNON	01376	4.02	BRANCH	WEIGHT POSTED	3/6/2017	1924	35.823169	-86.112861	CONCRETE	SLAB	47.2
08SR0010009	CANNON	01376	5.48	RUSH CREEK	WEIGHT POSTED	3/6/2017	1924	35.825639	-86.087600	CONCRETE	TEE BEAM	50.1
080A0090001	CANNON	0A009	0.01	SANDERS FORK CREEK	WEIGHT POSTED	3/16/2017	1965	35.920850	-86.101111	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	45.3
080A0210001	CANNON	0A021	2.446	MARSHALL CREEK	WEIGHT POSTED	3/15/2017	1950	35.952561	-86.109469	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.5
080A0590003	CANNON	0A059	0.772	BLAIR CREEK	WEIGHT POSTED	4/20/2017	1992	35.939961	-86.014233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	11.2
080A0900001	CANNON	0A090	0.024	CONNELL CREEK	WEIGHT POSTED	4/20/2017	1920	35.917817	-86.014083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.4
080A1410001	CANNON	0A141	0.986	BULL PEN CREEK	WEIGHT POSTED	4/4/2017	1920	35.742483	-86.025508	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.1
080A1810001	CANNON	0A181	2.702	BRAWLEYS FORK CREEK	WEIGHT POSTED	4/5/2017	1960	35.694867	-86.166167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.1
080A1840001	CANNON	0A184	0.057	DUG BRANCH	OPEN	4/4/2017	1930	35.727100	-86.184567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.4
080A2930001	CANNON	0A293	0.005	HURRICANE CREEK	WEIGHT POSTED	5/25/2017	1965	35.931950	-86.074817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.2
080A3160001	CANNON	0A316	0.215	LEACH CREEK	OPEN	5/16/2017	1960	35.941983	-86.109633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45
080A3310001	CANNON	0A331	0	WILMORE CREEK	WEIGHT POSTED	5/25/2017	1950	35.911850	-85.993083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	33.3

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
080A3320001	CANNON	0A332	0	WILMORE CREEK	WEIGHT POSTED	5/25/2017	1950	35.917417	-85.991683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.4
080A3540001	CANNON	0A354	0	EAST FORK STONES RIVER	WEIGHT POSTED	5/16/2017	1965	35.838050	-85.980917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17
080A3830001	CANNON	0A383	0.004	HILL CREEK	WEIGHT POSTED	5/25/2017	1960	35.813983	-86.045867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21
080A4630001	CANNON	0A463	0.03	HILL CREEK	WEIGHT POSTED	5/2/2017	1950	35.809722	-86.043333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.9
09008140001	CARROLL	00814	2.03	BEAVER CREEK	WEIGHT POSTED	10/4/2017	1960	35.939083	-88.377528	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	44.4
090A2860007	CARROLL	01756	3.35	OVERFLOW	OPEN	10/4/2017	1987	36.089250	-88.415167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
090A3540001	CARROLL	0A354	3.002	BRANCH	OPEN	10/3/2017	1983	36.130750	-88.213250	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.7
090A3930001	CARROLL	0A393	0.344	HOLLOW ROCK BRANCH	WEIGHT POSTED	10/5/2017	1970	36.039222	-88.281361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20
10S25150001	CARTER	01077	2.13	SULPHER SPRINGS BRANCH	WEIGHT POSTED	9/12/2017	1945	36.346917	-82.153733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	26.3
10025150007	CARTER	01077	2.17	SULPHER CREEK	WEIGHT POSTED	9/13/2017	1955	36.346383	-82.154100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	17.6
10S25580001	CARTER	01383	3.66	POWDER BRANCH	WEIGHT POSTED	8/21/2017	1950	36.310950	-82.269150	CONCRETE CONTINUOUS	SLAB	4
10013850003	CARTER	01385	1.99	WATAUGA RIVER	WEIGHT POSTED	7/26/2017	1941	36.345636	-82.282742	STEEL	TRUSS - THRU	17.8
10026090001	CARTER	02609	3.51	BUFFALO CREEK	OPEN	8/21/2017	1960	36.297333	-82.298517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43
10026800003	CARTER	02680	0.57	DOE RIVER	OPEN	8/14/2017	1984	36.144817	-82.108383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.4
100A5590001	CARTER	04833	1.14	GAP CREEK	WEIGHT POSTED	9/12/2017	1939	36.321550	-82.248383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25
100A9850001	CARTER	0A102	0.618	STONE CREEK	WEIGHT POSTED	8/28/2017	1968	36.452717	-82.031517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.7
100A2500001	CARTER	0A250	0.107	BUFFALO CREEK	WEIGHT POSTED	8/21/2017	1960	36.307067	-82.291883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.6



# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
100C1010001	CARTER	0A373	0.02	DOE RIVER	WEIGHT POSTED	8/9/2017	1946	36.186600	-82.071683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.8
100A6180001	CARTER	0A618	0.03	TIGER CREEK	WEIGHT POSTED	8/22/2017	1970	36.190783	-82.187167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39
100A6340001	CARTER	0A634	1.757	RR GRADE RD / DOE RIVER	OPEN	9/7/2017	1889	36.235783	-82.155400	STEEL	TRUSS - THRU	41
100A6420001	CARTER	0A642	0.625	GEORGE CREEK	WEIGHT POSTED	8/15/2017	1950	36.201850	-82.104067	CONCRETE	SLAB	45.8
100A6560001	CARTER	0A656	0.009	DOE RIVER	OPEN	8/21/2017	1983	36.171750	-82.079750	CONCRETE	SLAB	52.2
100A6580001	CARTER	0A658	0.078	HEATON CREEK	WEIGHT POSTED	8/7/2017	1950	36.165050	-82.083183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	4.8
100A6730001	CARTER	0A673	0.024	DOE RIVER	WEIGHT POSTED	8/21/2017	1960	36.198833	-82.070233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	7.3
100A7240001	CARTER	0A724	0.087	LITTLE DOE RIVER	WEIGHT POSTED	9/12/2017	1972	36.274667	-82.179383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.5
10SR0670011	CARTER	0A746	0.294	LAUREL FORK CREEK	OPEN	8/24/2017	1941	36.287867	-82.171533	CONCRETE	TEE BEAM	28.5
100A7520001	CARTER	0A752	0.008	LAUREL FORK CREEK	OPEN	8/24/2017	1975	36.286350	-82.158450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.6
100A7650001	CARTER	0A765	4.52	LAUREL FORK CREEK	WEIGHT POSTED	8/24/2017	1945	36.256783	-82.111100	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.8
100A7670001	CARTER	0A767	0.023	LAUREL FORK CREEK	OTHER RESTRICTIONS	8/23/2017	1979	36.263750	-82.122617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.9
100A8690001	CARTER	0A869	0.561	STONEY CREEK	WEIGHT POSTED	9/6/2017	1960	36.389400	-82.128667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.5
100A9060003	CARTER	0A906	0.393	STONEY CREEK	WEIGHT POSTED	9/7/2017	1960	36.386250	-82.137450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.9
100A9610001	CARTER	0A961	0.018	STONEY CREEK	WEIGHT POSTED	8/30/2017	1965	36.427950	-82.058550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
100A9670001	CARTER	0A967	0.048	STONEY CREEK	WEIGHT POSTED	8/29/2017	1972	36.434117	-82.053417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.4
100A9720001	CARTER	0A972	0.11	STONEY CREEK	OPEN	8/29/2017	1984	36.441383	-82.045233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	57.2
100A9740001	CARTER	0A974	1.614	STONY CREEK	WEIGHT POSTED	8/29/2017	1974	36.446150	-82.044400	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
100A9840001	CARTER	0A984	0.058	STONE CREEK	WEIGHT POSTED	8/29/2017	1968	36.457083	-82.022700	STEEL	STRINGER/MULTI-BEAM OR GIRDER	6
100B0010001	CARTER	0B001	0.017	DOE RIVER	WEIGHT POSTED	7/31/2017	1978	36.202450	-82.080617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2
100B0850001	CARTER	0B085	0.015	HAMPTON CREEK	WEIGHT POSTED	8/9/2017	1987	36.177583	-82.066933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.5
100Z0010001	CARTER	0B138	0.008	DOE RIVER	WEIGHT POSTED	7/31/2017	1970	36.190683	-82.069583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.3
100B3490001	CARTER	0B349	0.1	TIGER CREEK	WEIGHT POSTED	9/13/2017	1980	36.224378	-82.183539	STEEL	CHANNEL BEAM	19.7
100C1020001	CARTER	0C102	0.015	LITTLE DOE CREEK	WEIGHT POSTED	8/17/2017	1975	36.233283	-82.186967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43
110A2260003	CHEATHAM	0A226	2.401	DRY FORK CREEK	OPEN	10/10/2016	1970	36.270033	-87.037950	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.2
110A2350001	CHEATHAM	0A235	0.579	MARROWBONE CREEK	OPEN	10/11/2016	1975	36.245517	-87.013917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57
110A3720001	CHEATHAM	0A372	1.267	BRUSH CREEK	WEIGHT POSTED	10/26/2016	1975	36.077150	-87.080600	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.4
110A5060001	CHEATHAM	0A506	0.01	SOUTH HARPETH RIVER	WEIGHT POSTED	10/26/2016	1950	36.065400	-87.058783	STEEL	GIRDER AND FLOORBEAM SYSTEM	29.7
12016790009	CHESTER	01679	2.64	OVERFLOW	WEIGHT POSTED	7/31/2017	1955	35.411833	-88.591694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	32
120A0350001	CHESTER	0A035	0.84	TURKEY CREEK	WEIGHT POSTED	7/27/2017	1975	35.442083	-88.688194	CONCRETE	CHANNEL BEAM	31.9
120A1900001	CHESTER	0A253	3.581	JACKS CREEK	OPEN	7/26/2017	1976	35.468722	-88.522278	CONCRETE	CHANNEL BEAM	50.1
13025030001	CLAIBORNE	02503	1.58	HOOP CREEK	WEIGHT POSTED	6/7/2017	1980	36.524000	-83.431533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.9
130A0510001	CLAIBORNE	0A051	0.057	CLEAR FORK	WEIGHT POSTED	6/12/2017	1975	36.554267	-83.975817	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	33
130A2500001	CLAIBORNE	0A250	0.356	BIG SYCAMORE CREEK	WEIGHT POSTED	6/20/2017	1989	36.441367	-83.439467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.3
130A4960001	CLAIBORNE	0A496	1.252	DAVIS CREEK	WEIGHT POSTED	5/31/2017	1940	36.444533	-83.912350	STEEL	STRINGER/MULTI-BEAM OR GIRDER	14

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
130A4970001	CLAIBORNE	0A497	0.343	DAVIS CREEK	WEIGHT POSTED	5/31/2017	1935	36.443550	-83.916267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.8
140A0170001	CLAY	0A017	0.02	LINE CREEK	OPEN	4/25/2016	1975	36.608033	-85.769450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.7
140A0530001	CLAY	0A053	0.161	PROCTOR BRANCH	WEIGHT POSTED	5/10/2016	1950	36.570300	-85.539583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	9.1
140A2100003	CLAY	0A210	7.298	MILL CREEK	OPEN	4/20/2016	1941	36.483300	-85.458983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.2
15025130001	COCKE	02513	2.95	KNOB CREEK	WEIGHT POSTED	10/11/2016	1973	36.112833	-83.140283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17.4
15SR0320007	COCKE	02570	0.1	COSBY CREEK	WEIGHT POSTED	11/28/2016	1954	35.873200	-83.223383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.7
15025740017	COCKE	02574	10.23	GULF FORK BIG CREEK	OPEN	11/14/2016	1978	35.850717	-83.101150	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
150A1360001	COCKE	0A136	0.903	CLEAR CREEK	OPEN	10/18/2016	1984	35.998628	-83.139022	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
150A2380001	COCKE	0A238	0.621	LONG CREEK	WEIGHT POSTED	11/1/2016	1920	35.953833	-83.050250	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	38.5
150A2610001	COCKE	0A261	3.486	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/3/2016	1934	35.877233	-83.926000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.2
150A2640001	COCKE	0A264	0.05	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/3/2016	1973	35.868283	-83.003233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.3
150A2760001	COCKE	0A276	0.008	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/2/2016	1975	35.895583	-83.003700	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37
150A2770001	COCKE	0A277	0.091	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/2/2016	1973	35.891117	-83.002117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.8
150A4070001	COCKE	0A407	0.013	COSBY CREEK	OPEN	10/12/2016	1984	35.801467	-83.239950	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.9
150A4450001	COCKE	0A445	0.029	COSBY CREEK	WEIGHT POSTED	11/28/2016	1975	35.864900	-83.223850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.6
150A4470001	COCKE	0A447	0.277	COSBY CREEK	OPEN	10/12/2016	1983	35.823883	-83.245983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	55.1

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
15SR0350005	COCKE	0A494	2.769	CLEAR CREEK	OPEN	10/11/2016	1919	36.010067	-83.095883	CONCRETE	ARCH - DECK	28.5
15SR0350007	COCKE	0A495	1.14	CLEAR CREEK	OPEN	11/1/2016	1918	36.012950	-83.071683	CONCRETE	ARCH - DECK	24.5
150A9090001	COCKE	0A909	1.113	NOLICHUKY RIVER	WEIGHT POSTED	11/1/2016	1924	36.122200	-83.125283	CONCRETE	ARCH - DECK	47.3
16F00290003	COFFEE	01111	6.99	CRUMPTON CREEK	OPEN	4/14/2016	1940	35.422183	-86.136317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.1
160A0300009	COFFEE	0A030	5.473	WILEY CREEK	OPEN	1/10/2018	1936	35.434717	-86.105367	CONCRETE	TEE BEAM	45.1
160A0490001	COFFEE	0A049	0.174	NORTH FORK ROCK CREEK	OPEN	1/9/2018	1970	35.360950	-86.214700	CONCRETE	CHANNEL BEAM	43.4
160A2120001	COFFEE	0A212	0.805	BETSY WILLIS CREEK	OPEN	3/16/2016	1963	35.301350	-85.930767	CONCRETE	SLAB	43.6
160A4400001	COFFEE	0A440	0.902	PERRY CREEK	WEIGHT POSTED	4/6/2016	1965	35.596000	-86.091150	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.7
170A0780001	CROCKETT	0A078	1.082	POND CREEK	OPEN	7/18/2016	1965	35.836056	-89.198944	CONCRETE	CHANNEL BEAM	52.3
170A0810003	CROCKETT	0A081	2.8	BRANCH	OPEN, TEMP STRUCTURE	7/14/2016	1967	35.836333	-89.192583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	31
170A1440001	CROCKETT	0A144	0.484	BR OF EPPERSON CREEK	WEIGHT POSTED	7/20/2016	2003	35.837917	-89.132833	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	47.8
170A1670001	CROCKETT	0A167	1.415	BRANCH OF CYPRESS CREEK	WEIGHT POSTED	7/20/2016	1985	35.814611	-89.048222	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	49.7
18021740007	CUMBERLAND	02174	8.21	BRANCH	WEIGHT POSTED	5/3/2016	1950	35.841067	-84.988433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.8
18021740005	CUMBERLAND	02174	8.38	DADDY'S CREEK	WEIGHT POSTED	5/19/2016	1958	35.844350	-84.987900	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	36.1
18022020003	CUMBERLAND	02202	3.13	POKEPATCH CREEK	OPEN	5/4/2016	1965	35.949917	-85.213850	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	67.9
18022890001	CUMBERLAND	02289	3.59	DUNCAN CREEK	OPEN	5/18/2016	1940	36.002083	-85.201683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2
180A5000001	CUMBERLAND	04523	0.87	LITTLE OBED RIVER	OPEN	5/10/2016	1956	35.974983	-85.034983	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	68.5
19010170001	DAVIDSON	01017	3.44	TWO MILE PKWY/ CSX RR	OPEN	4/18/2017	1968	36.311200	-86.705333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.3
190A8460003	DAVIDSON	04165	1.11	CSX RAILROAD	WEIGHT POSTED	5/2/2017	1953	36.126617	-86.742200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	14.8

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
190C7630003	DAVIDSON	04927	7.98	SHANES FORK CREEK	WEIGHT POSTED	4/19/2017	1950	36.347233	-86.735050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39
190C8850001	DAVIDSON	04933	2.17	CSX RAILROAD	OPEN	4/17/2017	1965	36.248167	-86.723183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	45.3
19SR0010035	DAVIDSON	04952	0.23	VULTEE BLVD/MURF'BORO RD	CLOSED	5/15/2017	1941	36.124033	-86.707817	CONCRETE	TEE BEAM	24
190D8960001	DAVIDSON	05501	0.1	CSX RR & RICHLAND CREEK	WEIGHT POSTED	7/27/2017	1916	36.121967	-86.852750	CONCRETE	TEE BEAM	30.1
190B3750001	DAVIDSON	0B375	0.007	MANSKER CREEK	CLOSED	8/3/2017	1956	36.386850	-86.734750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.7
190E2790001	DAVIDSON	0B846	0.851	BRANCH	OPEN	8/17/2017	1970	36.043350	-86.703333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.8
190C8030001	DAVIDSON	0C803	0.976	BRANCH	OPEN	8/8/2017	1930	36.165383	-86.729900	CONCRETE	ARCH - DECK	50.4
190D3810001	DAVIDSON	0D381	1.449	LAKE @ GREAT CIRCLE RD	OPEN	9/8/2017	1980	36.199167	-86.807300	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	70.5
190D4800001	DAVIDSON	0E004	0.205	CSX RAILROAD	OPEN	8/4/2017	1917	36.201883	-86.735417	CONCRETE	ARCH - DECK	44.2
19032660001	DAVIDSON	0P039	0.22	BRANCH	OPEN	8/8/2017	1940	36.172817	-86.731100	CONCRETE	ARCH - DECK	43.4
200A2950001	DECATUR	0A295	0.833	TURNBO CREEK	WEIGHT POSTED	5/9/2016	1968	35.467972	-88.134861	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.7
200A3170001	DECATUR	0A317	1.155	STEWMAN CREEK	WEIGHT POSTED	5/9/2016	1980	35.443167	-88.199139	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	51.2
210A0500001	DEKALB	0A013	4.183	SMITH FORK CREEK	OPEN	11/27/2017	2007	36.034717	-85.938383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.8
210A2840001	DEKALB	0A329	1.083	EGYPT HOLLOW BRANCH	OPEN	11/13/2017	1960	35.969833	-85.901233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4
210A2780003	DEKALB	0A330	3.648	DRY CREEK	WEIGHT POSTED	12/7/2017	1922	36.005683	-85.930517	CONCRETE	ARCH - DECK	25.7
22S61470003	DICKSON	01854	4.21	EAST FORK PINEY RIVER	OPEN	8/22/2016	1960	36.025883	-87.409950	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.7
22S61470005	DICKSON	01854	5.06	EAST FORK PINEY RIVER	OPEN	8/22/2016	1970	36.032883	-87.401117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.8
220A0740001	DICKSON	0A074	1.366	LEATHERWOOD CREEK	OPEN	7/5/2016	1950	36.289400	-87.500333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.8



# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
220A2480001	DICKSON	0A177	0.07	TOWN BRANCH	OPEN	8/31/2016	1970	36.177783	-87.336350	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77
220A2730001	DICKSON	0A201	1.098	OAKLEY BRANCH	OPEN	8/1/2016	1990	36.180717	-87.168350	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.5
220A2780001	DICKSON	0A278	0.546	LITTLE TURNBULL CREEK	WEIGHT POSTED	8/11/2016	1955	36.014133	-87.197233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.9
220A3090001	DICKSON	0A738	0.461	WOLF DEN BRANCH	OPEN	7/19/2016	1950	36.099000	-87.322067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.9
23015020009	DYER	01502	4.54	BRANCH	OPEN	3/22/2016	1984	36.055306	-89.201528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.8
230A2080001	DYER	0A208	2.37	DRAINAGE DITCH	CLOSED	3/29/2016	1970	36.137611	-89.482944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.2
230A2300001	DYER	0A230	1.09	SLOUGH	OPEN, TEMP STRUCTURE	3/21/2016	1974	36.185283	-89.467217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.3
230A2640003	DYER	0A264	0.89	BRANCH	OPEN, TEMP STRUCTURE	3/17/2016	1972	36.152567	-89.306017	CONCRETE	CHANNEL BEAM	17.7
230A2820003	DYER	0A282	2.159	MULHERIN CREEK	OPEN, TEMP STRUCTURE	3/23/2016	1965	36.140361	-89.219694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	39.9
230A3330001	DYER	0A333	0.95	MULHERIN CREEK	WEIGHT POSTED	3/23/2016	1981	36.133083	-89.228250	CONCRETE	CHANNEL BEAM	44.7
230A4930001	DYER	0A493	1.55	MCBRIDE CREEK	OPEN, TEMP STRUCTURE	3/22/2016	1982	35.968250	-89.448417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	14.6
230A4980001	DYER	0A498	0.026	BRANCH	OPEN, TEMP STRUCTURE	3/22/2016	1975	35.947528	-89.457056	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.9
230A6160001	DYER	0A616	1	DRAINAGE DITCH	OPEN, TEMP STRUCTURE	3/21/2016	1980	36.009611	-89.488889	CONCRETE	CHANNEL BEAM	39.9
24015530005	FAYETTE	00840	6.69	BIG MUDDY CREEK	OPEN	10/10/2016	1962	35.308389	-89.272500	CONCRETE	CHANNEL BEAM	60.4
24S81130021	FAYETTE	01442	1.05	BRANCH	OPEN	10/17/2016	1960	35.060722	-89.243222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.5
24S81130033	FAYETTE	01442	9.39	BRANCH	WEIGHT POSTED	10/11/2016	1957	35.155361	-89.313583	CONCRETE	CHANNEL BEAM	37.7
24014740003	FAYETTE	01474	6.74	BRANCH	OPEN	10/5/2016	1964	35.393806	-89.513111	CONCRETE	CHANNEL BEAM	48.1
24S81130001	FAYETTE	01540	0.38	BRANCH	OPEN	10/17/2016	1963	35.052389	-89.417500	CONCRETE	CHANNEL BEAM	47.6
24015530009	FAYETTE	01553	2.97	BEAR CREEK	OPEN	10/10/2016	1965	35.361639	-89.214167	CONCRETE	CHANNEL BEAM	47.4

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
24015550005	FAYETTE	01555	1.14	DRAINAGE DITCH	WEIGHT POSTED	10/10/2016	1963	35.363944	-89.336222	CONCRETE	CHANNEL BEAM	44.6
240A1700003	FAYETTE	02706	8.06	OVERFLOW	OPEN	10/19/2016	1965	35.070861	-89.412000	CONCRETE	CHANNEL BEAM	46.5
24S82590003	FAYETTE	0A018	0.58	LAUREL CREEK CANAL	OPEN	10/5/2016	1960	35.335556	-89.534750	CONCRETE	CHANNEL BEAM	50.1
24S82590011	FAYETTE	0A018	4.17	LITTLE CYPRESS CR CANAL	OPEN	10/6/2016	1960	35.314083	-89.550444	CONCRETE	CHANNEL BEAM	51.1
240A0430011	FAYETTE	0A043	4.157	BRANCH	WEIGHT POSTED	10/12/2016	1973	35.367250	-89.448056	CONCRETE	CHANNEL BEAM	45.4
240A0700001	FAYETTE	0A070	1.421	TREADVILLE CREEK	WEIGHT POSTED	10/5/2016	1950	35.256139	-89.478056	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
240A0870001	FAYETTE	0A087	2.192	BRANCH	OPEN	10/11/2016	1965	35.348222	-89.275500	CONCRETE	CHANNEL BEAM	59.4
240A0940003	FAYETTE	0A094	0.071	LONDON CREEK	WEIGHT POSTED	10/11/2016	1965	35.395361	-89.266389	CONCRETE	CHANNEL BEAM	49.7
240A1200003	FAYETTE	0A120	3.314	ARMOUR CREEK	OPEN	10/11/2016	1996	35.246972	-89.248167	CONCRETE	CHANNEL BEAM	51.3
240A1270003	FAYETTE	0A127	0.261	BRANCH	WEIGHT POSTED	10/12/2016	1993	35.193806	-89.311750	CONCRETE	CHANNEL BEAM	49.6
240A1290003	FAYETTE	0A129	2.464	BRANCH N. FK. WOLF RIVER	WEIGHT POSTED	10/12/2016	1965	35.175750	-89.243306	CONCRETE	CHANNEL BEAM	31
240A1360001	FAYETTE	0A136	1.182	BRANCH OF MORROW CREEK	WEIGHT POSTED	10/12/2016	1962	35.230944	-89.210333	CONCRETE	CHANNEL BEAM	46.7
240A1440001	FAYETTE	0A144	2.7	MAY CREEK	WEIGHT POSTED	10/18/2016	1962	35.149639	-89.198111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.1
240A1490001	FAYETTE	0A149	0.295	NORTH FORK CREEK	WEIGHT POSTED	10/18/2016	1961	35.104139	-89.213556	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	22.3
240A1960001	FAYETTE	0A196	4.861	OVERFLOW	WEIGHT POSTED	10/13/2016	1964	35.087889	-89.321806	CONCRETE	CHANNEL BEAM	48.8
240A2040001	FAYETTE	0A204	0.271	SANDY CREEK	OPEN	10/17/2016	1965	35.049111	-89.465306	CONCRETE	CHANNEL BEAM	43.9
240A2320003	FAYETTE	0A232	3.051	HURRICANE CREEK	WEIGHT POSTED	10/19/2016	1965	35.077639	-89.527250	CONCRETE	CHANNEL BEAM	34.8
240A2350001	FAYETTE	0A235	2.994	BRANCH	WEIGHT POSTED	10/19/2016	1968	35.002444	-89.564556	CONCRETE	CHANNEL BEAM	34.1
240A2370001	FAYETTE	0A237	0.707	BRANCH	OPEN	10/19/2016	1965	35.006333	-89.621111	CONCRETE	CHANNEL BEAM	62.5
25F00120007	FENTRESS	01211	15.78	BRIDGE CREEK	WEIGHT POSTED	8/3/2016	1950	36.196650	-84.934067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.8
25023160001	FENTRESS	02316	9.45	LITTLE CRAB CREEK	WEIGHT POSTED	8/24/2016	1940	36.456283	-85.049900	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2
250A0630001	FENTRESS	0A063	0.416	ROTTEN FORK WOLF RIVER	OPEN	8/17/2016	1939	36.539117	-84.948400	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.9
250A0730001	FENTRESS	0A073	0.135	ROTTEN FORK WOLF RIVER	WEIGHT POSTED	8/2/2016	1940	36.563717	-84.944650	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
250A1960001	FENTRESS	0A196	4.066	ROCK CASTLE CREEK	OPEN	8/16/2016	1986	36.378667	-84.995467	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.7
250A1980001	FENTRESS	0A198	0.094	ROCK CASTLE CREEK	OPEN	8/8/2016	1940	36.377300	-84.996883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.5
250A3020001	FENTRESS	0A302	1.055	BIG LAUREL CREEK	WEIGHT POSTED	8/24/2016	1940	36.267150	-85.098667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	40.7
27F00030001	GIBSON	00835	2.51	GRASS CREEK	WEIGHT POSTED	8/17/2017	1960	36.177861	-89.079583	CONCRETE	CHANNEL BEAM	48.4
27008600019	GIBSON	00860	6.5	MAYS CREEK	WEIGHT POSTED	8/31/2017	1996	35.975278	-88.777528	CONCRETE	CHANNEL BEAM	45.7
27014010007	GIBSON	01401	3.35	OVERFLOW	WEIGHT POSTED	8/29/2017	1960	36.076222	-88.921444	CONCRETE	CHANNEL BEAM	44.1
27S80330001	GIBSON	01444	0.08	DRAINAGE DITCH	OPEN	8/24/2017	1998	35.798611	-88.910972	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	51
27015850005	GIBSON	01585	1.36	OVERFLOW	WEIGHT POSTED	8/31/2017	1971	35.958056	-88.737972	CONCRETE	CHANNEL BEAM	24.5
27015870001	GIBSON	01587	1.85	BUCK CREEK	WEIGHT POSTED	9/5/2017	1970	35.942833	-89.054861	CONCRETE	CHANNEL BEAM	34.2
27015960001	GIBSON	01596	6.36	BRANCH	WEIGHT POSTED	8/24/2017	1965	36.072917	-88.961222	CONCRETE	CHANNEL BEAM	50.4
27016020001	GIBSON	01602	1.01	OVERFLOW S FORK OBION RV	WEIGHT POSTED	9/5/2017	1974	36.094750	-88.750833	CONCRETE	CHANNEL BEAM	45.1
27SR0050021	GIBSON	02483	1.35	ROGERS BRANCH	OPEN	8/22/2017	1929	36.022000	-88.961806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.4
27SR0050023	GIBSON	02483	1.45	BRANCH	OPEN	8/22/2017	1929	36.023278	-88.962583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.4
270A0290001	GIBSON	0A029	0.28	YORK BRANCH	CLOSED	9/6/2017	1970	36.104556	-89.123083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	45.7
270A0290007	GIBSON	0A029	5.632	BR OF COOL SPRINGS BRANC	WEIGHT POSTED	8/22/2017	1966	36.171278	-89.134333	CONCRETE	CHANNEL BEAM	45.7
270A0440003	GIBSON	0A044	0.987	DRAINAGE DITCH - COW CR.	OPEN	9/6/2017	1997	36.069028	-89.047667	CONCRETE	CHANNEL BEAM	46.4
270A0770001	GIBSON	0A077	0.38	EDMUNDSON CREEK	OPEN, TEMP STRUCTURE	8/17/2017	1972	36.148722	-89.068083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	24
270A1590001	GIBSON	0A159	1.363	OWEN BRANCH	WEIGHT POSTED	8/29/2017	1991	36.092306	-88.949750	CONCRETE	CHANNEL BEAM	47.7
270A1610003	GIBSON	0A161	2.251	BR RUTHERFORD FORK OBION	WEIGHT POSTED	8/24/2017	1992	36.077833	-88.943056	CONCRETE	CHANNEL BEAM	47.7
270A1990001	GIBSON	0A199	1.256	SAND CREEK	WEIGHT POSTED	9/7/2017	1972	36.068917	-89.016139	CONCRETE	CHANNEL BEAM	31.8
270A2110001	GIBSON	0A211	0.371	COW CREEK	OPEN	9/7/2017	1992	36.056111	-89.018139	CONCRETE	CHANNEL BEAM	45.7

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
270A2150001	GIBSON	0A215	2.124	CAMP CREEK	WEIGHT POSTED	8/24/2017	1968	36.058083	-88.905694	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	23.5
270A2240001	GIBSON	0A224	0.47	BRANCH OF CAMP CREEK	OPEN, TEMP STRUCTURE	8/23/2017	1970	36.031333	-88.913250	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	21.4
270A2540001	GIBSON	0A254	1.459	LOCUST GROVE CREEK	OPEN	8/23/2017	1978	36.099056	-88.841444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	60.4
270A2620003	GIBSON	0A262	2.05	OVERFLOW	OPEN, TEMP STRUCTURE	8/23/2017	1990	36.067250	-88.883861	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.2
270A3120001	GIBSON	0A312	0.88	BEAR CREEK	WEIGHT POSTED	9/5/2017	1994	36.073222	-88.774889	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	47.8
270A3230005	GIBSON	0A323	2.827	THOMPSON CREEK	OPEN	9/6/2017	1970	36.043167	-88.696444	CONCRETE	CHANNEL BEAM	48.3
270A3490001	GIBSON	0A349	1.39	BRANCH OF RUTHERFORD FK.	WEIGHT POSTED	8/23/2017	1970	36.005472	-88.809583	CONCRETE	CHANNEL BEAM	47.6
270A3540001	GIBSON	0A354	0.002	BETHEL BRANCH	OPEN	9/6/2017	1972	36.073444	-89.161028	CONCRETE	CHANNEL BEAM	68.9
270A3580003	GIBSON	0A358	2.139	ADAMS BRANCH	OPEN	8/29/2017	1995	35.982972	-88.800194	CONCRETE	CHANNEL BEAM	56.4
270A3760007	GIBSON	0A376	0.097	OVERFLOW	OPEN, TEMP STRUCTURE	8/30/2017	1994	36.013556	-89.193583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	3
270A7110001	GIBSON	0A711	1.995	HOG CREEK	CLOSED	8/24/2017	1974	35.871139	-88.854389	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	25.7
270A7250001	GIBSON	0A725	0.604	PARKER BRANCH	OPEN	8/30/2017	1995	35.928556	-88.898889	CONCRETE	CHANNEL BEAM	59.5
270A7380001	GIBSON	0A738	2.047	BRANCH OF BARNETT BRANCH	OPEN, TEMP STRUCTURE	8/22/2017	1994	35.879028	-88.940028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	36
270A7450001	GIBSON	0A745	1.007	DUFFY BRANCH	WEIGHT POSTED	8/23/2017	1992	35.856806	-88.907278	CONCRETE	SLAB	37.9
270A9600001	GIBSON	0A960	0.219	BR MID FK FORKED DEER	OPEN, TEMP STRUCTURE	8/31/2017	1995	35.957472	-89.019667	CONCRETE	CHANNEL BEAM	39
270A9730001	GIBSON	0A973	0.15	BR.OF BUCK CREEK	OPEN	9/5/2017	1988	35.957528	-89.114750	CONCRETE	CHANNEL BEAM	60.2
270A9780001	GIBSON	0A978	2.35	BRANCH	OPEN, TEMP STRUCTURE	8/29/2017	1989	36.000389	-89.052528	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	22.7
270A9820001	GIBSON	0A982	1.885	BRANCH	WEIGHT POSTED	8/29/2017	1998	36.010333	-89.101806	CONCRETE	CHANNEL BEAM	22.7
270A3520001	GIBSON	0B090	1.132	BEAR CREEK	WEIGHT POSTED	8/23/2017	1970	36.027250	-88.815528	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	49.7
27015850001	GIBSON	0B112	0.68	ROE CREEK	OPEN	9/7/2017	1975	35.929417	-88.750806	CONCRETE	CHANNEL BEAM	37

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
280A0680001	GILES	0A068	0.129	BIG CREEK	WEIGHT POSTED	2/8/2016	1940	35.346900	-87.133583	CONCRETE	TEE BEAM	48
280A1100001	GILES	0A110	0.2	ROBERTSON FORK BRANCH	OPEN	4/25/2016	1950	35.377111	-86.977278	CONCRETE	TEE BEAM	46.2
280A2960001	GILES	0A296	0.624	CSX RR	CLOSED	4/8/2016	1970	35.292000	-86.858833	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	15
280A3820001	GILES	0A382	1.839	HUSLEY CREEK	OPEN	3/3/2016	1956	35.010067	-87.169150	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.5
29025340001	GRAINGER	02534	0.15	RICHLAND CREEK	OPEN	4/12/2017	1975	36.182633	-83.677800	CONCRETE	CHANNEL BEAM	48
29025400001	GRAINGER	02540	0.91	BRANCH	OPEN	4/18/2017	1935	36.302067	-83.458183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.4
29025440001	GRAINGER	02544	0.18	WILLIAMS BRANCH	OPEN	4/5/2017	1980	36.310483	-83.619850	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	71.9
290A0260003	GRAINGER	0A026	2.011	HOGSKIN CREEK	WEIGHT POSTED	4/18/2017	1945	36.327733	-83.635117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	11.8
290A3650001	GRAINGER	0A365	0.093	RICHLAND CREEK	WEIGHT POSTED	4/12/2017	1915	36.252100	-83.583250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.5
290A4060001	GRAINGER	0A406	0.037	RICHLAND CREEK	WEIGHT POSTED	4/12/2017	1970	36.208367	-83.653433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.1
290A4080001	GRAINGER	0A408	0.686	RICHLAND CREEK	WEIGHT POSTED	4/10/2017	1935	36.166633	-83.684633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.6
30013460001	GREENE	01346	0.39	LICK CREEK	OPEN	3/7/2017	1929	36.202617	-82.995517	CONCRETE	TEE BEAM	46
30L38630001	GREENE	03863	1.72	BRANCH	WEIGHT POSTED	3/15/2017	1984	36.161617	-82.819483	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	33.5
300A7590001	GREENE	0A759	0.033	RICHLAND CREEK	OPEN	2/8/2017	1940	36.097850	-82.852567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	45.7
300A9340003	GREENE	0A934	2.061	MINK CREEK	OPEN	3/9/2017	1940	36.168550	-83.035967	CONCRETE CONTINUOUS	TEE BEAM	45.5
320A2510001	HAMBLEN	0A251	0.025	SPRING BRANCH	OPEN	9/19/2017	1955	36.243617	-83.296717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
320A3140001	HAMBLEN	0A314	0.154	SPRING CREEK	WEIGHT POSTED	9/11/2017	1940	36.252117	-83.273367	CONCRETE	TEE BEAM	28.9
33035560004	HAMILTON	03556	0.15	CSX RR & SOUTHERN RR	OPEN	6/13/2017	1954	35.057350	-85.273617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.1



# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
33035560003	HAMILTON	03556	0.15	CSX RR & NORF. SOU. RR	OPEN	6/13/2017	1958	35.057300	-85.273533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.4
33L35660001	HAMILTON	03566	0.75	ABANDONDED RR SPUR	OPEN	6/19/2017	1906	35.039650	-85.298200	STEEL	GIRDER AND FLOORBEAM SYSTEM	64.3
33M35990001	HAMILTON	03599	0.62	NORFOLK SOUTHERN RR	OPEN	6/21/2017	1955	35.074300	-85.253183	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	48.5
33M36040001	HAMILTON	03604	0.7	FRIAR BRANCH	CLOSED	10/6/2016	1976	35.058550	-85.170433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	3.4
33036330021	HAMILTON	03633	0.15	SOUTHERN RAILWAY	OPEN	5/9/2017	1928	35.255767	-85.179900	CONCRETE	TEE BEAM	28.4
33SR0020017	HAMILTON	05404	1.08	CSX & NORFOLK SOU. RR	OPEN	6/14/2017	1999	35.039600	-85.291817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	32.7
330D7710001	HAMILTON	05778	0.723	ROCK CREEK	OPEN	1/25/2018	1955	35.383150	-85.121150	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.9
330A7490001	HAMILTON	0A749	0	BRANCH	OPEN	3/8/2016	1950	34.985567	-85.334600	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.2
330C4030001	HAMILTON	0C403	0.038	SHOAL CREEK	WEIGHT POSTED	1/25/2018	1977	35.135250	-85.331117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.8
330D6720001	HAMILTON	0D672	0.212	BACKWATER OF TN. RIVER	OPEN	3/3/2016	1983	35.043883	-85.350650	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.2
330D7980003	HAMILTON	0D798	1.843	BRANCH	OPEN	1/16/2018	1950	35.419600	-85.041067	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	67.7
34S23520001	HANCOCK	01332	1.99	MULBERRY CREEK	OPEN	7/27/2017	1952	36.538483	-83.364600	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.1
35SR0150031	HARDEMAN	02320	2.53	BRANCH	OPEN	8/22/2016	1960	35.283472	-89.089139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.9
350A0630001	HARDEMAN	0A063	1.457	BRANCH	OPEN	8/30/2016	1971	35.382833	-88.989917	CONCRETE	CHANNEL BEAM	61.5
350A0830001	HARDEMAN	0A083	1.675	CLOVER CREEK	OPEN	8/30/2016	1965	35.417167	-88.852667	CONCRETE	CHANNEL BEAM	61.5
350A1910001	HARDEMAN	0A191	0.157	BRANCH	WEIGHT POSTED	8/24/2016	1992	35.235333	-88.964472	CONCRETE	CHANNEL BEAM	42.9
36017230003	HARDIN	01723	2.22	LITTLE TURKEY CREEK	WEIGHT POSTED	6/13/2016	1960	35.196333	-88.129167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.6
36017270009	HARDIN	01727	7.39	NORTH FORK MUD CREEK	WEIGHT POSTED	6/7/2016	1992	35.309944	-88.334278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.1

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
36027020001	HARDIN	02702	0.1	WHITES CREEK	WEIGHT POSTED	6/13/2016	1965	35.104889	-88.075833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.1
360A3590003	HARDIN	05561	0.9	CHAMBERS CREEK	WEIGHT POSTED	6/16/2016	1965	35.025306	-88.307278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.9
360A0310001	HARDIN	0A031	0.102	DRAINAGE DITCH	OPEN	6/8/2016	1945	35.314278	-88.341306	CONCRETE	TEE BEAM	62.5
360A0410001	HARDIN	0A041	0.067	N FORK MUD CREEK	WEIGHT POSTED	6/8/2016	1960	35.305556	-88.372583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.2
360A0980001	HARDIN	0A098	0.683	FLATS CREEK	WEIGHT POSTED	6/8/2016	1965	35.364111	-88.276000	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	38.3
360A1710001	HARDIN	0A171	0.044	LITTLE TURKEY CREEK	WEIGHT POSTED	6/15/2016	1980	35.193528	-88.128750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.1
360A2320001	HARDIN	0A232	0.188	CHOATE CREEK	WEIGHT POSTED	6/15/2016	1974	35.160500	-88.129639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.7
360A2860001	HARDIN	0A286	1.127	HATLEY CREEK	CLOSED	6/14/2016	1993	35.102778	-88.260278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37
360A3080001	HARDIN	0A308	0.195	HORSE CREEK	WEIGHT POSTED	6/16/2016	1963	35.126778	-87.999000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.5
360A3330001	HARDIN	0A333	1.162	LITTLE HURRICANE CREEK	OPEN	6/6/2016	1970	35.417667	-88.286389	CONCRETE	CHANNEL BEAM	69
360A1780001	HARDIN	0B272	0.15	TURKEY CREEK	OPEN	6/15/2016	1970	35.180917	-88.119917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	66.2
37S23670007	HAWKINS	01175	12.58	HOLSTON RIVER	WEIGHT POSTED	6/6/2017	1964	36.515583	-82.724167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.8
37SR0010005	HAWKINS	0A005	1.876	CLOUD CREEK	OPEN	6/1/2017	1942	36.385700	-83.101483	CONCRETE	TEE BEAM	58.7
37SR0010007	HAWKINS	0A005	2.932	CANEY CREEK	OPEN	6/1/2017	1937	36.385800	-83.082950	CONCRETE	TEE BEAM	49.1
370A3520001	HAWKINS	0A352	0.447	SOUTHERN RAILWAY	OPEN	7/17/2017	1959	36.501733	-82.788117	CONCRETE CONTINUOUS	TEE BEAM	45.1
370A6820001	HAWKINS	0A682	0.017	BEECH CREEK	WEIGHT POSTED	6/20/2017	1955	36.387483	-82.843467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.1
370A7650001	HAWKINS	0A765	0.813	ROBERTSON CREEK	WEIGHT POSTED	6/21/2017	1940	36.328967	-83.066000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.6
370A9220001	HAWKINS	0A922	0.265	CROCKETT CREEK	CLOSED	6/21/2017	1940	36.400417	-83.011067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17.3

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
380A0350001	HAYWOOD	0A035	0.544	BRANCH	OPEN, TEMP STRUCTURE	11/27/2017	1976	35.740222	-89.423528	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	28.9
380A0960001	HAYWOOD	0A096	0.73	BRANCH	WEIGHT POSTED	11/27/2017	1976	35.692917	-89.208444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	47.7
380A1520001	HAYWOOD	0A152	3.48	BRANCH	OPEN, TEMP STRUCTURE	11/28/2017	1968	35.494050	-89.135717	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	38
380A2960001	HAYWOOD	0A296	0.03	BRANCH	CLOSED	11/28/2017	1985	35.461667	-89.397917	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	19.9
390A2380001	HENDERSON	0A238	0.3	BIG HURRICANE DRAINAGE	OPEN	11/14/2017	1977	35.436806	-88.356472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	50.5
390A4510005	HENDERSON	0A451	2.388	VAN CREEK	WEIGHT POSTED	8/8/2016	1986	35.639750	-88.496778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36
40E00030005	HENRY	00902	14.86	BRANCH	OPEN	12/29/2017	1960	36.376556	-88.168389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
40S82370005	HENRY	01715	2.21	THOMPSON CREEK	OPEN	1/3/2018	1960	36.361028	-88.260694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.1
40017150009	HENRY	01715	7.29	HOLLEY FORK CREEK	OPEN	1/3/2018	1968	36.419667	-88.267944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
400A0150001	HENRY	0A015	2.25	WALNUT FORK CREEK	OPEN, TEMP STRUCTURE	1/3/2018	1965	36.338167	-88.438278	CONCRETE	CHANNEL BEAM	34.8
400A0220001	HENRY	0A022	1.289	CANE CREEK	OPEN	1/3/2018	1981	36.360250	-88.501139	CONCRETE	CHANNEL BEAM	34.6
400A0580001	HENRY	0A058	3.091	BIRDS CREEK	OPEN	1/8/2018	1979	36.371747	-88.367750	CONCRETE	CHANNEL BEAM	61.1
400A0670003	HENRY	0A067	1.984	PHILLIPS CREEK	CLOSED	1/8/2018	1962	36.394556	-88.358361	CONCRETE	CHANNEL BEAM	20.4
400A0720001	HENRY	0A072	1.632	CLEAR CREEK	OPEN	1/8/2018	1950	36.424639	-88.381833	CONCRETE	CHANNEL BEAM	58.8
400A1130005	HENRY	0A113	2.574	SUGAR CREEK	WEIGHT POSTED	1/8/2018	1984	36.481667	-88.466361	CONCRETE	CHANNEL BEAM	33.5
400A1130007	HENRY	0A113	3.799	TERRAPIN CREEK	WEIGHT POSTED	1/8/2018	1963	36.487194	-88.485667	CONCRETE	CHANNEL BEAM	33.1
400A1130009	HENRY	0A113	3.89	BRANCH	OPEN	1/5/2018	1998	36.486889	-88.487056	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	62.3
400A1180001	HENRY	0A118	0.48	SANDY BRANCH	WEIGHT POSTED	1/8/2018	1980	36.474722	-88.451361	CONCRETE	CHANNEL BEAM	40.5
400A2100001	HENRY	0A210	2.08	BLOOD RIVER	CLOSED	12/18/2017	1972	36.473056	-88.195500	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	35.9

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
400A4340001	HENRY	0A434	1.37	CLENDON CREEK	OPEN	12/27/2017	1948	36.248111	-88.128611	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
400A5720001	HENRY	0A572	1.139	MIDDLE FORK OBION RIVER	OPEN	1/4/2018	1969	36.276722	-88.419611	CONCRETE	CHANNEL BEAM	49.8
40M30670001	HENRY	0A833	0.522	JONES BEND CREEK	OTHER RESTRICTIONS	1/8/2018	1950	36.310333	-88.334444	CONCRETE	TEE BEAM	45.2
41S61790003	HICKMAN	00942	3.21	CANE CREEK	WEIGHT POSTED	11/29/2017	1959	35.648617	-87.660217	CONCRETE	TEE BEAM	49.4
41F04700001	HICKMAN	00961	5.9	BRANCH	OPEN	11/28/2017	1930	35.844333	-87.480017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.6
41F04700003	HICKMAN	00961	6.15	BIRD CREEK	OPEN	11/28/2017	1930	35.846700	-87.476850	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.8
41018330003	HICKMAN	01833	9	SULPHUR FORK CREEK	OPEN	11/14/2017	1970	35.679167	-87.602283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54
41018460001	HICKMAN	01846	2.65	ARNOLD BRANCH	OPEN	9/22/2017	1963	35.775483	-87.378517	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
41018460003	HICKMAN	01846	5.73	DUCK RIVER	OPEN	9/22/2017	1968	35.797833	-87.344200	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.2
41S62440001	HICKMAN	01848	1.81	HALEY CREEK	OPEN	10/18/2017	1950	35.785383	-87.423217	CONCRETE	TEE BEAM	46.2
410A1100003	HICKMAN	0A104	2.883	JONES CREEK	OPEN	9/6/2017	1975	35.849700	-87.299583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.3
410A0880001	HICKMAN	0A128	0.909	MILL CREEK	OPEN	9/12/2017	1964	35.901600	-87.323967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.7
410A1650001	HICKMAN	0A170	0	MILL CREEK	WEIGHT POSTED	10/11/2017	1962	35.884367	-87.370617	CONCRETE	TEE BEAM	25.9
410A1760003	HICKMAN	0A176	1.539	LITTLE SPRING CREEK	OPEN	9/25/2017	1975	35.914767	-87.421067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55
410A2470003	HICKMAN	0A247	0.271	PUCKETT BRANCH	WEIGHT POSTED	9/21/2017	1991	35.778083	-87.237717	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.8
410A4710001	HICKMAN	0A270	5.142	BLUE BUCK CREEK	OPEN	10/25/2017	1970	35.721967	-87.394783	CONCRETE CONTINUOUS	TEE BEAM	58.4
410A2510001	HICKMAN	0A277	0.575	BIG SWAN CREEK	OPEN	10/26/2017	1972	35.682250	-87.429750	CONCRETE	TEE BEAM	62.4
410A3060003	HICKMAN	0A325	4.135	WADES BRANCH	WEIGHT POSTED	11/2/2017	1960	35.720150	-87.517833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	35.3
410A3060001	HICKMAN	0A325	4.36	BEAVER DAM CREEK	OPEN	11/2/2017	1968	35.717983	-87.514900	CONCRETE	TEE BEAM	49.6

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
410A3070001	HICKMAN	0A326	0.141	BEAVERDAM CREEK	OPEN	11/6/2017	1975	35.743417	-87.537150	CONCRETE CONTINUOUS	TEE BEAM	62.5
410A3300001	HICKMAN	0A330	0.06	INDIAN CREEK	OPEN	10/19/2017	1955	35.758233	-87.466100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.8
410A4340001	HICKMAN	0A434	0.07	BRANCH	WEIGHT POSTED	8/16/2017	2000	35.930717	-87.512050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	24.5
410A3670003	HICKMAN	0A542	7.487	BLOWING SPRINGS	OPEN	11/22/2017	1960	35.787383	-87.634283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	27.3
410A7560001	HICKMAN	0A756	0.04	HALEY CREEK	WEIGHT POSTED	10/18/2017	1994	35.789383	-87.422500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.6
420A1450001	HOUSTON	01783	8.39	ERIN BRANCH	OPEN	2/19/2016	1965	36.316967	-87.695667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.4
420A0180001	HOUSTON	0A018	1.107	HURRICANE CREEK	OPEN	1/25/2018	1976	36.338733	-87.935450	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70
420A1280001	HOUSTON	0A128	0.35	GUICES CREEK	WEIGHT POSTED	2/23/2016	1975	36.303783	-87.592867	STEEL	GIRDER AND FLOORBEAM SYSTEM	35
430A3160001	HUMPHREYS	00910	15.7	DUCK RIVER	OPEN	4/22/2016	1945	36.042667	-87.853617	STEEL	TRUSS - THRU	4.4
43017940001	HUMPHREYS	01794	0.1	NORTH FORK BLUE CREEK	OPEN	4/12/2016	1968	35.865517	-87.905250	CONCRETE	TEE BEAM	30.5
43018100001	HUMPHREYS	01810	2.17	LITTLE RICHLAND CREEK	WEIGHT POSTED	3/9/2016	1991	36.141083	-87.845850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.2
430A0580001	HUMPHREYS	0A058	0.075	HEMBY BRANCH	OPEN, TEMP STRUCTURE	3/2/2016	1983	36.133000	-87.828750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.2
430A1240001	HUMPHREYS	0A124	0.034	WHITE OAK CREEK	OPEN	1/10/2018	1995	36.214617	-87.707267	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66
430A1440001	HUMPHREYS	0A144	1.647	BRANCH	OPEN, TEMP STRUCTURE	3/8/2016	1988	36.158950	-87.739083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.8
430A2230001	HUMPHREYS	0A223	0.052	INDIAN CREEK	WEIGHT POSTED	4/14/2016	1988	35.991350	-87.600667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	32.9
430A2390001	HUMPHREYS	0A239	2.02	TUMBLING CREEK	OPEN	4/13/2016	1980	35.945683	-87.720067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	51.9



# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
430A2390005	HUMPHREYS	0A239	3.142	TUMBLING CREEK	OPEN	4/13/2016	1980	35.942100	-87.716183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	51.9
430A2540003	HUMPHREYS	0A254	4.259	BLUE CREEK	WEIGHT POSTED	4/4/2016	1989	36.060317	-87.716467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.4
430A2540001	HUMPHREYS	0A254	5.227	BLUE CREEK	OPEN	4/4/2016	1992	36.062700	-87.731950	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.4
430A2760001	HUMPHREYS	0A276	0.092	BLUE CREEK	WEIGHT POSTED	4/4/2016	1998	36.060583	-87.756383	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	30.3
430A2790001	HUMPHREYS	0A279	0.17	BLUE CREEK	WEIGHT POSTED	4/4/2016	1989	36.060017	-87.739667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21
430A3410001	HUMPHREYS	0A341	0.492	HURRICANE CREEK	OPEN	4/7/2016	1964	35.964150	-87.811133	CONCRETE	TEE BEAM	47.4
440A0210001	JACKSON	0A021	0.5	WARTRACE CREEK	WEIGHT POSTED	8/9/2017	1970	36.406417	-85.820983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.8
450A4650001	JEFFERSON	01430	0.18	LONG CREEK	OPEN	5/9/2017	1965	36.079633	-83.372167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.7
45024530005	JEFFERSON	02453	7.54	LEWIS CREEK	WEIGHT POSTED	5/3/2017	1934	36.115217	-83.601883	CONCRETE	SLAB	28.7
45025000001	JEFFERSON	02500	1.39	KOONTZ CREEK	WEIGHT POSTED	5/8/2017	1950	36.050383	-83.385333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.1
45025100003	JEFFERSON	02510	0.1	LOST CREEK	WEIGHT POSTED	5/3/2017	1940	36.090933	-83.541517	CONCRETE	SLAB	52.1
45025100001	JEFFERSON	02510	1.88	LOST CREEK	WEIGHT POSTED	5/2/2017	1940	36.080450	-83.515017	CONCRETE CONTINUOUS	SLAB	27.8
45025160001	JEFFERSON	02516	1.37	CARTER CREEK	OPEN	5/9/2017	1918	36.118017	-83.314983	CONCRETE	TEE BEAM	44.9
45F00290003	JEFFERSON	02716	0.55	SOUTHERN RAILWAY	CLOSED	5/2/2017	1945	36.130317	-83.482183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	5
450A0820001	JEFFERSON	0A082	1.87	LOST CREEK	WEIGHT POSTED	5/3/2017	1942	36.100667	-83.611583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.1
450A4820001	JEFFERSON	0A482	0.032	DUMPLIN CREEK	WEIGHT POSTED	5/8/2017	1938	36.061600	-83.455250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.5
450A5790001	JEFFERSON	0A579	0.362	LONG CREEK	WEIGHT POSTED	5/9/2017	1952	36.092067	-83.333317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.7
450A8970001	JEFFERSON	0A897	0.046	LOST CREEK	OPEN	5/2/2017	1960	36.080383	-83.507433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.3

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
46S25410003	JOHNSON	02613	0.43	VAUGHT CREEK	WEIGHT POSTED	4/26/2016	1928	36.411556	-81.831972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.9
460A0550001	JOHNSON	0A055	0.222	DOE CREEK	WEIGHT POSTED	4/26/2016	1965	36.419050	-81.950550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.9
460A0640001	JOHNSON	0A064	0.103	DOE CREEK	OPEN	4/28/2016	1975	36.448389	-81.920944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.7
460A2540001	JOHNSON	0A254	2.664	FURNACE CREEK	WEIGHT POSTED	5/23/2016	1955	36.500800	-81.775233	CONCRETE	SLAB	32.7
460A2960003	JOHNSON	0A296	0.24	FORGE CREEK	OPEN	5/23/2016	1955	36.464317	-81.734933	CONCRETE	SLAB	55.8
460A3750001	JOHNSON	0A375	0.336	ROAN CREEK	WEIGHT POSTED	5/2/2016	1962	36.395783	-81.848367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.9
460A4090001	JOHNSON	0A409	4.35	ROAN CREEK	OPEN	4/27/2016	1975	36.375417	-81.927283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.4
47037740005	KNOX	03774	3.24	CSX RAILROAD	OPEN	5/2/2016	1950	35.959600	-83.947600	CONCRETE	TEE BEAM	51.9
470E9900003	KNOX	05643	0.439	CSX RAILROAD	OPEN	5/2/2016	1981	35.970517	-83.982017	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	52
470B0960001	KNOX	0B096	0.111	BRANCH	OPEN	6/16/2016	1967	35.995483	-83.998133	CONCRETE	CHANNEL BEAM	55.9
470C8990001	KNOX	0C899	0.24	RAMP TO GAY ST/GROUND	OPEN	6/16/2016	1919	35.968367	-83.921717	CONCRETE	TEE BEAM	38.9
470C8990003	KNOX	0C899	0.26	RAMP TO GAY ST/GROUND	WEIGHT POSTED	6/16/2016	1919	35.968883	-83.920683	CONCRETE	TEE BEAM	2
470D2820001	KNOX	0D282	0.32	COX CREEK	OPEN	6/30/2016	1975	36.079067	-83.887217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	70
470E4080001	KNOX	0E408	1.203	BULL RUN CREEK	OPEN	6/7/2016	1968	36.104383	-83.993317	CONCRETE	CHANNEL BEAM	46.2
480A0370001	LAKE	02155	5.93	RUNNING REELFOOT BAYOU	OPEN	7/25/2016	1991	36.331611	-89.400833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	61.4
49F00110005	LAUDERDALE	00821	2.32	OVERFLOW	OPEN, TEMP STRUCTURE	4/13/2016	1972	35.880817	-89.354050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.3
49F00110011	LAUDERDALE	00821	2.66	OVERFLOW	OPEN, TEMP STRUCTURE	4/13/2016	1960	35.880633	-89.347833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	29.6
49S82160003	LAUDERDALE	00823	2.3	SUMROW CREEK	OPEN	4/13/2016	1991	35.864556	-89.376000	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.3

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
490A0140001	LAUDERDALE	0A014	4.423	COLD CREEK	OPEN	4/26/2016	1998	35.693083	-89.804167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	91.5
490A0940001	LAUDERDALE	0A094	1.076	BRANCH	WEIGHT POSTED	4/14/2016	1969	35.817861	-89.520028	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	44.7
490A1210003	LAUDERDALE	0A121	3.812	KNOB CREEK	OPEN, TEMP STRUCTURE	4/21/2016	1970	35.880361	-89.569833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	25.6
490A1420005	LAUDERDALE	0A142	1.915	BRANCH	OPEN, TEMP STRUCTURE	4/21/2016	1970	36.010350	-88.466433	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	38.9
490A1510005	LAUDERDALE	0A151	0.949	BRANCH	WEIGHT POSTED	4/25/2016	2001	35.934417	-89.422556	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	35.9
490A2570003	LAUDERDALE	0A257	0.393	BRANCH	WEIGHT POSTED	4/12/2016	1984	35.847111	-89.394278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.7
490A2570005	LAUDERDALE	0A257	0.44	BRANCH	WEIGHT POSTED	4/13/2016	1975	35.846683	-89.393722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
490A2710003	LAUDERDALE	0A271	0.743	BRANCH	OPEN	4/27/2016	1984	35.806028	-89.445139	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.9
490A2910007	LAUDERDALE	0A291	0.627	BRANCH	OPEN, TEMP STRUCTURE	4/25/2016	1974	35.766222	-89.495611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	31.7
490A2910009	LAUDERDALE	0A291	1.557	BRANCH	OPEN, TEMP STRUCTURE	4/25/2016	1974	35.775583	-89.490000	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	31
490A3160007	LAUDERDALE	0A316	4.41	OVERFLOW	OPEN, TEMP STRUCTURE	4/26/2016	1973	35.634639	-89.513583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	32.9
490A3160009	LAUDERDALE	0A316	4.54	BRANCH	WEIGHT POSTED	4/27/2016	1970	35.634750	-89.511194	CONCRETE	CHANNEL BEAM	45.7
49014880003	LAUDERDALE	0A523	1.417	BRANCH	WEIGHT POSTED	4/26/2016	1975	35.738917	-89.505778	CONCRETE	CHANNEL BEAM	44.2
50018090001	LAWRENCE	01426	6.24	SHOAL CREEK	OPEN	4/27/2017	1965	35.120200	-87.508600	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	48
500A1150001	LAWRENCE	0A115	2.435	W FORK BUFFALO RIVER	OPEN	6/8/2017	1984	35.380533	-87.381550	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	45.4
500A1970001	LAWRENCE	0A197	1.073	TRY WEAKLEY CREEK	OPEN	6/2/2017	1975	35.302317	-87.226317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	53.9
51S62640007	LEWIS	01829	7.44	SCOTT BRANCH	WEIGHT POSTED	8/18/2017	1950	35.636000	-87.332567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.2

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
510A0980001	LEWIS	0A098	0.331	BUFFALO RIVER	WEIGHT POSTED	9/27/2017	1965	35.449533	-87.569250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.6
510A1800001	LEWIS	0A180	1.383	PINEY BRANCH	OPEN	8/25/2017	1970	35.549400	-87.502817	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.2
52019670005	LINCOLN	01967	4.67	BIG HUCKLEBERRY CREEK	CLOSED	8/9/2017	1965	35.035067	-86.410167	CONCRETE	CHANNEL BEAM	54.2
52019750003	LINCOLN	01975	3.65	LEATHERWOOD CREEK	OPEN	7/13/2017	1960	35.145183	-86.819850	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	72.9
520A1760001	LINCOLN	0A001	0.275	EAST FORK MULBERRY CREEK	WEIGHT POSTED	9/6/2017	1947	35.219017	-86.427700	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.3
520A1870005	LINCOLN	0A187	3.2	MULBERRY CREEK	OPEN	9/5/2017	1965	35.175367	-86.470350	CONCRETE	TEE BEAM	64.5
520A3730001	LINCOLN	0A373	1.018	LITTLE CANE CREEK	WEIGHT POSTED	8/3/2017	1970	35.005433	-86.617150	STEEL	STRINGER/MULTI-BEAM OR GIRDER	83.3
52056810001	LINCOLN	0A405	2	ELK RIVER	CLOSED	9/18/2017	1901	35.133389	-86.583417	STEEL	TRUSS - THRU	0
520A4630007	LINCOLN	0A463	4.703	KELLY CREEK	WEIGHT POSTED	7/21/2017	1940	35.054917	-86.811883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	55.7
530A5940001	LOUDON	0A808	0.169	BACON CREEK	OPEN	8/25/2016	1930	35.675283	-84.404450	CONCRETE	TEE BEAM	48.2
56020870003	MACON	02087	1.1	BRANCH	OPEN	9/11/2017	1965	36.432933	-85.936967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.8
56SR0520001	MACON	02103	3.45	LONG FORK CREEK	WEIGHT POSTED	8/23/2017	1956	36.510000	-85.940000	CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	43.4
560A3450001	MACON	0A345	0.024	SALT LICK CRK	WEIGHT POSTED	9/7/2017	1950	36.530717	-85.845450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.5
57SR0010023	MADISON	03043	1.05	BRANCH	WEIGHT POSTED	7/18/2017	1930	35.614639	-88.824278	MASONRY	ARCH - DECK	36
570A0920001	MADISON	0A092	0.646	BRANCH	WEIGHT POSTED	7/19/2017	1975	35.785611	-88.862917	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39.9
570A1660007	MADISON	0A166	3.286	OVERFLOW	CLOSED	7/13/2017	1968	35.769167	-88.692667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	36.9
570A1830001	MADISON	0A183	0.107	BRANCH	OPEN, TEMP STRUCTURE	7/7/2017	1989	35.726528	-88.697639	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	19
570A2240003	MADISON	0A224	0.999	BRANCH	WEIGHT POSTED	7/13/2017	1965	35.743972	-88.930361	CONCRETE	CHANNEL BEAM	39.9
570A3100001	MADISON	0A310	0.418	BRANCH	OPEN, POSTING ORDERED	7/18/2017	1975	35.568167	-88.697306	CONCRETE	CHANNEL BEAM	56.7

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
570A3560001	MADISON	0A356	0.54	BRANCH	OPEN	7/7/2017	1992	35.502444	-88.815889	CONCRETE	CHANNEL BEAM	52.9
570A3640001	MADISON	0A364	0.178	OVERFLOW	OPEN, TEMP STRUCTURE	8/2/2017	1945	35.445944	-88.873472	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	25.8
570A3640003	MADISON	0A364	0.191	SANDY CREEK	WEIGHT POSTED	7/10/2017	1945	35.446083	-88.873667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	27.9
570A3860005	MADISON	0A386	0.64	OVERFLOW	OPEN, TEMP STRUCTURE	8/2/2017	1968	35.438528	-89.036583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	41
570A3990001	MADISON	0A399	0.629	BRANCH	OPEN	7/10/2017	1984	35.487722	-89.067778	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69
570A4790001	MADISON	0A479	1.004	BRANCH	WEIGHT POSTED	7/7/2017	1974	35.651944	-88.615778	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.8
570A6030001	MADISON	0A603	0.26	ANDERSON BRANCH	OPEN	7/18/2017	1977	35.610278	-88.805194	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	69.9
570A4100001	MADISON	0A785	1.141	BRANCH	OPEN	7/12/2017	1968	35.440583	-89.059333	CONCRETE	CHANNEL BEAM	63.8
57016440007	MADISON	0A980	0.338	OVERFLOW	WEIGHT POSTED	7/18/2017	1922	35.616028	-88.856139	CONCRETE	TEE BEAM	40.9
57016440011	MADISON	0A980	0.623	OVERFLOW	CLOSED	7/18/2017	1922	35.614861	-88.861056	CONCRETE	TEE BEAM	46
57016440013	MADISON	0A980	0.728	OVERFLOW	CLOSED	7/18/2017	1922	35.614083	-88.862667	CONCRETE	TEE BEAM	24.8
58021530003	MARION	02153	0.58	DRY CREEK	OPEN	10/12/2016	1979	34.998933	-85.807183	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	62.4
60009700001	MAURY	00970	0.42	CEDAR BRANCH	WEIGHT POSTED	10/18/2016	1969	35.614850	-87.029067	CONCRETE	SLAB	46.3
60S62530001	MAURY	00993	5.53	ISBEL BRANCH	OPEN	9/13/2016	1957	35.535367	-87.147567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	45.2
60018970003	MAURY	01897	2.53	DUCK RIVER	OPEN	8/23/2016	1962	35.573233	-86.922133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.4
60019160001	MAURY	01916	0.09	LITTLE BIGBY CREEK	OPEN	9/8/2016	1925	35.521467	-87.091167	CONCRETE	ARCH - DECK	44.3
60SR0060001	MAURY	02733	2.09	RATTLESNAKE FALLS BRANCH	OPEN	9/20/2016	1925	35.474733	-87.248833	CONCRETE CONTINUOUS	SLAB	58.9
60SR0060005	MAURY	02733	3.18	TENNESSEE SOUTHERN RR	WEIGHT POSTED	9/20/2016	1925	35.486067	-87.235967	CONCRETE	TEE BEAM	20.7
60K31940001	MAURY	03194	0.89	TENNESSEE SOUTHERN RR	OPEN	10/18/2016	1966	35.627667	-87.062283	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	54.7



# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
600A1670001	MAURY	04624	0.05	BEAR CREEK	OPEN	10/17/2016	1960	35.635867	-86.972767	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	53.7
600A0480001	MAURY	0A048	0.036	LEIPERS CREEK	OPEN	8/10/2016	1940	35.799383	-87.122667	CONCRETE	TEE BEAM	49
600A0510001	MAURY	0A051	0.123	LEIPERS CREEK	WEIGHT POSTED	8/8/2016	1950	35.762350	-87.186033	CONCRETE	TEE BEAM	37.2
60019050003	MAURY	0A064	3.76	DUCK RIVER	WEIGHT POSTED	9/29/2016	1963	35.672167	-87.128700	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.5
60019050005	MAURY	0A064	7.383	KNOB CREEK	OPEN	7/27/2016	1920	35.674667	-87.078850	CONCRETE	ARCH - DECK	51.8
600A0680001	MAURY	0A068	1.191	LEIPERS CREEK	WEIGHT POSTED	8/9/2016	1958	35.802967	-87.088667	CONCRETE	TEE BEAM	47.7
60019030003	MAURY	0A161	0.318	BRANCH	OPEN	10/17/2016	1970	35.631233	-86.951400	CONCRETE CONTINUOUS	TEE BEAM	48.4
600A1630001	MAURY	0A163	0.721	LYTLE CREEK	OPEN	8/24/2016	1950	35.621283	-87.016983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.2
600A1770001	MAURY	0A177	0.415	PUMPKIN CREEK	OPEN	8/22/2016	1945	35.577450	-86.861667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	49.7
600A1890001	MAURY	0A189	0.297	CEDAR CREEK	OPEN	8/18/2016	1940	35.546767	-86.842750	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.5
600A3260005	MAURY	0A326	0.038	S. FK. FOUNTAIN CREEK	OPEN	8/25/2016	1944	35.446750	-86.988567	CONCRETE	TEE BEAM	39.2
600A3260001	MAURY	0A326	1.132	CAMPBELL STATION BRANCH	OPEN	8/25/2016	1935	35.433817	-86.977933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.5
600A3580001	MAURY	0A358	0.423	BIG BIGBY BRANCH	WEIGHT POSTED	9/20/2016	1916	35.483200	-87.242483	CONCRETE	ARCH - DECK	17.4
600A3810001	MAURY	0A381	0.101	SUGAR CREEK	OPEN	9/15/2016	1930	35.527867	-87.207983	CONCRETE	TEE BEAM	48.3
600A4080001	MAURY	0A408	1.311	BIG BIGBY CREEK	WEIGHT POSTED	9/28/2016	1930	35.585483	-87.184133	CONCRETE	TEE BEAM	16.2
600A4120001	MAURY	0A412	0.756	DOG BRANCH	OPEN	10/6/2016	1940	35.577933	-87.238117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.5
600A4240003	MAURY	0A424	2.148	BAPTIST CREEK	OPEN	10/5/2016	1934	35.595950	-87.291417	CONCRETE	ARCH - DECK	46.7
60009700009	MAURY	0A570	1.05	DUCK RIVER	CLOSED	8/22/2016	1950	35.574883	-86.867400	CONCRETE CONTINUOUS	TEE BEAM	33.8
600B0210001	MAURY	0B021	0.739	DUCK RIVER	WEIGHT POSTED	10/13/2016	1965	35.686650	-87.178517	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	42.7
600B0230001	MAURY	0B023	0.604	KNOB CREEK	WEIGHT POSTED	7/29/2016	1945	35.718967	-87.074867	CONCRETE	TEE BEAM	49.2
60009700011	MAURY	0B310	1.567	CEDAR CREEK	OPEN	8/22/2016	1960	35.554367	-86.856733	CONCRETE	TEE BEAM	56.5

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
600A0260001	MAURY	0B625	0.01	BRANCH	OPEN	8/8/2016	1956	35.751333	-87.229100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.9
55S81190001	McNAIRY	01661	2.02	NEATHERY CREEK	WEIGHT POSTED	9/19/2016	1961	35.102750	-88.694333	CONCRETE	CHANNEL BEAM	34.2
55016680001	McNAIRY	01668	1.63	GRAHAM CREEK	WEIGHT POSTED	9/15/2016	1950	35.204556	-88.474389	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.7
55F00080001	McNAIRY	05566	9.29	LITTLE SNAKE CREEK	OPEN, POSTING ORDERED	9/13/2016	1965	35.246028	-88.491778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	26.6
610A0220001	MEIGS	0A022	1.058	SEWEE CREEK	WEIGHT POSTED	6/8/2017	1884	35.578050	-84.759600	STEEL	TRUSS - THRU	19.8
61022750011	MEIGS	0A066	2.094	HURRICANE CREEK	WEIGHT POSTED	6/21/2017	1967	35.642600	-84.672967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.9
610A3400001	MEIGS	0A340	0.04	DECATUR CREEK	WEIGHT POSTED	6/14/2017	1960	35.502150	-84.771983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.2
61SR0300001	MEIGS	0A733	0.37	DECATUR BRANCH	WEIGHT POSTED	6/20/2017	1931	35.514767	-84.793050	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	27.9
62F00010005	MONROE	01139	10	MULBERRY CREEK	OPEN	7/19/2016	1978	35.542417	-84.058667	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.4
62F00110003	MONROE	01235	7.21	BIG CREEK	OPEN	8/23/2016	1920	35.455483	-84.272733	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	63.2
62023440001	MONROE	02344	1.27	NORTH FORK NOTCHY CREEK	OPEN	8/3/2016	1970	35.518983	-84.295500	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.2
62023440003	MONROE	02344	1.89	NORTH FORK NOTCHY CREEK	OPEN	8/3/2016	1972	35.514483	-84.305033	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	62.3
62023440007	MONROE	02344	2.57	NORTH FORK NOTCHY CREEK	OPEN	8/3/2016	1971	35.512983	-84.315817	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.3
620A0670001	MONROE	0A067	0.166	SWEETWATER CREEK	WEIGHT POSTED	7/27/2016	1965	35.649550	-84.428100	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50
620A3630001	MONROE	0A363	1.204	CHESTUEE CREEK	WEIGHT POSTED	7/21/2016	1970	35.465217	-84.407383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.4
63S62690001	MONTGOMERY	00975	7.9	CUMMINGS CREEK	WEIGHT POSTED	12/1/2016	1942	36.488050	-87.468533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.9
63018610001	MONTGOMERY	01861	2.8	BUDD'S CREEK	OPEN	1/13/2017	1978	36.432767	-87.436600	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	78.4

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
63018880001	MONTGOMERY	01888	6.67	MCADOO CREEK	WEIGHT POSTED	1/11/2017	1945	36.443967	-87.209183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.8
63K31480003	MONTGOMERY	03148	1.27	BRANCH	OPEN	1/25/2017	1950	36.549500	-87.302900	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	45.4
630A0090001	MONTGOMERY	0A009	1.568	SULPHUR BRANCH	WEIGHT POSTED	1/11/2017	1974	36.402367	-87.243017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.8
630A3940001	MONTGOMERY	0A394	1.294	LOUISE CREEK	OPEN	1/23/2017	1982	36.366533	-87.362000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.7
630A4470001	MONTGOMERY	0A447	0.066	BARTONS CREEK	OPEN	1/20/2017	1976	36.341200	-87.308567	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	80.5
630A6060003	MONTGOMERY	0A606	4.533	BRANCH	OPEN	12/14/2016	1970	36.525283	-87.586400	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.1
630A6150001	MONTGOMERY	0A615	1.672	BLOOMING GROVE CREEK	OPEN	12/1/2016	1976	36.479867	-87.523017	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	94.9
630A6160003	MONTGOMERY	0A616	2.996	ELDRIDGE CREEK	OPEN	12/14/2016	1982	36.487933	-87.578800	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	93.9
630A6280001	MONTGOMERY	0A628	1.469	ANTIOCH CREEK	OPEN	1/10/2017	1974	36.442017	-87.391950	STEEL	STRINGER/MULTI-BEAM OR GIRDER	70
640A0830001	MOORE	0A083	0.522	TURKEY CREEK	OPEN	5/25/2016	1975	35.300917	-86.273944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.5
640A1460001	MOORE	0A146	0.248	EAST FORK MULBERRY CREEK	WEIGHT POSTED	5/12/2016	1950	35.272611	-86.381250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.6
65S44250001	MORGAN	00916	6.195	ROCK CREEK	OPEN	2/15/2017	1939	36.270650	-84.822683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.6
65023780007	MORGAN	02378	8.61	HALL BRANCH	OPEN	3/14/2017	1920	36.031600	-84.569300	CONCRETE	SLAB	45.4
650A0190001	MORGAN	0A019	1.882	WHITEOAK CREEK	OPEN	3/8/2017	1984	35.972633	-84.592583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
66S81650003	OBION	01433	4.275	BROWNS CREEK	WEIGHT POSTED	5/31/2017	1958	36.242583	-89.425167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	48.9
66015240001	OBION	01524	1.23	MILL CREEK	CLOSED	5/31/2017	1960	36.272472	-89.168583	CONCRETE	TEE BEAM	21.7
66015250001	OBION	01525	2.21	OVERFLOW	WEIGHT POSTED	6/13/2017	1970	36.277889	-88.982639	CONCRETE	CHANNEL BEAM	45.2

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
66015280003	OBION	01528	0.5	DAVIDSON CREEK	WEIGHT POSTED	5/31/2017	1975	36.368944	-89.134083	CONCRETE	CHANNEL BEAM	39.3
66F00250003	OBION	02122	5.19	OLD OBION RIVER BED	WEIGHT POSTED	6/7/2017	1960	36.274722	-89.122972	CONCRETE	CHANNEL BEAM	38.9
660A0470001	OBION	0A047	0.67	DAVIDSON CREEK	OPEN	6/1/2017	1965	36.391361	-89.147944	CONCRETE	CHANNEL BEAM	57.7
660A0980009	OBION	0A098	0.191	BRANCH	OPEN	6/6/2017	1970	36.504417	-89.163944	CONCRETE	CHANNEL BEAM	42.5
660A0280003	OBION	0A218	0.908	MILL CREEK	WEIGHT POSTED	5/30/2017	1975	36.346806	-89.212861	CONCRETE	CHANNEL BEAM	19.4
660A5780001	OBION	0A578	3.012	BRANCH	WEIGHT POSTED	6/13/2017	1983	36.214111	-89.134722	CONCRETE	CHANNEL BEAM	49.8
66M29480001	OBION	0A815	0.232	HARRIS FORK CREEK	CLOSED	6/14/2017	1940	36.500444	-88.878750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.5
67F00190001	OVERTON	01205	5.17	ROARING RIVER	WEIGHT POSTED	12/5/2016	1973	36.338006	-85.377750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.2
67SR0420007	OVERTON	01506	9.06	CARR CREEK	WEIGHT POSTED	12/22/2016	1953	36.345700	-85.334633	CONCRETE	TEE BEAM	33.9
670A2550001	OVERTON	0A255	0.021	BIG LAUREL CREEK	OPEN	12/13/2016	1903	36.268500	-85.111933	STEEL	GIRDER AND FLOORBEAM SYSTEM	44.7
68F02430001	PERRY	00921	0.22	BUFFALO RIVER	OPEN	7/24/2017	1958	35.604617	-87.839050	CONCRETE CONTINUOUS	TEE BEAM	62
680A0080001	PERRY	0A008	0.049	SPRING CREEK	OPEN	6/30/2017	1982	35.654800	-87.992800	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	68
680A1520001	PERRY	0A152	0.161	SHORT CREEK	WEIGHT POSTED	8/1/2017	1995	35.617067	-87.822050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.7
680A2020001	PERRY	0A202	0.051	WHITEOAK CREEK	OPEN	7/13/2017	1955	35.470683	-87.973967	CONCRETE	TEE BEAM	45.4
70S43130007	POLK	01223	0.12	FOURMILE CREEK	WEIGHT POSTED	6/8/2016	1968	35.174617	-84.653733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	38.1
70S43150003	POLK	02317	1.55	TURTLETOWN CREEK	WEIGHT POSTED	5/19/2016	1955	35.145800	-84.330800	CONCRETE	TEE BEAM	23.4
700A2070001	POLK	0A207	3.289	OLD FORT CREEK	WEIGHT POSTED	6/6/2016	1970	35.048917	-84.741017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.6
700A3170001	POLK	0A317	1.126	CSX RAILROAD	WEIGHT POSTED	6/8/2016	1915	35.231983	-84.611317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	24.4
70022680001	POLK	0A840	1.53	CONASAUGA RIVER	WEIGHT POSTED	6/8/2016	1924	35.000872	-84.753750	CONCRETE	ARCH - DECK	32.3
720A0240001	RHEA	0A024	0.722	ROARING CREEK	WEIGHT POSTED	10/10/2016	1993	35.445033	-85.088833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66.6

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
73S24010001	ROANE	01226	0.28	EMORY RIVER	OPEN	3/13/2017	1992	35.928633	-84.551150	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	46.4
73014250001	ROANE	01425	3.94	CANEY CREEK	OPEN	3/15/2017	1945	35.855517	-84.597817	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	39.1
73023740001	ROANE	02374	9.24	POPLAR CREEK	OPEN	3/16/2017	1970	35.961967	-84.396250	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47
73SR0610015	ROANE	0B076	0.048	INDIAN CREEK	OPEN	3/9/2017	1938	36.045917	-84.346683	CONCRETE	TEE BEAM	52.5
74S62820005	ROBERTSON	01021	8.92	EMPSON BRANCH	OPEN	4/13/2016	1978	36.539200	-86.706400	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	70.6
74042340001	ROBERTSON	01947	8.36	INDUST ACCESS RD / CSX R	OPEN	5/18/2016	1989	36.485517	-86.859650	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	89.6
740A3240001	ROBERTSON	05353	0.61	WARTRACE CREEK	OPEN	5/18/2016	1975	36.473233	-86.836617	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.8
740A4800001	ROBERTSON	0A480	1.233	SULPHUR FORK	OPEN	5/13/2016	1960	36.519283	-86.912317	CONCRETE	TEE BEAM	45.9
75021210001	RUTHERFORD	02021	3.11	FALL CREEK	WEIGHT POSTED	8/16/2016	1965	36.027967	-86.416050	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	52.1
750B0990001	RUTHERFORD	04687	0.15	CSX RAILROAD	WEIGHT POSTED	9/22/2016	1940	35.843950	-86.398950	CONCRETE	TEE BEAM	59.3
750A0170003	RUTHERFORD	0A017	1.18	BRANCH	OPEN	7/6/2016	1950	35.957617	-86.544383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	36.3
750A0330001	RUTHERFORD	0A033	0.29	STEWART CREEK	OPEN	7/11/2016	1970	35.921800	-86.535317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	43.1
750A0560001	RUTHERFORD	0A056	0.126	CSX RAILROAD	OPEN	7/1/2016	1936	36.002950	-86.537300	CONCRETE	TEE BEAM	40.8
750A1870001	RUTHERFORD	0A187	1.856	REED CREEK	OPEN	8/8/2016	1940	35.719300	-86.213800	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	41.7
750A1900001	RUTHERFORD	0A190	0.461	FALL CREEK	WEIGHT POSTED	8/16/2016	1930	36.016333	-86.400867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.2
750A2360001	RUTHERFORD	0A236	0.131	CRIPPLE CREEK	WEIGHT POSTED	9/9/2016	1930	35.875633	-86.263483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.6
750A2380001	RUTHERFORD	0A238	0.454	BRADLEY CREEK	WEIGHT POSTED	9/16/2016	1955	35.922233	-86.274183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	42.4



# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
750A2990001	RUTHERFORD	0A299	1.642	CRIPPLE CREEK	OPEN	8/17/2016	1960	35.848817	-86.261383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.4
750A4370001	RUTHERFORD	0A437	1.118	WEST FORK STONES RIVER	OPEN	7/22/2016	1975	35.749650	-86.427817	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	89.9
750B0840001	RUTHERFORD	0B084	0.1	LYTLE CREEK	WEIGHT POSTED	9/22/2016	1927	35.840900	-86.396333	CONCRETE	ARCH - DECK	42.8
75M36620001	RUTHERFORD	0C186	0.15	SINKING CREEK	OPEN	9/20/2016	1950	35.848383	-86.374117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.1
76023850001	SCOTT	02385	0.21	PAINT ROCK CREEK	WEIGHT POSTED	9/12/2016	1965	36.451500	-84.477100	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.8
76S26330001	SCOTT	02400	0.02	SOUTHERN RAILWAY	WEIGHT POSTED	10/12/2016	1937	36.470500	-84.545267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
760A0080001	SCOTT	0A008	1.831	PUNCHEONCAMP CREEK	OPEN	9/26/2016	1975	36.543950	-84.555217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.1
760A0400007	SCOTT	0A040	4.818	PINE CREEK	WEIGHT POSTED	10/17/2016	1914	36.466050	-84.596800	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.8
760A1210003	SCOTT	0A121	1.9	SMITH CREEK	WEIGHT POSTED	9/7/2016	1920	36.461750	-84.380417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	9.1
760A1370001	SCOTT	0A137	0.006	JELICO CREEK	WEIGHT POSTED	10/4/2016	1975	36.570267	-84.316900	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.2
760A2830001	SCOTT	0A209	1.754	BRANCH	OPEN	10/31/2016	1938	36.359750	-84.597350	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.5
760A2220001	SCOTT	0A249	0.05	BRIMSTONE CREEK	WEIGHT POSTED	11/1/2016	1940	36.315450	-84.512583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4
760A1850001	SCOTT	0A323	0.01	STRAIGHT FORK CREEK	WEIGHT POSTED	8/29/2016	1930	36.384517	-84.343017	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	27.6
760A1020001	SCOTT	0A450	0.315	STANLEY CREEK	WEIGHT POSTED	9/7/2016	1965	36.461333	-84.409050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44
780A3530003	SEVIER	0A353	0.792	WEBB CREEK	WEIGHT POSTED	6/26/2017	1965	35.760167	-83.389450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.8
780A3590001	SEVIER	0A359	0.009	LITTLE PIGEON RIVER	WEIGHT POSTED	1/31/2017	1970	35.753883	-83.413750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.5

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
790A0280003	SHELBY	00801	5.07	BRANCH	OPEN	4/10/2017	1968	35.333861	-89.999278	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.8
79008030003	SHELBY	00803	9.15	BIG CREEK CANAL	WEIGHT POSTED	5/3/2017	1955	35.332806	-89.898167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.2
790A6810001	SHELBY	01458	5.18	GRAYS CREEK	OPEN	4/4/2017	1956	35.163083	-89.740611	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.7
790A1860001	SHELBY	02178	4.22	FRANKS BRANCH	WEIGHT POSTED	4/26/2017	1954	35.261972	-89.801750	CONCRETE	TEE BEAM	17.8
79028110001	SHELBY	02810	0	WINCHESTER RD	OPEN	3/15/2017	1978	35.053306	-89.987361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58
79028220001	SHELBY	02822	0.38	CNIC RAILROAD	OPEN	3/8/2017	1950	35.216583	-90.023722	CONCRETE	TEE BEAM	43.9
79L28300001	SHELBY	02830	1.03	JOHNS CREEK	OPEN	3/28/2017	1970	35.050500	-89.889611	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.7
79028630001	SHELBY	02863	2.22	DAYS CREEK	OPEN	3/15/2017	1970	35.026972	-90.007500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40
79040320002	SHELBY	04032	1.71	HOLMES ST	OPEN	3/6/2017	1968	35.148194	-89.951833	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	73
79040320001	SHELBY	04032	1.71	HOLMES ST	OPEN	3/6/2017	1968	35.148111	-89.951611	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	83.6
79040320004	SHELBY	04032	2.1	N HIGHLAND ST	OPEN	3/7/2017	1969	35.148139	-89.944806	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	81.6
79040320003	SHELBY	04032	2.1	N. HIGHLAND ST.	OPEN	3/7/2017	1969	35.147944	-89.944778	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	80.6
79040320018	SHELBY	04032	3.74	WARING RD	OPEN	3/8/2017	1968	35.145778	-89.916306	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	73
79040140001	SHELBY	04182	0.27	FLETCHER CREEK	OPEN	3/14/2017	1960	35.166667	-89.878306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.8
790B2750002	SHELBY	04189	1.96	JOHNS CREEK	WEIGHT POSTED	3/28/2017	1963	35.035056	-89.886278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17.8
790M0840003	SHELBY	04191	0.99	DAYS CREEK	WEIGHT POSTED	3/16/2017	1968	35.060833	-89.993667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.3

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
790A6410001	SHELBY	04452	0.99	BRANCH	OPEN	5/3/2017	1965	35.218972	-89.807833	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	71.8
790B5590005	SHELBY	05012	3.58	JOHNS CREEK	WEIGHT POSTED	4/3/2017	1962	35.061861	-89.891361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.7
79028700003	SHELBY	05029	3.53	JOHNS CREEK	OPEN	3/30/2017	1975	35.076500	-89.892083	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	93
790A2290001	SHELBY	0D839	1.16	BRANCH	OPEN	4/26/2017	1963	35.247778	-89.798722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	63
790E9450001	SHELBY	0E945	0.264	BRANCH	OPEN	4/27/2017	1970	35.082750	-90.068056	PRESTRESSED CONCRETE	TEE BEAM	46.8
790A6390001	SHELBY	0F217	0.26	FLETCHER CREEK	OPEN	4/24/2017	1984	35.189722	-89.810833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	59.7
79SR0140029	SHELBY	0K800	0.61	WOLF RIVER	OPEN	12/8/2016	1939	35.200139	-89.923361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.7
790B5900001	SHELBY	0M340	0.16	CHANNEL 3 DR / RIVERSIDE	OPEN	4/17/2017	1948	35.127028	-90.066806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.2
80S62620001	SMITH	01068	1.02	BRUSH CREEK	OPEN	7/12/2017	1935	36.122100	-86.006183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.1
80020760003	SMITH	02076	0.86	LITTLE INDIAN CREEK	WEIGHT POSTED	7/17/2017	1927	36.225717	-85.781300	STEEL	STRINGER/MULTI-BEAM OR GIRDER	3
800A0280001	SMITH	0A028	0.025	PEYTON CREEK	OPEN	6/8/2017	1930	36.323550	-85.967733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	46
800A0390001	SMITH	0A039	2.873	LANKFORD BRANCH	OPEN	6/12/2017	1960	36.340783	-85.918317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54
800A0390003	SMITH	0A039	2.996	LANKFORD BRANCH	OPEN	6/12/2017	1960	36.339600	-85.917167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	28.8
800A0390005	SMITH	0A039	3.441	LANKFORD BRANCH	OPEN	6/12/2017	1960	36.333517	-85.914733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	31.6
81S61120005	STEWART	00945	6.7	MORGAN BRANCH	OPEN	4/13/2016	1972	36.588617	-87.833650	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.8
81017970001	STEWART	01797	2.42	BLUE CREEK	OPEN	4/6/2016	1966	36.530950	-87.859467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	66.1

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
81017990007	STEWART	01799	2.12	BRANCH	WEIGHT POSTED	4/12/2016	1975	36.584233	-87.861617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.5
810A2280001	STEWART	0A208	1.642	BELLWOOD BRANCH	WEIGHT POSTED	4/1/2016	1977	36.521600	-87.768150	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.9
82SR0370001	SULLIVAN	01392	0.99	INDIAN CREEK	OPEN	3/1/2016	1928	36.427250	-82.264850	CONCRETE	TEE BEAM	35.2
82SR0370003	SULLIVAN	01392	1.24	INDIAN CREEK	OPEN	3/1/2016	1928	36.431533	-82.265783	CONCRETE	TEE BEAM	39.4
820A2210003	SULLIVAN	02599	0.31	MUDDY CREEK	OPEN	3/8/2016	1965	36.481167	-82.364717	CONCRETE	TEE BEAM	45
82026760001	SULLIVAN	02676	1.87	BEIDLMAN CREEK	WEIGHT POSTED	3/1/2016	1970	36.521000	-82.129533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.3
820A0700001	SULLIVAN	03899	0.39	BR OF REEDY CREEK	OPEN	2/25/2016	1938	36.552650	-82.585267	CONCRETE	TEE BEAM	45.9
82039300001	SULLIVAN	03930	0.17	BEAVER CREEK	WEIGHT POSTED	3/22/2016	1975	36.594750	-82.185267	CONCRETE	TEE BEAM	31
820A3530001	SULLIVAN	0A353	0.445	BACK CREEK	WEIGHT POSTED	2/22/2016	1971	36.531933	-82.264200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.4
820A8390001	SULLIVAN	0A839	8.63	HARPERS CREEK	OPEN	3/9/2016	1988	36.577533	-81.970000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.9
820C4730001	SULLIVAN	0C473	0.028	REEDY CREEK	WEIGHT POSTED	2/10/2016	1940	36.575533	-82.353500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8
820C5340001	SULLIVAN	0C534	0.011	REEDY CREEK	WEIGHT POSTED	2/10/2016	1965	36.572500	-82.409250	CONCRETE	CHANNEL BEAM	24.7
840A0900001	TIPTON	0A090	1.158	RICHLAND CREEK	WEIGHT POSTED	7/6/2016	1976	35.585694	-89.537528	CONCRETE	CHANNEL BEAM	56.9
840A1180001	TIPTON	0A118	1.049	BRANCH	WEIGHT POSTED	6/28/2016	1970	35.475306	-89.537028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.8
840A1690001	TIPTON	0A169	0.761	HALL CREEK	WEIGHT POSTED	6/28/2016	1969	35.462139	-89.634889	CONCRETE	CHANNEL BEAM	48.7
84S81120003	TIPTON	0C001	4.737	ADKINSON CREEK	OPEN	7/7/2016	1956	35.506653	-89.789944	CONCRETE	CHANNEL BEAM	43.4
860A0480001	UNICOI	0A048	0.008	S INDIAN CREEK	OPEN	8/3/2016	1988	36.068333	-82.507850	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	55.3
860A0510001	UNICOI	0A051	0.224	SPIVEY CREEK	OPEN	8/10/2016	1978	36.038650	-82.487333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.8
860A0520001	UNICOI	0A052	0.208	SPIVEY CREEK	WEIGHT POSTED	8/10/2016	1978	36.037317	-82.483067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.1
860A4810001	UNICOI	0A481	0.011	DRY CREEK	WEIGHT POSTED	7/19/2016	1990	36.180167	-82.375350	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.7

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
860A6010001	UNICOI	0A601	0.039	SOUTH INDIAN CREEK	WEIGHT POSTED	8/3/2016	1975	36.049700	-82.531467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.8
870A0550001	UNION	01345	0.03	LITTLE BARREN CREEK	OPEN	8/9/2016	1976	36.365467	-83.754317	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	66.4
870A1220005	UNION	0A122	2.129	BULL RUN CREEK	WEIGHT POSTED	8/17/2016	1960	36.226083	-83.766550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42
870A1280001	UNION	0A128	0.07	BULL RUN CREEK	OPEN	8/16/2016	1975	36.253383	-83.715550	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	68
870A1520003	UNION	0A152	2.608	N. FK BULL RUN CREEK	OPEN	8/10/2016	1976	36.200750	-83.829683	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	68.7
870A1560005	UNION	0A156	1.387	N FORK BULL RUN CREEK	OPEN	8/10/2016	1975	36.218733	-83.829833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	70.9
870A1560003	UNION	0A156	5.325	RACCOON CREEK	OPEN	8/17/2016	1981	36.190617	-83.884700	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	67.9
89S43980005	WARREN	00928	5.18	BIG HAYES CREEK	WEIGHT POSTED	4/11/2017	1950	35.582500	-85.729483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.9
89011000001	WARREN	01100	0.59	SMALL BRANCH	WEIGHT POSTED	4/10/2017	1943	35.655517	-85.982200	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	33.3
89SR0010013	WARREN	0A855	0.115	MUD CREEK	OPEN	3/23/2017	1924	35.733500	-85.671283	CONCRETE	TEE BEAM	43.4
90013350001	WASHINGTON	01335	4.47	BRANCH	WEIGHT POSTED	6/13/2016	1955	36.335183	-82.573467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.4
90013520005	WASHINGTON	01352	0.93	CARSON CREEK	WEIGHT POSTED	6/6/2016	1950	36.265367	-82.628067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.1
90025750001	WASHINGTON	02575	0.14	LITTLE LIMESTONE CREEK	WEIGHT POSTED	6/8/2016	1930	36.247383	-82.542850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.2
90039600003	WASHINGTON	03960	0.759	CSX RAILROAD	OPEN	6/7/2016	1988	36.312700	-82.333067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	25.4
900A6740001	WASHINGTON	0A674	0.535	BRUSH CREEK	OPEN	6/9/2016	1940	36.325972	-82.346611	CONCRETE	SLAB	47.1
900A8730001	WASHINGTON	0A873	0.534	LIMESTONE CREEK	WEIGHT POSTED	6/7/2016	1920	36.222267	-82.599583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.6



# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
900A9180001	WASHINGTON	0A918	1.651	BRANCH	OPEN	6/8/2016	1935	36.207100	-82.564967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48
900A9700001	WASHINGTON	0A970	0.031	LITTLE LIMESTONE CREEK	OPEN	6/8/2016	1920	36.249400	-82.544333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.8
900B0990001	WASHINGTON	0B099	0.769	CASSI CREEK	WEIGHT POSTED	6/7/2016	1952	36.142983	-82.604633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.6
900B1810001	WASHINGTON	0B181	0.098	LITTLE CHEROKEE CREEK	WEIGHT POSTED	5/25/2016	1930	36.222817	-82.457350	CONCRETE CONTINUOUS	SLAB	35.9
900B4350001	WASHINGTON	0B435	0.048	CSX RAILROAD	OPEN	6/23/2016	1970	36.300300	-82.354683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	48
900C9000001	WASHINGTON	0C900	1.42	BRANCH	OPEN	6/21/2016	1985	36.375167	-82.356000	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.9
91017670015	WAYNE	01767	16.16	HURRICANE CREEK	OPEN	4/20/2017	1967	35.307967	-87.717967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	58.4
910A1410001	WAYNE	0A141	1.672	SIMMONS BRANCH	OPEN	5/1/2017	1999	35.357600	-87.717767	CONCRETE	CHANNEL BEAM	58.9
910A2220009	WAYNE	0A222	8.616	DOUBLE BRANCH	WEIGHT POSTED	4/10/2017	1960	35.207667	-87.642267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.8
910A2800001	WAYNE	0A280	0.225	BUTLER CREEK	OPEN	3/16/2017	1935	35.080600	-87.658783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.1
910A3030001	WAYNE	0A303	0.14	HOLLY BRANCH	WEIGHT POSTED	3/10/2017	1965	35.056967	-87.602850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.8
910A3120001	WAYNE	0A312	0.099	CYPRESS CREEK	CLOSED	8/7/2017	1960	35.047933	-87.816417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.9
910A3390001	WAYNE	0A339	0.136	CYPRESS BRANCH	WEIGHT POSTED	2/22/2017	1963	35.067750	-87.801033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.9
910A3870001	WAYNE	0A387	0.062	BEAR CREEK	OPEN	3/28/2017	1976	35.136067	-87.857600	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.5
910A4640001	WAYNE	0A464	0.01	INDIAN CREEK	WEIGHT POSTED	4/17/2017	1955	35.195500	-87.826433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	13
92S80110007	WEAKLEY	00815	6.1	NORTH FORK OBION RIVER	OPEN	11/2/2016	1956	36.405444	-88.790278	CONCRETE	TEE BEAM	63.3
92008590011	WEAKLEY	00859	10.31	MIDDLE FORK OBION RIVER	WEIGHT POSTED	11/30/2016	1938	36.250306	-88.653694	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	21.5

# Tennessee Locally Owned Structurally Deficient Bridges



Bridge ID#	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	LATITUDE	LONGITUDE	Main Span Material	Type Main Span	Sufficiency Rating
92008590013	WEAKLEY	00859	10.48	OVERFLOW	OPEN	11/21/2016	1940	36.252194	-88.655139	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	36.3
92008590015	WEAKLEY	00859	10.65	OVERFLOW	OPEN	11/21/2016	1940	36.254111	-88.657056	CONCRETE	TEE BEAM	39.8
92016100001	WEAKLEY	01610	2.89	TERRELL BRANCH	OPEN, TEMP STRUCTURE	11/9/2016	1975	36.249722	-88.746000	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	18.1
92016160003	WEAKLEY	01616	1.78	CANE CREEK	WEIGHT POSTED	11/28/2016	1975	36.416806	-88.560167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	47.7
920A2350001	WEAKLEY	0A235	0.229	THOMPSON CREEK	WEIGHT POSTED	11/30/2016	1970	36.314500	-88.567000	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39.9
92S82210007	WEAKLEY	0A502	1.832	BRANCH	OPEN	11/3/2016	1960	36.319417	-88.891861	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.4
920A6660001	WEAKLEY	0A666	0.385	CYPRESS CREEK	WEIGHT POSTED	11/15/2016	1983	36.336861	-88.924139	CONCRETE	CHANNEL BEAM	47.8
93SR0420001	WHITE	0A966	5.3	POST OAK CREEK	OPEN	4/18/2016	1942	36.066533	-85.506800	CONCRETE	TEE BEAM	47.8
93SR0420003	WHITE	0A966	6.34	FALLING WATER RIVER	OPEN	4/18/2016	1935	36.081550	-85.505900	CONCRETE	TEE BEAM	36.9
94F00290007	WILLIAMSON	00980	11.29	HARPETH RIVER	WEIGHT POSTED	4/17/2017	1941	35.786300	-86.661083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.3
94F00160001	WILLIAMSON	01009	3.08	BRANCH	OPEN	7/25/2017	1950	35.979333	-86.828883	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	65.3
940A1500001	WILLIAMSON	05522	1.4	BRANCH	OPEN	8/4/2017	1965	35.964917	-86.728100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	42.8