

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
02E002900291	BEDFORD	SR269	10.61	GARRISON FORK CREEK	WEIGHT POSTED	10/15/2020	1940	35.52055556	-86.31835833	STEEL	Stringer/Multi-beam or Girder	55.5
02S428900031	BEDFORD	SR269	18.96	CARR BRANCH	WEIGHT POSTED	10/16/2020	1941	35.437325	-86.260725	STEEL	Stringer/Multi-beam or Girder	56.9
030177200011	BENTON	SR147	1.83	DRY CREEK	OPEN, TEMP STRUCTURE	2/18/2020	1977	36.24527778	-88.06086111	STEEL	Culvert (includes frame culverts)	69.1
05S249700031	BLOUNT	SR336	8.21	SIX MILE CREEK	OPEN	10/17/2019	1948	35.62445	-84.02523333	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	47.9
06SR06000051	BRADLEY	SR060	18.58	CANDIES CREEK	OPEN	7/26/2021	1948	35.2169	-84.88255	CONCRETE	Tee Beam	31.4
08SR00100111	CANNON	SR001	6.15	EAST FORK STONES RIVER	OPEN	1/4/2021	1924	35.82816667	-86.07715	CONCRETE	Tee Beam	32.5
09S823300011	CARROLL	SR436	0.68	REEDY CREEK	WEIGHT POSTED	7/27/2021	1960	36.01433333	-88.54097222	PRESTRESSED CONCRETE	Box Beam or Girders - Multiple	60.2
09SR07700011	CARROLL	SR077	4.2	WHITE CREEK	OPEN	7/19/2021	1993	35.98247222	-88.59702778	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	55.3
10SR06700311	CARTER	SR067	2.4	POWDER BRANCH	OPEN	6/9/2021	1986	36.31791111	-82.2775	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	38.5
11I004000031	CHEATHAM	0A383	0.126	MT. PLEASANT RD. / I-40	OPEN	8/10/2020	1960	36.06703333	-87.12781667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	49.3
11I004000071	CHEATHAM	I0040	4.08	HARPETH RIVER	OPEN	8/12/2020	1960	36.08525	-87.0887	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	47.2
11I004000081	CHEATHAM	I0040	4.08	HARPETH RIVER	OPEN	8/12/2020	1960	36.0853	-87.08868333	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	49.9
12S806100011	CHESTER	SR200	2.18	S. FK. FORKED DEER RIVER	OPEN	5/17/2021	1986	35.46758333	-88.61341667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	59.9
13SR03300091	CLAIBORNE	SR033	20.56	SOUTH FORK SYCAMORE CREEK	WEIGHT POSTED	6/2/2020	1967	36.47386667	-83.4107	CONCRETE	Channel Beam	24.3
15I004000151	COCKE	I0040	7.17	GOLF COURSE RD (A526)	OPEN	5/4/2020	1970	35.92691667	-83.19165	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	59.3
15I004000351	COCKE	I0040	17.45	NFA 1242	OPEN	5/4/2020	1970	35.81665	-83.14325	CONCRETE CONTINUOUS	Tee Beam	92.0
15I004000371	COCKE	I0040	21	GREEN CORNER RD (1321)	OPEN	5/4/2020	1970	35.7838	-83.11063333	CONCRETE CONTINUOUS	Tee Beam	62.0
15SR00900071	COCKE	SR009	6.82	PIGEON RIVER	OPEN	8/2/2021	1936	35.96123333	-83.17428333	CONCRETE	Tee Beam	59.0
15SR00900211	COCKE	SR009	21.43	BRANCH	WEIGHT POSTED	8/11/2021	1924	35.92246667	-82.96108333	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	43.3
15SR16000091	COCKE	SR160	11.87	NOLICHUCKY RIVER	WEIGHT POSTED	8/2/2021	1948	36.12676667	-83.17553333	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	45.1
160B18800011	COFFEE	0B188	0.03	DUCK RIVER (OSFSP)	CLOSED	4/16/2020	1906	35.49228333	-86.10431667	STEEL	Truss - Thru	12.1
16S426000011	COFFEE	SR127	6.21	BRADLEY CREEK	OPEN	11/18/2019	1940	35.41621667	-85.9693	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	59.5
16S426000051	COFFEE	SR127	9.76	BRADLEY CREEK	WEIGHT POSTED	11/18/2019	1940	35.4562	-85.93121111	STEEL	Stringer/Multi-beam or Girder	23.1

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
16SR00200151	COFFEE	SR002	14.28	CFW RAILROAD	WEIGHT POSTED	10/22/2019	1928	35.48025	-86.0858	CONCRETE	Tee Beam	52.0
16SR12700031	COFFEE	SR127	4.66	BRADLEY CREEK	WEIGHT POSTED	11/18/2019	1956	35.39558333	-85.978	CONCRETE	Tee Beam	25.0
16SR26900011	COFFEE	SR269	2.93	MARBURY DR (FAU 4329)	WEIGHT POSTED	11/19/2019	1993	35.38485	-86.22996667	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	18.6
180A15300011	CUMBERLAND	0A153	9.955	OTTER CREEK (CWMA)	WEIGHT POSTED	2/3/2020	1992	36.05456111	-84.85576944	STEEL	Culvert (includes frame culverts)	46.8
180A15300031	CUMBERLAND	0A153	15.067	DADDY'S CREEK (CWMA)	CLOSED	2/3/2020	1950	36.0555	-84.78866667	STEEL	Stringer/Multi-beam or Girder	13.8
18I004000011	CUMBERLAND	I0040	0.24	SR 24	OPEN	10/29/2019	1963	36.09316667	-85.23516667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	50.3
18I004000021	CUMBERLAND	I0040	0.24	SR 24	OPEN	10/29/2019	1963	36.09316667	-85.23483333	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	83.0
18I004000471	CUMBERLAND	I0040	30.32	MILLSTONE CREEK	OPEN	10/21/2019	1966	35.89016667	-84.79116667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	52.1
18SR00100111	CUMBERLAND	SR001	29.36	FALL CREEK	OPEN	2/3/2020	1926	35.88185	-84.80983333	CONCRETE	Tee Beam	46.4
18SR02800071	CUMBERLAND	SR028	10.69	BYRDS CREEK	WEIGHT POSTED	3/4/2020	1961	35.91203611	-84.99213611	CONCRETE CONTINUOUS	Tee Beam	31.9
18SR02800091	CUMBERLAND	SR028	11.09	THREE MILE CREEK	WEIGHT POSTED	3/4/2020	1962	35.91693611	-84.99563333	CONCRETE CONTINUOUS	Tee Beam	32.9
18SR02800171	CUMBERLAND	SR028	30.5	CLEAR CREEK	WEIGHT POSTED	3/11/2020	1952	36.17008889	-85.02806111	CONCRETE	Tee Beam	40.5
190325200011	DAVIDSON	03253	1.02	SR-6 (ELLINGTON PK.)	WEIGHT POSTED	3/2/2021	1967	36.20443333	-86.74995	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	55.9
190325200131	DAVIDSON	0D682	0.378	CHICKASAW AVE/ELLINGTON	OPEN	3/2/2021	1967	36.19978333	-86.75177222	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	95.5
19FA00600151	DAVIDSON	SR006	12.17	SR 6 RL / DOUGLAS AVENUE	WEIGHT POSTED	2/22/2021	1969	36.1932	-86.7528	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	6.0
19FA00600161	DAVIDSON	SR006	12.17	SR 6 LL / DOUGLAS AVENUE	WEIGHT POSTED	2/22/2021	1969	36.1932	-86.7528	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	57.8
19I002400391	DAVIDSON	I0024	23.17	MILL CREEK	OPEN	10/3/2019	1958	36.05	-86.67	PRESTRESSED CONCRETE	Box Beam or Girders - Single or Spread	43.2
19I002400671	DAVIDSON	I0040	21.58	I40 STR 5B / I24	OPEN	12/17/2019	1960	36.13983333	-86.72790556	STEEL	Stringer/Multi-beam or Girder	67.0
19I002400711	DAVIDSON	I0024	8.51	OLD HICKORY BLVD.	OPEN	9/12/2019	1972	36.27666667	-86.8	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	70.0
19I002400721	DAVIDSON	I0024	8.51	OLD HICKORY BLVD.	OPEN	9/12/2019	1972	36.27666667	-86.8	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	70.0
19I002401031	DAVIDSON	I0024	13.16	I-24 EB	OPEN	9/20/2019	1961	36.19	-86.775	STEEL	Stringer/Multi-beam or Girder	49.0
19I004000271	DAVIDSON	I0040	11.56	I40 / WESTBORO ROAD	OPEN	10/28/2019	1962	36.14913333	-86.87353333	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	81.0
19I004001171	DAVIDSON	I0040	22.35	MILL CREEK	OPEN	12/17/2019	1963	36.14133333	-86.7146	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	58.0

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
19I044000391	DAVIDSON	SR011	10.34	NOLENSVILLE RD. / I-440	WEIGHT POSTED	2/27/2020	1984	36.12274444	-86.75104722	CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	46.5
19S632600011	DAVIDSON	SR155	5.25	BRILEY PKWY / AIRPORT D	OPEN	4/13/2021	1959	36.12956667	-86.6951	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	62.7
19S632600141	DAVIDSON	SR155	13.75	CUMBERLAND RIVER & B428	OPEN	4/30/2021	1962	36.2355	-86.71016667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	53.0
19SR00100011	DAVIDSON	SR001	3.1	WEST FORK BUFFALO CREEK	OPEN, POSTING ORDERED	2/9/2021	1926	36.09158333	-86.98926667	CONCRETE	Tee Beam	38.7
19SR00100151	DAVIDSON	SR001	12.95	SUGAR TREE CREEK	WEIGHT POSTED	2/9/2021	1923	36.12283333	-86.85025	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	33.8
19SR00100171	DAVIDSON	SR001	13.81	BRANCH	OPEN	2/9/2021	1923	36.13018333	-86.83751667	CONCRETE	Culvert (includes frame culverts)	57.0
19SR00600251	DAVIDSON	SR006	21.08	BRANCH	OPEN	3/3/2021	1955	36.29725	-86.69866667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	30.0
19SR00600271	DAVIDSON	SR006	22.84	MANSKER CREEK	OPEN	3/3/2021	1937	36.30935	-86.67253333	CONCRETE	Tee Beam	48.9
19SR01100231	DAVIDSON	SR011	18.05	BRANCH	OPEN	3/4/2021	1928	36.24995	-86.75703333	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	31.9
19SR01100271	DAVIDSON	SR011	18.87	NORTH FORK EWING CREEK	WEIGHT POSTED	3/4/2021	1928	36.26185	-86.75736667	CONCRETE	Tee Beam	47.2
19SR02400131	DAVIDSON	SR024	15.93	L&N RAILROAD	WEIGHT POSTED	3/16/2021	1924	36.15371667	-86.72218333	CONCRETE	Culvert (includes frame culverts)	26.5
19SR02400191	DAVIDSON	SR024	19.28	CSX RAILROAD	OPEN	3/16/2021	1928	36.16908333	-86.66925	CONCRETE CONTINUOUS	Tee Beam	45.2
19SR04500011	DAVIDSON	SR045	9.26	CUMBERLAND RIVER	OPEN	3/23/2021	1967	36.26258333	-86.67618333	STEEL	Truss - Thru	49.7
19SR04500021	DAVIDSON	SR045	9.26	CUMBERLAND RIVER	OPEN	3/22/2021	1928	36.26281667	-86.6764	STEEL	Truss - Thru	57.9
19SR06500071	DAVIDSON	SR065	16.01	S. FORK SYCAMORE CREEK	OPEN	3/11/2021	1947	36.38966667	-86.89878333	CONCRETE	Tee Beam	40.5
19SR10000011	DAVIDSON	SR100	1.06	SOUTH HARPETH RIVER	OPEN	4/27/2021	1929	36.01833333	-87.03	STEEL	Truss - Thru	47.2
19SR10000131	DAVIDSON	SR100	7.36	HARPETH RIVER	OPEN	4/27/2021	1929	36.05393333	-86.92965	STEEL	Truss - Thru	49.6
19SR11200011	DAVIDSON	SR112	0.55	WHITES CREEK	WEIGHT POSTED	4/7/2021	1934	36.20476667	-86.84048333	CONCRETE	Tee Beam	45.9
19SR15500231	DAVIDSON	OD257	0.146	CO. HOSP. RD/ BRILEY PKW	OPEN	4/20/2021	1989	36.18763333	-86.8629	CONCRETE CONTINUOUS	Box Beam or Girders - Multiple	66.2
19SR17100011	DAVIDSON	SR171	1.06	CSX RAILROAD	OPEN	4/22/2021	1967	36.02825	-86.61413333	CONCRETE	Tee Beam	38.0
20SR06900011	DECATUR	SR069	4.9	STEWMAN'S CREEK	WEIGHT POSTED	3/5/2020	1950	35.39303056	-88.13461944	STEEL	Truss - Thru	44.2
220034300031	DICKSON	SR046	15.59	BRANCH	WEIGHT POSTED	5/13/2020	1940	36.12435	-87.49318333	CONCRETE	Tee Beam	42.0
220034300191	DICKSON	SR046	22.46	BALTHROP BRANCH	CLOSED	7/14/2020	1937	36.20845	-87.53378333	STEEL	Stringer/Multi-beam or Girder	28.5
22I004000011	DICKSON	SR048	0.21	SR 48 / I40	OPEN	5/18/2020	1963	35.98863333	-87.48795	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	61.0
22I004000051	DICKSON	I0040	5.13	I40-RL / EAST PINEY RD.	OPEN	5/4/2020	1963	36.00695	-87.40451667	CONCRETE	Tee Beam	54.6
22S614300131	DICKSON	SR046	19.06	YELLOW CREEK	OPEN	5/14/2020	1956	36.16478333	-87.52176667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	49.9
23SR02000091	DYER	SR104	6.89	OBION RIVER	WEIGHT POSTED	12/11/2019	1948	36.04913889	-89.55788889	STEEL	Truss - Thru	39.3

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
23SR02000351	DYER	SR020	4.8	N FORK FORKED DEER RIVER	WEIGHT POSTED	12/5/2019	1994	35.99852778	-89.34216667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	50.6
24S810900031	FAYETTE	SR196	7.105	OVERFLOW	OPEN	7/21/2020	1982	35.08655556	-89.59738889	CONCRETE	Channel Beam	37.6
24S810900251	FAYETTE	SR196	23.9	LITTLE CYPRESS CREEK	WEIGHT POSTED	7/20/2020	1952	35.31091667	-89.61658333	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	7.4
24SR01500011	FAYETTE	SR015	0.4	BRANCH	OPEN	7/14/2020	1992	35.21286111	-89.63183333	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	56.9
25SR02800031	FENTRESS	SR028	29.4	WOLF RIVER	WEIGHT POSTED	7/13/2020	1940	36.5423	-84.96186667	STEEL	Truss - Thru	15.0
25SR08500031	FENTRESS	SR085	5.67	EAST FORK OBEY RIVER	OPEN	7/21/2020	1989	36.2724	-85.04463333	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	16.9
25SR15400031	FENTRESS	SR154	2.2	SR 28	OPEN	7/16/2020	1991	36.45413333	-84.92801667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	59.3
26SR01600051	FRANKLIN	SR016	7.21	ELK RIVER	OPEN	6/9/2021	1966	35.259	-86.12181667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	66.4
28S620000111	GILES	SR166	26.06	FACTORY CREEK	WEIGHT POSTED	1/9/2020	1959	35.365	-87.14833333	CONCRETE	Tee Beam	48.2
28SR01100131	GILES	SR011	23.38	PIGEON ROOST CREEK	WEIGHT POSTED	11/25/2019	1938	35.24	-86.97166667	CONCRETE	Tee Beam	28.9
28SR12900051	GILES	SR129	3.05	TRIGG BRANCH	WEIGHT POSTED	1/6/2020	1920	35.37833333	-86.98166667	STEEL	Stringer/Multi-beam or Girder	53.5
29SR13100011	GRAINGER	SR131	7.73	WILLIAMS CREEK	WEIGHT POSTED	4/2/2020	1973	36.29805	-83.58398333	CONCRETE	Channel Beam	18.0
30FA03430031	GREENE	SR034	17.25	FAU 3867 & SOUTHERN RWY	OPEN	2/11/2020	1965	36.17781667	-82.80516667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	78.0
30FA03430041	GREENE	SR034	17.25	FAU 1391 & SOUTHERN RWY	OPEN	2/11/2020	1965	36.17793333	-82.805	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	78.0
30SR03400081	GREENE	SR034	5.69	LICK CREEK	OPEN	3/4/2020	1980	36.1976	-82.99693333	PRESTRESSED CONCRETE	Box Beam or Girders - Single or Spread	53.8
30SR07000211	GREENE	SR070	26.17	BRANCH	OPEN	1/2/2020	2002	36.2642	-82.91856667	STEEL	Culvert (includes frame culverts)	61.0
30SR10700071	GREENE	SR107	12.65	NOLICHUCKY RIVER	OPEN, POSTING ORDERED	3/4/2020	1951	36.1569	-82.7262	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	35.2
32I008100191	HAMBLEN	I0081	4.72	FLAT CREEK	OPEN	3/11/2020	1970	36.1695	-83.21565	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	26.0
32S235800011	HAMBLEN	SR340	2.235	BRANCH	WEIGHT POSTED	3/18/2020	1941	36.20596667	-83.18933333	STEEL	Stringer/Multi-beam or Girder	7.0
33I002400071	HAMILTON	I0024	4.22	BROWN'S FERRY (FAU 3622)	OPEN	8/10/2020	1964	35.02738333	-85.36386667	STEEL	Stringer/Multi-beam or Girder	51.7
33I002400471	HAMILTON	OB323	0.412	OLD RINGGOLD RD / I-24	OPEN	10/5/2020	1963	35.01636667	-85.2689	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	58.4
33I002400501	HAMILTON	I0024	11.07	MISSIONARY RIDGE	OPEN	10/19/2020	1964	35.01958333	-85.26686667	CONCRETE	Tee Beam	60.7
33I002400591	HAMILTON	03578	0.8	I-24	OPEN	10/14/2020	1964	35.00628333	-85.2317	PRESTRESSED CONCRETE	Box Beam or Girders - Multiple	56.3

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
33I002400751	HAMILTON	I0024	13.58	BRANCH	OPEN	10/15/2020	1960	35.00331667	-85.22713333	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	26.0
33I002400821	HAMILTON	I0024	7.61	I24 WB / A660 & CSX RR	OPEN	9/23/2020	1990	35.0322	-85.31735	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	76.4
33SR00800071	HAMILTON	SR008	9.68	TN RIVER & FAU 5395	WEIGHT POSTED	6/29/2021	1917	35.05655	-85.3096	STEEL	Movable - Bascule	30.2
33SR00800191	HAMILTON	SR008	12.55	STRINGERS BRANCH	OPEN	11/18/2020	1926	35.08673333	-85.32728333	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	43.0
33SR05800191	HAMILTON	SR319	0	SR 58 EB / SR 153	WEIGHT POSTED	4/7/2021	1963	35.09026667	-85.21836667	CONCRETE CONTINUOUS	Tee Beam	19.7
33SR05800201	HAMILTON	SR319	0	SR 58 WB / SR 153	WEIGHT POSTED	4/7/2021	1963	35.09045	-85.21855	CONCRETE CONTINUOUS	Tee Beam	19.7
35SR12500371	HARDEMAN	SR125	29.69	BRANCH	WEIGHT POSTED	6/2/2020	1991	35.34369444	-88.82033333	CONCRETE	Channel Beam	51.4
370136200051	HAWKINS	SR346	3.9	SURGOINSVILLE CREEK	WEIGHT POSTED	8/10/2020	1923	36.47105	-82.85151667	CONCRETE	Slab	58.2
37S236700011	HAWKINS	SR347	3.22	BIG CREEK	WEIGHT POSTED	9/1/2020	1941	36.41793333	-82.95213333	STEEL	Stringer/Multi-beam or Girder	6.0
37S236700051	HAWKINS	SR347	9.15	PALMER BRANCH	OPEN	9/9/2020	1960	36.39728333	-82.86121667	STEEL	Culvert (includes frame culverts)	70.6
37S246300011	HAWKINS	SR347	10.14	NORTH FORK CREEK	OPEN	9/2/2020	1958	36.38973333	-82.84848333	CONCRETE	Tee Beam	67.6
37SR00100371	HAWKINS	SR001	41.3	NORTH FORK HOLSTON RIVER	WEIGHT POSTED	8/4/2020	1962	36.55403333	-82.61585	CONCRETE CONTINUOUS	Tee Beam	31.5
37SR00100381	HAWKINS	SR001	41.3	NORTH FORK HOLSTON RIVER	WEIGHT POSTED	8/4/2020	1962	36.55398333	-82.61596667	CONCRETE CONTINUOUS	Tee Beam	47.1
37SR03100071	HAWKINS	SR031	4.17	POOR VALLEY CREEK	WEIGHT POSTED	8/3/2020	1958	36.39201667	-83.21595	CONCRETE	Tee Beam	16.8
37SR07000091	HAWKINS	SR070	6.19	SOUTHERN RAILWAY	OPEN	8/11/2020	1967	36.35198333	-83.0108	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	32.7
37SR07000131	HAWKINS	SR070	8.91	CANEY CREEK	WEIGHT POSTED	9/8/2020	1971	36.44786667	-82.9882	STEEL	Culvert (includes frame culverts)	48.9
37SR07000231	HAWKINS	SR070	21.41	MILL CREEK	WEIGHT POSTED	9/8/2020	1981	36.54366667	-83.022	PRESTRESSED CONCRETE	Box Beam or Girders - Multiple	63.5
38S804600011	HAYWOOD	SR087	3.61	LAGOON CREEK	CLOSED	8/11/2021	1960	35.63094444	-89.41094444	CONCRETE	Channel Beam	26.1
38S811400011	HAYWOOD	SR222	4.335	DITCH	WEIGHT POSTED	8/11/2021	1960	35.46111111	-89.40508333	CONCRETE	Channel Beam	50.6
38SR00100011	HAYWOOD	SR001	2.13	MUDDY CREEK	WEIGHT POSTED	8/10/2021	1926	35.45052778	-89.43880556	CONCRETE	Tee Beam	14.8
38SR00100031	HAYWOOD	SR001	2.89	BRANCH	WEIGHT POSTED	8/10/2021	1926	35.45513889	-89.42672222	CONCRETE	Tee Beam	19.8
38SR00100391	HAYWOOD	SR001	24.25	MUD CREEK	OPEN	8/10/2021	1925	35.58894444	-89.14041667	CONCRETE	Slab	35.9
39S806100031	HENDERSON	SR200	0.62	MIDDLE FORK CREEK	WEIGHT POSTED	5/6/2020	1970	35.56911111	-88.54527778	CONCRETE	Channel Beam	27.0
40SR21800011	HENRY	SR218	14.385	BAILEY FORK CR.	WEIGHT POSTED	9/30/2019	1988	36.29994444	-88.26233333	PRESTRESSED CONCRETE	Box Beam or Girders - Single or Spread	62.4
41S617300011	HICKMAN	SR230	11.46	PINEY RIVER	WEIGHT POSTED	10/6/2020	1953	35.87008333	-87.50026667	CONCRETE	Tee Beam	51.6
41SR04800151	HICKMAN	SR048	9.55	INDIAN CREEK	OPEN	9/22/2020	1931	35.73263333	-87.47451667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	61.7

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
41SR05000051	HICKMAN	SR438	8.23	COW HOLLOW BRANCH	OPEN	10/13/2020	1983	35.78328333	-87.63083333	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	78.9
42FA12300011	HOUSTON	SR232	1.78	HURRICANE CREEK	WEIGHT POSTED	12/19/2019	1961	36.33333333	-87.915	CONCRETE	Tee Beam	44.8
42S614400011	HOUSTON	SR046	5.03	GUICES CREEK	OPEN	12/5/2019	1964	36.33486667	-87.60446667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	50.3
42SR01300071	HOUSTON	SR013	6.95	MUSTER GROUND CREEK	WEIGHT POSTED	12/2/2019	1928	36.31975	-87.67186667	CONCRETE	Tee Beam	45.0
42SR04900031	HOUSTON	SR049	5.875	WELLS CREEK	OPEN	12/11/2019	1932	36.31923333	-87.67536667	CONCRETE	Tee Beam	15.9
43S622200051	HUMPHREYS	SR230	8.33	HURRICANE CREEK	WEIGHT POSTED	9/12/2019	1958	36.00198333	-87.73523333	CONCRETE	Tee Beam	46.4
43S622200071	HUMPHREYS	SR230	8.17	HURRICANE CREEK	WEIGHT POSTED	9/12/2019	1959	36.0012	-87.73248333	CONCRETE	Tee Beam	50.0
43SR01300091	HUMPHREYS	SR013	3.54	BLACK BRANCH	OPEN	9/17/2019	1949	35.88136667	-87.80055	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	52.3
43SR01300251	HUMPHREYS	SR013	19.35	SR13/TRACE CR-A469A504-R	WEIGHT POSTED	9/20/2019	1963	36.08573333	-87.79336667	CONCRETE CONTINUOUS	Tee Beam	45.1
45S256200011	JEFFERSON	SR363	2.75	INDIAN CREEK	WEIGHT POSTED	9/4/2019	1942	35.98211667	-83.33475	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	33.6
45SR00900091	JEFFERSON	SR009	13.23	RIMMER CREEK	WEIGHT POSTED	10/8/2019	1934	36.02768333	-83.39768333	CONCRETE	Tee Beam	33.1
45SR00900111	JEFFERSON	SR009	14.24	KOONTZ CREEK	WEIGHT POSTED	10/8/2019	1930	36.03458333	-83.3818	CONCRETE	Tee Beam	32.7
45SR03400111	JEFFERSON	SR034	14.97	SR 34 LF LN / SOU RR	OPEN	10/9/2019	1953	36.14016667	-83.44873333	STEEL	Stringer/Multi-beam or Girder	49.0
45SR09200031	JEFFERSON	SR092	3.115	MUDDY CREEK	WEIGHT POSTED	10/7/2019	1946	35.95425	-83.36681667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	31.9
46S237400011	JOHNSON	SR167	0.15	DOE CREEK	WEIGHT POSTED	9/8/2020	1945	36.38691667	-81.96798333	CONCRETE	Tee Beam	40.9
47I004000531	KNOX	I0040	18.3	I40-RL / 17TH. STREET	OPEN	10/15/2020	1965	35.9638	-83.93656667	CONCRETE	Tee Beam	54.0
47I004000931	KNOX	I0040	25.06	I40 / ASHEVILLE HWY.	OPEN	12/3/2020	1967	36.01053333	-83.84206667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	55.0
47I027500051	KNOX	05942	0.438	BAXTER AVE-RL / I275	OPEN	10/14/2020	1959	35.97666667	-83.9352	CONCRETE	Tee Beam	41.8
47I027500061	KNOX	05942	0.438	BAXTER AVE-LL / I275	OPEN	10/14/2020	1959	35.9768	-83.93531667	CONCRETE	Tee Beam	41.8
47I027500111	KNOX	03789	1.43	RL-HEISKELL AVE. / I275	OPEN	10/14/2020	1959	35.99126667	-83.95166667	CONCRETE	Tee Beam	64.0
480A20000011	LAKE	0A200	0	SLOUGH OF REELFOOT LAKE	WEIGHT POSTED	5/21/2020	1983	36.35277778	-89.40622222	CONCRETE	Channel Beam	47.5
49SR08700171	LAUDERDALE	SR087	6.42	BRANCH	WEIGHT POSTED	1/6/2020	1925	35.64538889	-89.78808333	CONCRETE	Channel Beam	49.7
49SR08800711	LAUDERDALE	SR088	22.79	S. FK. FORKED DEER RIVER	WEIGHT POSTED	1/22/2020	1952	35.81811111	-89.35808333	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	37.1
51SR04800071	LEWIS	SR048	9.08	ROCKHOUSE CREEK	OPEN	6/14/2021	1931	35.52988333	-87.57586667	CONCRETE	Tee Beam	37.9
53I007500151	LOUDON	I0075	7.55	TENNESSEE RIVER	OPEN	10/6/2020	1977	35.75493333	-84.3755	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	62.2
53SR09500111	LOUDON	SR095	10.72	CLINCH RIVER	OPEN	3/16/2021	1962	35.88828333	-84.32356667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	38.0

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
54S427600071	MCMINN	SR310	4.36	CONASAUGA CREEK	OPEN	4/6/2021	1973	35.3457	-84.45193333	STEEL	Stringer/Multi-beam or Girder	51.1
54S432000011	MCMINN	SR307	0.515	OOSTANAULA CREEK	OPEN	4/19/2021	1986	35.44818333	-84.58416667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	62.2
54SR03900011	MCMINN	SR039	13.35	MIDDLE CREEK	OPEN	4/27/2021	1951	35.42591111	-84.51536944	CONCRETE	Tee Beam	32.9
54SR16300091	MCMINN	SR163	11.74	CHESTUEE CREEK	OPEN	4/6/2021	1958	35.28246667	-84.60903333	CONCRETE	Tee Beam	40.0
54SR16300111	MCMINN	SR163	13.71	CONASAUGA CREEK	WEIGHT POSTED	4/14/2021	1958	35.27158333	-84.5782	CONCRETE	Tee Beam	32.3
56S613800071	MACON	SR261	12.45	SALT LICK CREEK	OPEN	8/5/2021	1967	36.61335	-85.88581667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	94.9
56SR05600011	MACON	SR056	0.82	JENNINGS CREEK	OPEN	8/4/2021	1983	36.46385	-85.83151667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	68.8
56SR05600091	MACON	SR056	15.65	LITTLE SALT LICK CREEK	OPEN	8/4/2021	1964	36.57431667	-85.82996667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	58.0
57I004000111	MADISON	OB290	4.54	I40	OPEN	4/12/2021	1960	35.63294444	-88.94891667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	61.9
57I004000511	MADISON	SR152	7.83	I40	OPEN	4/20/2021	1960	35.71780556	-88.634	CONCRETE CONTINUOUS	Tee Beam	49.2
57SR13800071	MADISON	SR138	4.69	OVERFLOW	WEIGHT POSTED	4/19/2021	1949	35.48102778	-89.04344444	CONCRETE	Channel Beam	47.7
58I002400011	MARION	SR015	1.81	SR-15 / I-24	OPEN	7/27/2020	1959	35.24001667	-85.8481	CONCRETE CONTINUOUS	Tee Beam	49.4
58I002400021	MARION	SR015	1.81	SR-15 / I-24	OPEN	7/27/2020	1959	35.24008333	-85.8483	CONCRETE CONTINUOUS	Tee Beam	65.6
58I002400371	MARION	I0024	21.34	SEQUATCHIE RIVER	OPEN	8/24/2020	1965	35.04841667	-85.62656667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	64.3
600041500091	MAURY	SR247	9.58	SNOW CREEK	OPEN	3/23/2020	1960	35.7587	-87.08513333	STEEL	Culvert (includes frame culverts)	51.0
60I006500171	MAURY	I0065	10.9	I65 RL / SR 99	OPEN	3/19/2020	1963	35.64256667	-86.89348333	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	67.6
60I006500181	MAURY	I0065	10.9	I65 LL / SR 99	OPEN	3/19/2020	1963	35.6427	-86.8939	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	66.0
60I006500261	MAURY	I0065	16.48	RUTHERFORD CREEK	OPEN	3/19/2020	1961	35.72215	-86.87723333	PRESTRESSED CONCRETE	Box Beam or Girders - Single or Spread	52.4
60S625400011	MAURY	SR247	1.05	LEIPERS CREEK	WEIGHT POSTED	3/23/2020	1960	35.69526667	-87.20275	STEEL	Stringer/Multi-beam or Girder	38.9
61SR06000011	MEIGS	SR060	3.1	TENNESSEE RIVER	OPEN	5/25/2021	1995	35.41061667	-85.0196	STEEL CONTINUOUS	Girder and Floorbeam System	21.0
62S241500011	MONROE	SR360	0.03	TELLICO RIVER	WEIGHT POSTED	8/10/2021	1960	35.36315	-84.28413333	CONCRETE	Tee Beam	61.2
62SR00200011	MONROE	SR002	2.28	SWEETWATER CREEK	OPEN	8/2/2021	1929	35.5918	-84.46878333	CONCRETE	Tee Beam	39.0
63SR01200011	MONTGOMERY	SR012	1.08	BRUSH CREEK	OPEN	10/7/2020	1958	36.42501667	-87.21558333	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	55.3

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
63SR01300071	MONTGOMERY	SR013	17.49	CUMBERLAND RIVER	WEIGHT POSTED	11/2/2020	1966	36.48031667	-87.37493333	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	21.4
63SR04800011	MONTGOMERY	SR048	0.4	LITTLE BARTON'S CREEK	OPEN	10/19/2020	1930	36.3269	-87.3743	CONCRETE	Tee Beam	29.9
63SR04800031	MONTGOMERY	SR048	3.36	LOUISE CREEK	WEIGHT POSTED	10/19/2020	1930	36.36973333	-87.37621667	CONCRETE	Tee Beam	21.2
650A15300051	MORGAN	0A153	5.888	ISLAND CREEK	WEIGHT POSTED	5/11/2021	1953	36.02998333	-84.72051667	STEEL	Culvert (includes frame culverts)	49.8
650A25300091	MORGAN	0A253	7.8	EMORY RIVER	WEIGHT POSTED	5/10/2021	1975	36.17766667	-84.42503333	STEEL	Stringer/Multi-beam or Girder	9.4
650A26400011	MORGAN	0A413	0.006	FLAT FORK CREEK	OPEN, POSTING ORDERED	5/10/2021	1935	36.13096667	-84.49791667	STEEL	Stringer/Multi-beam or Girder	14.6
650A40900051	MORGAN	0A409	10.271	ISLAND CREEK	WEIGHT POSTED	5/11/2021	1965	36.05301667	-84.66686667	STEEL	Stringer/Multi-beam or Girder	12.2
65SR02900151	MORGAN	SR029	8.85	CROOKED FORK CREEK	WEIGHT POSTED	4/27/2021	1928	36.08486667	-84.5549	CONCRETE	Tee Beam	28.0
65SR02900331	MORGAN	SR029	26.14	MASSINGALE CREEK	WEIGHT POSTED	4/28/2021	1927	36.28205	-84.65795	CONCRETE	Tee Beam	61.8
65SR11600031	MORGAN	SR116	2.26	STOCKSTILL CREEK	OTHER RESTRICTIONS	5/12/2021	1970	36.09728333	-84.44513333	CONCRETE	Channel Beam	27.0
65SR11600051	MORGAN	SR116	2.6	STOCKSTILL CREEK	WEIGHT POSTED	5/12/2021	1970	36.10178333	-84.4471	CONCRETE	Channel Beam	45.2
66S800900031	OBION	SR216	1.47	OVERFLOW	WEIGHT POSTED	3/11/2021	1986	36.35544444	-89.04072222	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	48.6
66SR04300071	OBION	SR043	6.44	HARRIS CREEK	OPEN	3/10/2021	1929	36.50019444	-88.87566667	CONCRETE	Tee Beam	40.1
70SR04000051	POLK	SR040	3.12	OCOEE RIVER	WEIGHT POSTED	4/6/2020	1937	35.1117	-84.67516667	CONCRETE	Tee Beam	33.9
70SR04000261	POLK	SR068	18.39	SR 40	OPEN	5/5/2020	1966	35.02978333	-84.3806	CONCRETE CONTINUOUS	Tee Beam	54.9
70SR04000301	POLK	SR040	26.74	BURRA-BURRA CREEK	OPEN	4/15/2020	1940	35.0275	-84.37208333	CONCRETE	Tee Beam	68.3
70SR06800051	POLK	SR068	4.83	HIWASSEE RIVER	WEIGHT POSTED	5/11/2020	1964	35.16808333	-84.31793333	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	52.8
70SR06800131	POLK	SR068	16.39	BRUSH CREEK	WEIGHT POSTED	5/12/2020	1943	35.0562	-84.39163333	STEEL	Stringer/Multi-beam or Girder	27.0
71I004000071	PUTNAM	SR056	0.54	SR-56 / I-40	OTHER RESTRICTIONS	6/8/2020	1959	36.0896	-85.72425	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	40.0
72SR02900291	RHEA	SR068	8.3	SR 68 / SR 29 & SOU RR	OPEN	9/10/2020	1989	35.68666667	-84.86666667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	48.5
72SR03000011	RHEA	SR030	2.15	TIGUES CREEK	OPEN	9/16/2020	1966	35.55	-85.08	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	55.2
73I004000131	ROANE	I0040	11.15	CLINCH RIVER & NFA A774	OPEN	10/7/2020	1960	35.89035	-84.52656667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	49.0
73SR02900031	ROANE	SR029	7.48	EMORY RIVER	WEIGHT POSTED	5/10/2021	1957	35.92886667	-84.55696667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	40.9
74I006500101	ROBERTSON	I0065	4.26	I65 LL / SPRINGFIELD RD.	OPEN	3/10/2020	1969	36.46878333	-86.68276667	CONCRETE	Box Beam or Girders - Single or Spread	67.0

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
74SR07600011	ROBERTSON	SR076	0.21	SULPHUR FORK CREEK	OPEN	5/20/2020	1957	36.53938333	-87.11415	CONCRETE CONTINUOUS	Tee Beam	40.3
75F000500051	RUTHERFORD	SR268	0.84	WEST FORK STONES RIVER	WEIGHT POSTED	1/13/2021	1966	35.88793333	-86.42356667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	41.0
75S619000011	RUTHERFORD	SR099	28.9	MURRAY BRANCH	WEIGHT POSTED	12/9/2020	1945	35.75948333	-86.26381667	STEEL	Stringer/Multi-beam or Girder	50.6
75SR01000071	RUTHERFORD	SR010	12.63	CSX RAILROAD	WEIGHT POSTED	11/9/2020	1928	35.83016667	-86.39366667	CONCRETE CONTINUOUS	Tee Beam	42.5
75SR01100031	RUTHERFORD	SR011	2.52	COVE BRANCH	OPEN	11/10/2020	1929	35.75372778	-86.69283056	CONCRETE	Tee Beam	20.2
75SR09600091	RUTHERFORD	SR096	4.56	BRANCH	OPEN	11/12/2020	1960	35.84293333	-86.52038333	STEEL	Culvert (includes frame culverts)	39.0
78S241900011	SEVIER	SR339	7.695	WHITE CREEK	OPEN	8/28/2019	1940	35.8463	-83.38851667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	43.1
78S242100111	SEVIER	SR416	3.04	LAUREL BRANCH	OPEN	9/19/2019	1950	35.77203333	-83.40203333	STEEL	Culvert (includes frame culverts)	62.9
78SR07300191	SEVIER	SR073	17.135	LITTLE PIGEON RIVER	OPEN	10/10/2019	1955	35.73903333	-83.41661667	CONCRETE	Tee Beam	37.7
78SR07300251	SEVIER	SR073	20.76	WEBB CREEK	OPEN	9/6/2019	1954	35.76036667	-83.36923333	CONCRETE	Tee Beam	30.5
790145000051	SHELBY	SR175	12.88	BRANCH OF JOHNS CREEK	OPEN	11/23/2020	1979	35.02030556	-89.88216667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	54.0
790A02100031	SHELBY	0A035	2.51	BRANCH	OPEN	12/15/2020	1977	35.32505556	-90.05019444	PRESTRESSED CONCRETE	Box Beam or Girders - Multiple	66.0
79E020100031	SHELBY	SR176	5.79	NONCONNAH CREEK	OPEN	9/17/2020	1954	35.07705556	-89.93130556	STEEL	Stringer/Multi-beam or Girder	44.5
79I004000811	SHELBY	04186	2.1	N HIGHLAND ST / I-40	OPEN	9/24/2020	1972	35.18969444	-89.94458333	CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	65.3
79I004001641	SHELBY	I0040	1.08	I40-WB-EX RP / N 3RD ST.	OPEN	9/28/2020	1973	35.15333333	-90.04713889	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	85.1
79I005500571	SHELBY	SR014	7.46	SR-14 / I-55	OPEN	11/3/2020	1964	35.07905556	-90.05716667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	49.7
79I024000351	SHELBY	I0240	1.8	I-240 EB / AGNES PL & RR	OPEN	10/13/2020	1966	35.12530556	-90.02480556	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	39.1
79I024001151	SHELBY	05155	1.48	SHADY GROVE RD / I-240	OPEN	10/15/2020	1963	35.12330556	-89.86813889	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	40.9
79S807400051	SHELBY	05757	2.51	WOLF RIVER	WEIGHT POSTED	11/23/2020	1949	35.08097222	-89.65133333	STEEL	Stringer/Multi-beam or Girder	14.8
79S807700071	SHELBY	02810	2.97	AIRWAYS BLVD/YALE YARDS	OPEN	3/22/2021	1954	35.09419444	-89.98727778	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	48.0
79SR00100091	SHELBY	SR001	7.31	OK371 05250 & RR	OPEN	10/20/2020	1931	35.14972222	-89.97013889	CONCRETE	Slab	47.0
79SR00100431	SHELBY	OJ350	0.141	GARLAND ST RAMP / N PKWY	OPEN	10/22/2020	1966	35.15316667	-90.01127778	CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	78.9

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
79SR01400061	SHELBY	SR014	7.13	IC RR & NONCONNAH CREEK	WEIGHT POSTED	9/21/2020	1929	35.07441667	-90.05797222	STEEL	Truss - Thru	3.0
79SR01400431	SHELBY	SR014	31.2	CROOKED CREEK	CLOSED	1/14/2021	1952	35.32361111	-89.80725	CONCRETE	Tee Beam	49.2
79SR01500011	SHELBY	SR015	5.83	W. FK. FLETCHER CREEK	OPEN	11/10/2020	1983	35.20372222	-89.82127778	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	54.8
79SR02300011	SHELBY	SR023	2.61	CSX & CNIC RR	CLOSED	11/9/2020	1958	35.13311111	-89.97497222	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	18.0
79SR02300031	SHELBY	SR057	1.88	SR 23 CSX & CNIC RR	WEIGHT POSTED	11/10/2020	1928	35.13661111	-89.97252778	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	32.0
79SR05700111	SHELBY	05250	0.01	RAILROAD RIGHT-OF-WAY	WEIGHT POSTED	1/28/2021	1958	35.13611111	-89.96786111	CONCRETE	Slab	42.1
79SR08300171	SHELBY	SR001	6.06	LICK CREEK	OPEN	10/22/2020	1956	35.15197222	-89.99233333	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	46.5
79SR08300191	SHELBY	02851	0	MONROE AVE/D THOMAS BLVD	WEIGHT POSTED	10/20/2020	1965	35.142	-90.04491667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	63.8
800A39200011	SMITH	05696	0.05	CUMBERLAND RIVER	WEIGHT POSTED	6/18/2020	1934	36.24693333	-85.95655	STEEL CONTINUOUS	Truss - Thru	7.0
80I004000051	SMITH	SR141	5.45	SR 141 / I40	OPEN	5/21/2021	1963	36.17548333	-86.02103333	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	50.6
80I004000181	SMITH	I0040	8.96	CSX RR & COUNTY ROAD	OPEN	5/21/2021	1962	36.17725	-85.93585	PRESTRESSED CONCRETE	Box Beam or Girders - Multiple	28.1
80I004000231	SMITH	I0040	11.46	BOLLING BRANCH & PRIV. R	OPEN	5/25/2021	1962	36.16385	-85.89393333	PRESTRESSED CONCRETE	Box Beam or Girders - Multiple	30.9
80I004000321	SMITH	I0040	15.44	CANEY FORK RIVER	OPEN	7/28/2021	1962	36.14141667	-85.83281667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	58.9
80I004000331	SMITH	I0040	16.16	CANEY FORK RIVER	OPEN	7/27/2021	1962	36.13885	-85.82043611	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	63.6
80I004000341	SMITH	I0040	16.2	CANEY FORK RIVER	OPEN	7/28/2021	1962	36.1394	-85.81941667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	85.8
80SR02400031	SMITH	SR024	2.96	ROUND LICK CREEK	WEIGHT POSTED	5/25/2021	1940	36.26246944	-86.07006944	STEEL	Truss - Thru	27.5
80SR02400071	SMITH	SR024	6.38	BRANCH	OPEN	5/26/2021	1938	36.25	-86.01811667	CONCRETE	Tee Beam	37.6
80SR02400111	SMITH	SR024	9.7	HOGAN CREEK	OPEN	5/26/2021	1940	36.25553333	-85.96108333	CONCRETE	Tee Beam	39.0
80SR02500091	SMITH	SR025	5.05	BRANCH	OPEN	5/25/2021	1963	36.3144	-86.0097	CONCRETE	Culvert (includes frame culverts)	56.1
80SR08000031	SMITH	SR080	3.77	PEYTON'S CREEK	OPEN	5/27/2021	1953	36.33561667	-85.9656	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Multiple	46.1
80SR08000111	SMITH	SR080	5.9	STONES BRANCH	OPEN	5/27/2021	1956	36.36305	-85.955	STEEL	Stringer/Multi-beam or Girder	32.2
80SR14100091	SMITH	SR141	9.03	BOLLING BRANCH	OPEN	6/3/2021	1949	36.15845	-85.89553333	CONCRETE	Tee Beam	43.6
80SR14100111	SMITH	SR141	12.68	SMITH FORK CREEK	WEIGHT POSTED	6/16/2021	1956	36.12473333	-85.87031667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	64.9

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
82F003300011	SULLIVAN	SR044	4.61	BRANCH	OPEN	2/8/2021	1977	36.4634	-82.22518333	PRESTRESSED CONCRETE	Box Beam or Girders - Multiple	54.0
83S612500031	SUMNER	SR259	4.33	WEST FORK DRAKES CREEK	WEIGHT POSTED	9/3/2020	1962	36.62375	-86.48995	CONCRETE	Tee Beam	36.0
83S628600071	SUMNER	SR174	34.72	MIDDLE FORK DRAKES BRANC	OPEN	9/2/2020	1956	36.62311667	-86.32705	CONCRETE	Tee Beam	47.2
83SR00600071	SUMNER	SR006	9.84	W. FK STATION CAMP CREEK	OPEN	10/15/2020	1955	36.34958333	-86.51253333	CONCRETE	Tee Beam	30.9
83SR00600091	SUMNER	SR006	11.91	E. FK STATION CAMP CREEK	OPEN	10/15/2020	1955	36.36951667	-86.48498333	CONCRETE	Tee Beam	30.5
83SR00600131	SUMNER	SR006	19.01	DESHEA CREEK	WEIGHT POSTED	8/4/2020	1941	36.42846667	-86.38156667	CONCRETE	Tee Beam	41.9
83SR00600341	SUMNER	SR386	6.84	SR386-LL / SR6 & RAMP F	OPEN	9/9/2020	2006	36.32873333	-86.55901667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	41.0
83SR04100031	SUMNER	SR041	2.17	RIGHT FORK SLATERS CREEK	OPEN	8/11/2020	1939	36.37296667	-86.70895	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	48.5
83SR04100071	SUMNER	SR041	14.56	RONEY CREEK	OPEN	8/11/2020	1947	36.52923333	-86.63666667	CONCRETE	Tee Beam	52.0
83SR04100111	SUMNER	SR041	17.76	RED RIVER	OPEN	8/11/2020	1947	36.56893333	-86.60666667	CONCRETE	Tee Beam	37.8
83SR04100171	SUMNER	SR041	21.85	SUMMER'S BRANCH	OPEN	8/11/2020	1947	36.62043333	-86.57153333	CONCRETE	Tee Beam	59.1
85SR14100031	TROUSDALE	SR141	4.82	LITTLE GOOSE CREEK	OPEN, TEMP SHORING	2/5/2021	1993	36.39185	-86.16713333	PRESTRESSED CONCRETE	Box Beam or Girders - Single or Spread	40.0
85SR14100071	TROUSDALE	SR141	6.5	OVERFLOW CUMBERLAND RIVE	OPEN	2/5/2021	1979	36.37078056	-86.17590556	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	56.9
89SR28700111	WARREN	SR287	39.48	COLLINS RIVER	WEIGHT POSTED	5/11/2021	1986	35.79973333	-85.61873333	STEEL CONTINUOUS	Girder and Floorbeam System	46.7
90S238600011	WASHINGTON	SR353	0.45	NOLICHUCKY RIVER	WEIGHT POSTED	11/14/2019	1958	36.15566667	-82.59055	CONCRETE	Tee Beam	37.0
90S245200051	WASHINGTON	SR353	11.72	LITTLE LIMESTONES CREEK	OPEN, POSTING ORDERED	10/2/2019	1945	36.26445	-82.49985	CONCRETE	Tee Beam	35.5
90SR03400071	WASHINGTON	SR034	15.53	CSX RAILROAD	WEIGHT POSTED	11/5/2019	1931	36.31013611	-82.3932	CONCRETE	Tee Beam	56.0
91S619400031	WAYNE	SR203	3.8	BEAR CREEK	WEIGHT POSTED	10/20/2020	1962	35.15368333	-87.92948333	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Multiple	62.0
92SR11800031	WEAKLEY	SR118	4.71	STRAWBERRY BRANCH	OPEN	8/19/2020	1954	36.35978889	-88.71313889	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	53.7
94I004000021	WILLIAMSON	I0040	0.02	I40 / CO RD	OPEN	1/4/2021	1960	36.02386667	-87.18775	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	77.9
94I006500011	WILLIAMSON	SR247	2.38	SR 247 / I65	OPEN	2/24/2021	1961	35.75168333	-86.87048333	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	35.4
94I006500061	WILLIAMSON	I0065	4.79	I65 / SR106 & HARPETH RV	OPEN	2/3/2021	1963	35.8054	-86.85061667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	49.7
94I006500091	WILLIAMSON	I0065	8.24	BRANCH	OPEN	2/4/2021	1963	35.85161667	-86.83196667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	43.0
94I006500171	WILLIAMSON	SR096	13.11	SR 96 / I65	OPEN	2/25/2021	1962	35.91418333	-86.82466667	PRESTRESSED CONCRETE	Stringer/Multi-beam or Girder	58.6

Tennessee State Owned Poor Bridges



Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
94I006500371	WILLIAMSON	SR441	1.49	RAMP C/RAMP B COOL SPNG	OPEN	3/23/2021	1991	35.96526667	-86.81006667	PRESTRESSED CONCRETE CONTINUOUS	Box Beam or Girders - Single or Spread	67.1
94SR00600091	WILLIAMSON	SR006	8.89	CSX RAILROAD	WEIGHT POSTED	2/10/2021	1930	35.87536667	-86.8824	CONCRETE	Tee Beam	24.0
94SR00600131	WILLIAMSON	SR006	12.51	HARPETH RIVER	WEIGHT POSTED	2/25/2021	1929	35.92803333	-86.86556667	CONCRETE	Tee Beam	41.9
94SR01100171	WILLIAMSON	SR011	9.46	MC CANLESS BRANCH	WEIGHT POSTED	2/2/2021	1930	35.88416667	-86.6621	CONCRETE	Stringer/Multi-beam or Girder	16.8
94SR01100231	WILLIAMSON	SR011	14.82	MILL CREEK	WEIGHT POSTED	2/9/2021	1930	35.95698333	-86.6716	CONCRETE	Stringer/Multi-beam or Girder	26.0
94SR01100251	WILLIAMSON	SR011	16.23	BRANCH	OPEN	2/9/2021	1932	35.97726667	-86.6781	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	49.2
94SR09600131	WILLIAMSON	SR096	10.74	HARPETH RIVER	OPEN	2/25/2021	1958	35.92053333	-86.86531667	CONCRETE	Tee Beam	52.0
94SR09600191	WILLIAMSON	SR096	16.76	MAYES CREEK	OPEN	2/25/2021	1948	35.89246667	-86.76711667	CONCRETE	Tee Beam	38.0
94SR09600231	WILLIAMSON	SR096	19.47	CSX RAILROAD	OPEN	2/25/2021	1985	35.87148333	-86.72643333	PRESTRESSED CONCRETE	Box Beam or Girders - Single or Spread	52.7
94SR10600011	WILLIAMSON	SR106	1.3	RUTHERFORD CREEK	OPEN	1/21/2021	1966	35.74281667	-86.83886667	STEEL	Stringer/Multi-beam or Girder	31.9
94SR10600251	WILLIAMSON	SR106	2.66	BRANCH	WEIGHT POSTED	1/21/2021	1948	35.76063333	-86.83813333	STEEL	Stringer/Multi-beam or Girder	28.9
94SR84001061	WILLIAMSON	I0840	10.33	I840/ S GARRISON BRANC	OPEN	1/14/2021	2012	35.85208333	-87.07116667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	23.0
95I004000011	WILSON	SR265	2.24	SR 265 / I40	OPEN	10/1/2019	1963	36.16748333	-86.53205	CONCRETE CONTINUOUS	Tee Beam	43.3
95I004000271	WILSON	SR010	12.46	SR 10 / I-40	OPEN	10/16/2019	1965	36.18185	-86.2991	CONCRETE CONTINUOUS	Tee Beam	40.8
95I004000331	WILSON	I0040	16.76	CSX RAILROAD	OPEN	10/18/2019	1964	36.18765	-86.27056667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	61.4
95I004000341	WILSON	I0040	16.76	CSX RAILROAD	OPEN	10/18/2019	1964	36.18795	-86.2708	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	60.0
95I004000351	WILSON	I0040	16.82	I40 / SR 26	OPEN	10/18/2019	1964	36.18795	-86.26941667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	51.2
95I004000361	WILSON	I0040	16.82	I40 / SR 26	OPEN	10/19/2019	1964	36.18795	-86.26941667	PRESTRESSED CONCRETE CONTINUOUS	Stringer/Multi-beam or Girder	69.0
95S616100091	WILSON	SR267	10.53	ROUND LICK CREEK	OPEN	4/3/2020	1948	36.09431667	-86.13323333	CONCRETE	Tee Beam	64.7
95S630200051	WILSON	SR266	4.6	JUG CREEK	OPEN	4/3/2020	1960	36.03135	-86.24151667	CONCRETE CONTINUOUS	Culvert (includes frame culverts)	86.3
95S630200111	WILSON	SR266	10.84	WEST FORK SPRING CREEK	WEIGHT POSTED	4/3/2020	1957	36.11736667	-86.2444	CONCRETE	Tee Beam	45.7
95SR01000171	WILSON	SR010	20.91	CUMBERLAND RIVER	OPEN	3/18/2020	1991	36.2987	-86.26346667	STEEL CONTINUOUS	Stringer/Multi-beam or Girder	55.1

Tennessee State Owned Poor Bridges

Bridge ID	County	Route	Log Mile	Crossing	Posting Status	Inspection Date	Year Built	Latitude	Longitude	Main Span Material	Main Span Type	Sufficiency Rating
95SR02400371	WILSON	SR024	17.1	SINKING CREEK	OPEN	11/20/2019	1931	36.20821667	-86.29193333	CONCRETE	Culvert (includes frame culverts)	50.5
95SR09600031	WILSON	SR096	0.93	SAUNDERS FORK CREEK	OPEN	12/5/2019	1963	35.97656667	-86.07066667	CONCRETE	Tee Beam	53.6