NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06S44320001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	01154
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	BENTON PK. N.E.	COUNTY SEQUENCE:	1
CROSSING:	CHATATA CREEK	LOG MILE:	3.07
LOCATION:	1.5 MI NORTH OF SR40	SUFFICIENCY RATING:	80.6

IDENTIFICATION

(16a,b) LATITUDE:	N 35.16630 DEGREES
(17a,b) LONGITUDE:	W 84.79668 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	24.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	32.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	37.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	32.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	5

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/4/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06S44320007	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	01154
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	BENTON PK. N.E.	COUNTY SEQUENCE:	1
CROSSING:	FIVE MILE CREEK	LOG MILE:	3.87
LOCATION:	2MI NORTH OF SR40	SUFFICIENCY RATING:	96.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17130	DEGREES
(17a,b) LONGITUDE:	W	84.78402	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	18.0 FT
(49) TOTAL BRIDGE LENGTH:	55.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	32.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/4/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06S44320003**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**01154**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BENTON PK. N.E.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CLIMER BRANCH**	LOG MILE:	**7.39**
LOCATION:	**3MI NORTH OF US64**	SUFFICIENCY RATING:	**97.3**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.17462**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.72703**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1990**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**5.9 FT**
(49) TOTAL BRIDGE LENGTH:	**21.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**27.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**28.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**6**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N00**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**10/30/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06S44320005**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BENTON PK. N.E.**
CROSSING: **CHESTUEE CREEK**
LOCATION: **1.2 MI FROM POLK CO LI**

COUNTY: **BRADLEY**
ROUTE: **01154**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.19**
SUFFICIENCY RATING: **83.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16715	DEGREES
(17a,b) LONGITUDE:	W	84.71665	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1985
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	38.1 FT
(49) TOTAL BRIDGE LENGTH:	115.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	26.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/9/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060Z0070001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **STUART RD. N.E.**
CROSSING: **NORFOLK SOUTHERN RR**
LOCATION: **1MI EAST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **01156**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.50**
SUFFICIENCY RATING: **95.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18570	DEGREES
(17a,b) LONGITUDE:	W	84.81953	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	69.9 FT
(49) TOTAL BRIDGE LENGTH:	166.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	44 FT
(52) BRIDGE OUT TO OUT WIDTH:	45.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	44.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	8 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	44.0 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	22.77 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	22.64 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	7
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060Z0070003**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **STUART RD. N.E.**
CROSSING: **LITTLE CHATATA CREEK**
LOCATION: **1MI EAST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **01156**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.56**
SUFFICIENCY RATING: **96.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18510	DEGREES
(17a,b) LONGITUDE:	W	84.81877	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	47.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	48.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N0N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/9/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06S43320001**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**01181**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BLUE SPRINGS RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BLUE SPRINGS BRANCH**	LOG MILE:	**5.25**
LOCATION:	**2MI SOUTH OF SR40**	SUFFICIENCY RATING:	**96.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.08772**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.90885**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1950**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**26.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**22.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**26.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**7**
(36) TRAFFIC SAFETY FEATURES:	**0000**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**10/2/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06S43320003	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	01181
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	BLUE SPRINGS RD.	COUNTY SEQUENCE:	1
CROSSING:	BLUE SPRINGS BRANCH	LOG MILE:	5.48
LOCATION:	2.5 MI SOUTH OF SR40	SUFFICIENCY RATING:	97.9

IDENTIFICATION

(16a,b) LATITUDE:	N	35.09083	DEGREES
(17a,b) LONGITUDE:	W	84.90958	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1985
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	44.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06011850003	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	01185
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	DRY VALLEY RD. N.E.	COUNTY SEQUENCE:	1
CROSSING:	LITTLE CHATTA CREEK	LOG MILE:	4.10
LOCATION:	2MI EAST OF US11	SUFFICIENCY RATING:	91.8

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21108	DEGREES
(17a,b) LONGITUDE:	W	84.79560	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1985
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	31.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	21.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/4/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06011850001**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**01185**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**OLD LOWER RIVER RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**SOUTH MOUSE CREEK**	LOG MILE:	**13.06**
LOCATION:	**.1MI EAST OF I75**	SUFFICIENCY RATING:	**49.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.30455 DEGREES**
(17a,b) LONGITUDE:	**W 84.80037 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1939**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**48.9 FT**
(49) TOTAL BRIDGE LENGTH:	**131.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**18 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**21.7 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**18.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**5**
(59) SUPERSTRUCTURE:	**5**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-10-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**2**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**9**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**0000**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REPLACEMENT**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**163.4 FT**
(94) BRIDGE IMPROVEMENT COST:	**$1,132,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$114,000.00**
(96) TOTAL PROJECT COST:	**$1,699,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/13/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**08/2015**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**Y60**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06011870003**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**01187**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**FREEWILL RD. N.W.**	COUNTY SEQUENCE:	**1**
CROSSING:	**SMALL BRANCH**	LOG MILE:	**0.55**
LOCATION:	**.01 MI WEST OF I75**	SUFFICIENCY RATING:	**98.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.18208**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.91087**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1965**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**9.8 FT**
(49) TOTAL BRIDGE LENGTH:	**25.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**30 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**28.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N0N**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/21/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06011870005**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**CITY OF CLEVELAND**	ROUTE:	**01187**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**FREEWILL RD. N.W.**	COUNTY SEQUENCE:	**1**
CROSSING:	**SMALL BRANCH**	LOG MILE:	**1.55**
LOCATION:	**1.5 MI N OF SR312 JCT.**	SUFFICIENCY RATING:	**94.6**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.19560**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.90892**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2000**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**26.2 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**31.8 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**37.7 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**31.8 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**32.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N11**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/6/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06S44930005**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**01187**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**FREEWILL RD. N.W.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BIGSBY CREEK**	LOG MILE:	**3.59**
LOCATION:	**1.3 MI WEST OF I75**	SUFFICIENCY RATING:	**96.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.22175 DEGREES**
(17a,b) LONGITUDE:	**W 84.89273 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**PREFORMED FABRIC**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1976**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**67.9 FT**
(49) TOTAL BRIDGE LENGTH:	**134.8 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**34.1 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**36.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**37 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**34.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**7**
(36) TRAFFIC SAFETY FEATURES:	**1001**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/6/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06036400003**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **S. OCOEE ST.**
CROSSING: **SOUTHERN RAILWAY**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **02259**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.12**
SUFFICIENCY RATING: **56.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14317	DEGREES
(17a,b) LONGITUDE:	W	84.88633	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	43.0 FT
(49) TOTAL BRIDGE LENGTH:	157.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	30.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	24 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	24.02 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	11.15 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	001N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	157.2 FT
(94) BRIDGE IMPROVEMENT COST:	$517,000.00
(95) ROADWAY IMPROVEMENT COST:	$52,000.00
(96) TOTAL PROJECT COST:	$776,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/14/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06S44210001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BANCROFT RD.**
CROSSING: **BRYMER CREEK**
LOCATION: **.3MI SOUTH OF I75**

COUNTY: **BRADLEY**
ROUTE: **02261**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.71**
SUFFICIENCY RATING: **96.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.12870	DEGREES
(17a,b) LONGITUDE:	W	84.99105	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	22.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06S44210003**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**02261**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BANCROFT RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**HARRIS CREEK**	LOG MILE:	**4.95**
LOCATION:	**1.5 MI NORTH OF I75**	SUFFICIENCY RATING:	**60.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.17263**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.97507**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**

(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1950**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**37.1 FT**
(49) TOTAL BRIDGE LENGTH:	**38.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**20 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**21 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**20.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**12 TONS**
WEIGHT POSTING (3 OR MORE AXLES):	**21 TONS**
(70) BRIDGE POSTING CODE:	**4**
(41) WT POSTING STATUS:	**WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**2**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0000**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REPLACEMENT**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**60 FT**
(94) BRIDGE IMPROVEMENT COST:	**$443,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$45,000.00**
(96) TOTAL PROJECT COST:	**$665,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/18/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06S43110001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	02265
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	CHATATA VALLEY RD.	COUNTY SEQUENCE:	1
CROSSING:	CHATATA CREEK	LOG MILE:	0.98
LOCATION:	2MI EAST OF US11	SUFFICIENCY RATING:	86.1

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18445	DEGREES
(17a,b) LONGITUDE:	W	84.78027	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.5 FT
(49) TOTAL BRIDGE LENGTH:	20.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	28 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/4/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06022650003	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	02265
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	CHATATA VALLEY RD.	COUNTY SEQUENCE:	1
CROSSING:	CHATATA CREEK	LOG MILE:	1.14
LOCATION:	2MI EAST OF US11	SUFFICIENCY RATING:	83.6

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18618	DEGREES
(17a,b) LONGITUDE:	W	84.77832	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	22.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	23.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	22 FT
(94) BRIDGE IMPROVEMENT COST:	$35,000.00
(95) ROADWAY IMPROVEMENT COST:	$4,000.00
(96) TOTAL PROJECT COST:	$53,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/4/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06022650005	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	02265
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	CHATATA VALLEY RD.	COUNTY SEQUENCE:	1
CROSSING:	CHATATA CREEK	LOG MILE:	2.05
LOCATION:	2MI EAST OF US11	SUFFICIENCY RATING:	85.3

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19860	DEGREES
(17a,b) LONGITUDE:	W	84.77320	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	13.1 FT
(49) TOTAL BRIDGE LENGTH:	39.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/4/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022650007**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CHATATA VALLEY RD.**
CROSSING: **CHATATA CREEK**
LOCATION: **3MI EAST OF US11**

COUNTY: **BRADLEY**
ROUTE: **02265**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.46**
SUFFICIENCY RATING: **72.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.20352	DEGREES
(17a,b) LONGITUDE:	W	84.76965	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	41.0 FT
(49) TOTAL BRIDGE LENGTH:	44.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	20 FT
(52) BRIDGE OUT TO OUT WIDTH:	21 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	44 FT
(94) BRIDGE IMPROVEMENT COST:	$116,000.00
(95) ROADWAY IMPROVEMENT COST:	$12,000.00
(96) TOTAL PROJECT COST:	$175,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022650009**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CHATATA VALLEY RD.**
CROSSING: **CHATATA CREEK**
LOCATION: **1 MI EAST OF US 11**

COUNTY: **BRADLEY**
ROUTE: **02265**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.42**
SUFFICIENCY RATING: **41.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.24177	DEGREES
(17a,b) LONGITUDE:	W	84.75495	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	50.9 FT
(49) TOTAL BRIDGE LENGTH:	86.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	20 FT
(52) BRIDGE OUT TO OUT WIDTH:	21 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	4
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	13 TONS
WEIGHT POSTING (3 OR MORE AXLES):	23 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	115.8 FT
(94) BRIDGE IMPROVEMENT COST:	$701,000.00
(95) ROADWAY IMPROVEMENT COST:	$71,000.00
(96) TOTAL PROJECT COST:	$1,052,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022660001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **STRAWHILL RD.**
CROSSING: **COAHULLA CREEK**
LOCATION: **2.5MI EAST OF SR60**

COUNTY: **BRADLEY**
ROUTE: **02266**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.58**
SUFFICIENCY RATING: **82.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.01747	DEGREES
(17a,b) LONGITUDE:	W	84.86140	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **1**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2005**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **62.7 FT**
(49) TOTAL BRIDGE LENGTH: **62.7 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **8**
(59) SUPERSTRUCTURE: **8**
(60) SUBSTRUCTURE: **8**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1111**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/6/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06022660007	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	02266
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	STRAWHILL CHURCH RD.	COUNTY SEQUENCE:	1
CROSSING:	JERRY BRANCH	LOG MILE:	4.35
LOCATION:	1MI EAST OF SR60	SUFFICIENCY RATING:	87.0

IDENTIFICATION

(16a,b) LATITUDE:	N 35.01072 DEGREES
(17a,b) LONGITUDE:	W 84.89198 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	STEEL
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1995
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	4.9 FT
(49) TOTAL BRIDGE LENGTH:	28.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	15.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	5

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	28.9 FT
(94) BRIDGE IMPROVEMENT COST:	$140,000.00
(95) ROADWAY IMPROVEMENT COST:	$15,000.00
(96) TOTAL PROJECT COST:	$211,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022660003**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **POTEET RD.**
CROSSING: **JERRY BRANCH**
LOCATION: **.5MI EAST OF SR60**

COUNTY: **BRADLEY**
ROUTE: **02266**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.81**
SUFFICIENCY RATING: **97.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.02373	DEGREES
(17a,b) LONGITUDE:	W	84.89875	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1986
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	16.1 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	29.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	26.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022660005**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **RED HILL VALLEY RD.**
CROSSING: **JERRY BRANCH**
LOCATION: **.3MI EAST OF SR60**

COUNTY: **BRADLEY**
ROUTE: **02266**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **6.17**
SUFFICIENCY RATING: **91.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.02560	DEGREES
(17a,b) LONGITUDE:	W	84.90378	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1992**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **17.1 FT**
(49) TOTAL BRIDGE LENGTH: **37.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24 FT**
(52) BRIDGE OUT TO OUT WIDTH: **29.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **23.7 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/6/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06022670001**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**02267**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**WHITE OAK RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**APISON CREEK**	LOG MILE:	**2.72**
LOCATION:	**1MI EAST OF HAMILTON CO.**	SUFFICIENCY RATING:	**78.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21823	DEGREES
(17a,b) LONGITUDE:	W	84.95018	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	33.1 FT
(94) BRIDGE IMPROVEMENT COST:	$59,000.00
(95) ROADWAY IMPROVEMENT COST:	$6,000.00
(96) TOTAL PROJECT COST:	$89,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06022670003**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**02267**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**WHITE OAK VALLEY RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**ALLEN MILL FORK**	LOG MILE:	**5.63**
LOCATION:	**.8MI EAST OF HAMILTON CO.**	SUFFICIENCY RATING:	**95.3**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.24898**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.93778**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1995**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**17.1 FT**
(49) TOTAL BRIDGE LENGTH:	**30.8 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**27.6 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**34.8 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**27.6 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N00**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/7/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022690001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **NO PONE RD.**
CROSSING: **LICK CREEK**
LOCATION: **.5MI EAST OF MEIGS CO.**

COUNTY: **BRADLEY**
ROUTE: **02269**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.89**
SUFFICIENCY RATING: **80.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30917	DEGREES
(17a,b) LONGITUDE:	W	84.88520	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022720001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **TASSO RD.**
CROSSING: **CHATATA CREEK**
LOCATION: **2MI EAST OF US11**

COUNTY: **BRADLEY**
ROUTE: **02272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.02**
SUFFICIENCY RATING: **69.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.20878	DEGREES
(17a,b) LONGITUDE:	W	84.76605	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1925**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **27.9 FT**
(49) TOTAL BRIDGE LENGTH: **40.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **16.1 FT**
(52) BRIDGE OUT TO OUT WIDTH: **18 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **16.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **7**
(59) SUPERSTRUCTURE: **7**
(60) SUBSTRUCTURE: **7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **5**
(72) APPROACH ROADWAY ALIGNMENT: **7**
(36) TRAFFIC SAFETY FEATURES: **0000**
(113) SCOUR CONDITION RATING: **U**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING WITH DECK REPAIR OR REPLACEMENT**
(76) LENGTH OF BRIDGE IMPROVEMENT: **40 FT**
(94) BRIDGE IMPROVEMENT COST: **$149,000.00**
(95) ROADWAY IMPROVEMENT COST: **$15,000.00**
(96) TOTAL PROJECT COST: **$224,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **10/18/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06022720003	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	02272
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	TASSO RD.	COUNTY SEQUENCE:	1
CROSSING:	LITTLE CHATATA CREEK	LOG MILE:	0.42
LOCATION:	3MI EAST OF US11	SUFFICIENCY RATING:	84.4

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21143	DEGREES
(17a,b) LONGITUDE:	W	84.77218	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1997
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	14.1 FT
(49) TOTAL BRIDGE LENGTH:	44.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	23.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/4/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022720005**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **TASSO RD.**
CROSSING: **LITTLE CHATATA CREEK**
LOCATION: **2MI EAST OF US11**

COUNTY: **BRADLEY**
ROUTE: **02272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.29**
SUFFICIENCY RATING: **70.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.20858	DEGREES
(17a,b) LONGITUDE:	W	84.78582	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	39.0 FT
(49) TOTAL BRIDGE LENGTH:	40.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	19.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	20.7 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	19.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING WITH DECK REPAIR OR REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	40 FT
(94) BRIDGE IMPROVEMENT COST:	$134,000.00
(95) ROADWAY IMPROVEMENT COST:	$14,000.00
(96) TOTAL PROJECT COST:	$202,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022740001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BAKER BRIDGE RD.**
CROSSING: **CHESTUEE CREEK**
LOCATION: **5MI EAST OF US11**

COUNTY: **BRADLEY**
ROUTE: **02274**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.47**
SUFFICIENCY RATING: **88.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.20165	DEGREES
(17a,b) LONGITUDE:	W	84.71087	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2017
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	102.7 FT
(49) TOTAL BRIDGE LENGTH:	102.7 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/5/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022760001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **UPPER RIVER RD.**
CROSSING: **CHATATA CREEK**
LOCATION: **1MI EAST OF US11**

COUNTY: **BRADLEY**
ROUTE: **02276**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.94**
SUFFICIENCY RATING: **72.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.26087	DEGREES
(17a,b) LONGITUDE:	W	84.74458	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	43.0 FT
(49) TOTAL BRIDGE LENGTH:	127.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-10-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	3

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	127 FT
(94) BRIDGE IMPROVEMENT COST:	$246,000.00
(95) ROADWAY IMPROVEMENT COST:	$25,000.00
(96) TOTAL PROJECT COST:	$370,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	08/2015
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022760005**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **UPPER RIVER RD.**
CROSSING: **PARKER BRANCH**
LOCATION: **3MI EAST OF US11**

COUNTY: **BRADLEY**
ROUTE: **02276**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.67**
SUFFICIENCY RATING: **96.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.23708	DEGREES
(17a,b) LONGITUDE:	W	84.71902	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	24.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022760003**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **UPPER RIVER RD.**
CROSSING: **SOUTH CHESTUEE CREEK**
LOCATION: **3MI EAST OF US11**

COUNTY: **BRADLEY**
ROUTE: **02276**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.34**
SUFFICIENCY RATING: **78.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21790	DEGREES
(17a,b) LONGITUDE:	W	84.71205	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1967
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	143.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	143 FT
(94) BRIDGE IMPROVEMENT COST:	$152,000.00
(95) ROADWAY IMPROVEMENT COST:	$16,000.00
(96) TOTAL PROJECT COST:	$229,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06036400001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **BLUE SPRINGS RD.**
CROSSING: **SMALL BRANCH**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **03640**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.54**
SUFFICIENCY RATING: **95.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14005	DEGREES
(17a,b) LONGITUDE:	W	84.88627	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	25.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/15/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06036450001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **20TH ST. N.W.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **03645**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.28**
SUFFICIENCY RATING: **72.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17548	DEGREES
(17a,b) LONGITUDE:	W	84.87663	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	44.0 FT
(49) TOTAL BRIDGE LENGTH:	44.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	30.5 FT
(52) BRIDGE OUT TO OUT WIDTH:	44.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	30.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	44 FT
(94) BRIDGE IMPROVEMENT COST:	$42,000.00
(95) ROADWAY IMPROVEMENT COST:	$5,000.00
(96) TOTAL PROJECT COST:	$64,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/17/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06036470001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **PAUL HUFF PKWY.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **1 M NORTH OF SR 2**

COUNTY: **BRADLEY**
ROUTE: **03647**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.12**
SUFFICIENCY RATING: **88.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.20858	DEGREES
(17a,b) LONGITUDE:	W	84.85317	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1987
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	5
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	38.1 FT
(49) TOTAL BRIDGE LENGTH:	150.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	65.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	67.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	65.0 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	65.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/14/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06036490001**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**CITY OF CLEVELAND**	ROUTE:	**03649**
FIPS CODE:	**15400**	SPECIAL CASE:	**0**
ROAD NAME:	**SMITH DR. S.W.**	COUNTY SEQUENCE:	**1**
CROSSING:	**SOUTH MOUSE CREEK**	LOG MILE:	**0.32**
LOCATION:	**IN CLEVELAND CITY LIMITS**	SUFFICIENCY RATING:	**67.3**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.15123 DEGREES**
(17a,b) LONGITUDE:	**W 84.88762 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1960**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**25.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**20 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**27.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**30 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**20.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**2**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0000**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**25.9 FT**
(94) BRIDGE IMPROVEMENT COST:	**$99,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$10,000.00**
(96) TOTAL PROJECT COST:	**$149,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/15/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06M36600001	COUNTY:	BRADLEY
BRIDGE OWNER:	CITY OF CLEVELAND	ROUTE:	03660
FIPS CODE:	15400	SPECIAL CASE:	0
ROAD NAME:	MOUSE CREEK RD. N.W.	COUNTY SEQUENCE:	1
CROSSING:	MOUSE CREEK	LOG MILE:	0.44
LOCATION:	IN CLEVELAND CITY LIMITS	SUFFICIENCY RATING:	98.2

IDENTIFICATION

(16a,b) LATITUDE:	N	35.20098	DEGREES
(17a,b) LONGITUDE:	W	84.85243	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2007
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	21.7 FT
(49) TOTAL BRIDGE LENGTH:	65.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	39.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	51.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	40.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	24 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N1N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/22/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06004560003**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **INMAN ST. W.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **.2 MI FROM SR2**

COUNTY: **BRADLEY**
ROUTE: **04390**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.01**
SUFFICIENCY RATING: **82.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16243	DEGREES
(17a,b) LONGITUDE:	W	84.88295	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2002**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **6**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **47.2 FT**
(50a) LEFT SIDEWALK WIDTH: **4.6 FT**
(50b) RIGHT SIDEWALK WIDTH: **4.6 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **70.9 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **23 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **75.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/22/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06043900001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **INMAN ST. W.**
CROSSING: **BRANCH**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **04390**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.13**
SUFFICIENCY RATING: **69.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16183	DEGREES
(17a,b) LONGITUDE:	W	84.88102	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1950**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **4**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **11.2 FT**
(49) TOTAL BRIDGE LENGTH: **35.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **47.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **59.7 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **59.7 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **35 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **66.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0000**
(113) SCOUR CONDITION RATING: **U**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **35.1 FT**
(94) BRIDGE IMPROVEMENT COST: **$49,000.00**
(95) ROADWAY IMPROVEMENT COST: **$5,000.00**
(96) TOTAL PROJECT COST: **$74,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/22/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0450001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **17TH ST. N.W.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **IN CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **04472**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.46**
SUFFICIENCY RATING: **77.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17177	DEGREES
(17a,b) LONGITUDE:	W	84.87897	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **UNKNOWN**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1989**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **3**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **39.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **36.1 FT**
(52) BRIDGE OUT TO OUT WIDTH: **40 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **36.1 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **8 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **36.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0000**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **39 FT**
(94) BRIDGE IMPROVEMENT COST: **$111,000.00**
(95) ROADWAY IMPROVEMENT COST: **$12,000.00**
(96) TOTAL PROJECT COST: **$167,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/16/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0160001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **20TH ST. N.E.**
CROSSING: **LITTLE CHATTA CREEK**
LOCATION: **.3MI EAST OF CLEVELAND TN**

COUNTY: **BRADLEY**
ROUTE: **04615**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.09**
SUFFICIENCY RATING: **2.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16938	DEGREES
(17a,b) LONGITUDE:	W	84.82563	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	1966
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	27.9 FT
(49) TOTAL BRIDGE LENGTH:	27.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	28.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	30.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	4
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	4
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	5 TONS
WEIGHT POSTING (3 OR MORE AXLES):	5 TONS
(70) BRIDGE POSTING CODE:	3
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	3
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	3
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	49.5 FT
(94) BRIDGE IMPROVEMENT COST:	$416,000.00
(95) ROADWAY IMPROVEMENT COST:	$42,000.00
(96) TOTAL PROJECT COST:	$625,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/17/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06046160001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **BLYTHE FERRY RD. N.E.**
CROSSING: **FILLAUERS BRANCH**
LOCATION: **NEAR SR74 JCT**

COUNTY: **BRADLEY**
ROUTE: **04616**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.64**
SUFFICIENCY RATING: **96.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19085	DEGREES
(17a,b) LONGITUDE:	W	84.85138	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2007
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	23.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	37.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	47.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	40.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	37.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/22/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A2620001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **RAIDER DR. N.W.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **IN CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **04617**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.40**
SUFFICIENCY RATING: **53.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19188	DEGREES
(17a,b) LONGITUDE:	W	84.86517	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	OTHER
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	26.9 FT
(49) TOTAL BRIDGE LENGTH:	85.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	48.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	55.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	47.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	48.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	85 FT
(94) BRIDGE IMPROVEMENT COST:	$170,000.00
(95) ROADWAY IMPROVEMENT COST:	$18,000.00
(96) TOTAL PROJECT COST:	$256,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/16/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A1150001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **CANDIES LN. N.W.**
CROSSING: **CANDIES CREEK**
LOCATION: **.5MI WEST OF I75**

COUNTY: **BRADLEY**
ROUTE: **04623**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.58**
SUFFICIENCY RATING: **92.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19777	DEGREES
(17a,b) LONGITUDE:	W	84.89697	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1985
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	53.1 FT
(49) TOTAL BRIDGE LENGTH:	160.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	38.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	36.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/14/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022590005**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **LEAD MINE VALLEY RD.**
CROSSING: **BLACK FOX CREEK**
LOCATION: **2MI WEST OF SR60**

COUNTY: **BRADLEY**
ROUTE: **0A003**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.75**
SUFFICIENCY RATING: **48.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.08473	DEGREES
(17a,b) LONGITUDE:	W	84.92233	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	13.1 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	22 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	4
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	48.6 FT
(94) BRIDGE IMPROVEMENT COST:	$313,000.00
(95) ROADWAY IMPROVEMENT COST:	$32,000.00
(96) TOTAL PROJECT COST:	$470,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022590003**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **LEAD MINE VALLEY RD.**
CROSSING: **BLUE SPRINGS BRANCH**
LOCATION: **2MI WEST OF SR60**

COUNTY: **BRADLEY**
ROUTE: **0A003**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.98**
SUFFICIENCY RATING: **95.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.08775	DEGREES
(17a,b) LONGITUDE:	W	84.92093	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	16.1 FT
(49) TOTAL BRIDGE LENGTH:	32.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06022700001**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**BRADLEY COUNTY**	ROUTE:	**0A007**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**OLD CHATTANOOGA PK.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CANDIES CREEK**	LOG MILE:	**1.17**
LOCATION:	**.5MI SOUTHEAST OF US64**	SUFFICIENCY RATING:	**82.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.10813**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.95320**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1988**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**15.1 FT**
(49) TOTAL BRIDGE LENGTH:	**47.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**25.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL CITY STREET**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**0N00**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**10/2/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06022700003**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OLD CHATTANOOGA PK.**
CROSSING: **BLACK FOX CREEK**
LOCATION: **1MI SOUTHEAST OF US64**

COUNTY: **BRADLEY**
ROUTE: **0A007**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.26**
SUFFICIENCY RATING: **96.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.11257	DEGREES
(17a,b) LONGITUDE:	W	84.93527	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1981
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	17.1 FT
(49) TOTAL BRIDGE LENGTH:	55.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	35.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0480001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BAUGH SPRINGS RD.**
CROSSING: **BRYMER CREEK**
LOCATION: **.5MI SOUTHEAST OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A048**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.55**
SUFFICIENCY RATING: **96.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.12845	DEGREES
(17a,b) LONGITUDE:	W	84.98793	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	25.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	17.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06SR3110001**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**0A050**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**HARRIMAN RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**SR 311**	LOG MILE:	**2.98**
LOCATION:	**1/2 MI. EAST OFI-75**	SUFFICIENCY RATING:	**99.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.14848**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.93735**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2017**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**HIGHWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**4**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**4**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**131.6 FT**
(49) TOTAL BRIDGE LENGTH:	**263.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**96.1 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**97.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**72.2 FT**
(33) BRIDGE MEDIAN:	**OPEN MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**96.1 FT**
(54a) VERT UNDERCLR:	**HIGHWAY BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE:	**16.6 FT**
(55a) HORZ UNDERCLR:	**HIGHWAY BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**33.14 FT**
(56) MIN HORZ UNDERCLR ON LEFT:	**12.14 FT**

NAVIGATION DATA

(38) NAV CONTROL:	**NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**8**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**8**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**N**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HL-93**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**9**
(69) UNDERCLEARANCE RATING:	**9**
(71) WATERWAY ADEQUACY:	**N**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1111**
(113) SCOUR CONDITION RATING:	**N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/1/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0550001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WHITE OAK VALLEY RD.**
CROSSING: **BRANCH**
LOCATION: **2MI NORTH OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A055**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.32**
SUFFICIENCY RATING: **87.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17783	DEGREES
(17a,b) LONGITUDE:	W	84.96762	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	16.1 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/25/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **HUMPHREY BRIDGE RD.**
CROSSING: **SR 311**
LOCATION: **1 MI. EAST OFI-75**

COUNTY: **BRADLEY**
ROUTE: **0A060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.55**
SUFFICIENCY RATING: **83.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14588	DEGREES
(17a,b) LONGITUDE:	W	84.92882	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	68.9 FT
(49) TOTAL BRIDGE LENGTH:	235.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	3 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	26.84 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	11.15 FT
(56) MIN HORZ UNDERCLR ON LEFT:	9.84 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0620001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BRYMER CREEK RD.**
CROSSING: **BRYMER CREEK**
LOCATION: **1MI SOUTHEAST OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A062**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.98**
SUFFICIENCY RATING: **42.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13027	DEGREES
(17a,b) LONGITUDE:	W	84.97765	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	40.0 FT
(49) TOTAL BRIDGE LENGTH:	41.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	4 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.8 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	4
(59) SUPERSTRUCTURE:	4
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	63 FT
(94) BRIDGE IMPROVEMENT COST:	$396,000.00
(95) ROADWAY IMPROVEMENT COST:	$40,000.00
(96) TOTAL PROJECT COST:	$595,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0630001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BLACK FOX RD.**
CROSSING: **CANDIES CREEK**
LOCATION: **1.5 MI SOUTH OF SR40**

COUNTY: **BRADLEY**
ROUTE: **0A063**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.85**
SUFFICIENCY RATING: **81.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.12398	DEGREES
(17a,b) LONGITUDE:	W	84.93302	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	51.8 FT
(49) TOTAL BRIDGE LENGTH:	254.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	6 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	00NN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/9/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0700001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WITHROW RD.**
CROSSING: **BRANCH**
LOCATION: **.6MI NORTH OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A070**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.27**
SUFFICIENCY RATING: **88.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16707	DEGREES
(17a,b) LONGITUDE:	W	84.95113	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	24.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/25/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A0770001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A077
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HARRIS CREEK RD.	COUNTY SEQUENCE:	1
CROSSING:	HARRIS CREEK	LOG MILE:	0.02
LOCATION:	1.5 MI NORTH OF I75	SUFFICIENCY RATING:	80.7

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17723	DEGREES
(17a,b) LONGITUDE:	W	84.95543	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	34.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/26/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A0770003	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A077
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HARRIS CREEK RD.	COUNTY SEQUENCE:	1
CROSSING:	HARRIS CREEK	LOG MILE:	1.16
LOCATION:	.5MI WEST OF I75	SUFFICIENCY RATING:	83.8

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16815	DEGREES
(17a,b) LONGITUDE:	W	84.94513	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	23 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/26/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A0770005	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A077
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	SIPES RD.	COUNTY SEQUENCE:	1
CROSSING:	RUNNERS BRANCH	LOG MILE:	3.41
LOCATION:	.1 MI EAST OF I75	SUFFICIENCY RATING:	98.9

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17370	DEGREES
(17a,b) LONGITUDE:	W	84.91915	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N0N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/26/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A0790001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A079
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	LAUREL BLUFF RD.	COUNTY SEQUENCE:	1
CROSSING:	RUNNERS BRANCH	LOG MILE:	0.89
LOCATION:	1MI NORTHWEST OF I75	SUFFICIENCY RATING:	98.9

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18425	DEGREES
(17a,b) LONGITUDE:	W	84.93582	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: STEEL
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1985
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	24.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N0N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/21/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A0830001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A083
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HARRIS CREEK TR.	COUNTY SEQUENCE:	1
CROSSING:	RUNNERS BRANCH	LOG MILE:	0.87
LOCATION:	.3MI WEST OF I75	SUFFICIENCY RATING:	80.9

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17535	DEGREES
(17a,b) LONGITUDE:	W	84.92243	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	11.2 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/25/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0990001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BEAN RD.**
CROSSING: **HARRIS CREEK**
LOCATION: **2MI NORTHWEST OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A099**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.48**
SUFFICIENCY RATING: **86.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17218	DEGREES
(17a,b) LONGITUDE:	W	84.96688	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1987
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	40.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	24.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	9.8 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/25/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A1160001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **N.W. OLD FREEWILL RD.**
CROSSING: **LICK BRANCH**
LOCATION: **2MI WEST OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A116**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.40**
SUFFICIENCY RATING: **87.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21632	DEGREES
(17a,b) LONGITUDE:	W	84.91255	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A1190001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A119
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	OLD FREEWILL RD.	COUNTY SEQUENCE:	1
CROSSING:	APISON FORK	LOG MILE:	1.11
LOCATION:	3MI NORTHWEST OF I75	SUFFICIENCY RATING:	48.7

IDENTIFICATION

(16a,b) LATITUDE:	N	35.22987	DEGREES
(17a,b) LONGITUDE:	W	84.92857	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	STEEL CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	1960
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	20.0 FT
(49) TOTAL BRIDGE LENGTH:	39.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	19.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	20.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	24 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	19.4 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	61 FT
(94) BRIDGE IMPROVEMENT COST:	$368,000.00
(95) ROADWAY IMPROVEMENT COST:	$37,000.00
(96) TOTAL PROJECT COST:	$553,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A1210001	COUNTY:	BRADLEY
BRIDGE OWNER:	CITY OF CLEVELAND	ROUTE:	0A121
FIPS CODE:	15400	SPECIAL CASE:	0
ROAD NAME:	VILLA DR.	COUNTY SEQUENCE:	1
CROSSING:	CANDIES CREEK	LOG MILE:	0.32
LOCATION:	.3 MI WEST OF SR60	SUFFICIENCY RATING:	79.7

IDENTIFICATION

(16a,b) LATITUDE:	N 35.21072 DEGREES
(17a,b) LONGITUDE:	W 84.89065 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1985
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	60.0 FT
(49) TOTAL BRIDGE LENGTH:	178.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	29.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	178.1 FT
(94) BRIDGE IMPROVEMENT COST:	$1,083,000.00
(95) ROADWAY IMPROVEMENT COST:	$109,000.00
(96) TOTAL PROJECT COST:	$1,625,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A1590001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **WILLOW ST. N.W.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **.01 MI SOUTH OF SR2**

COUNTY: **BRADLEY**
ROUTE: **0A159**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.16**
SUFFICIENCY RATING: **80.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16817	DEGREES
(17a,b) LONGITUDE:	W	84.87977	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1985
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	28.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	32.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.2 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/5/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A1630001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OLD GEORGETOWN ST.**
CROSSING: **CANDIES CREEK**
LOCATION: **4.3 MI FROM I75**

COUNTY: **BRADLEY**
ROUTE: **0A163**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.19**
SUFFICIENCY RATING: **80.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.22292	DEGREES
(17a,b) LONGITUDE:	W	84.87862	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1988
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	64.0 FT
(49) TOTAL BRIDGE LENGTH:	171.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A1650001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **MCPHERSON LN.**
CROSSING: **CANDIES CREEK**
LOCATION: **1 MI FROM EUREKA**

COUNTY: **BRADLEY**
ROUTE: **0A165**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.20**
SUFFICIENCY RATING: **87.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.26782	DEGREES
(17a,b) LONGITUDE:	W	84.85000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE PRECAST PANELS**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1985**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **58.1 FT**
(49) TOTAL BRIDGE LENGTH: **140.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24 FT**
(52) BRIDGE OUT TO OUT WIDTH: **25.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **SKEW VARIES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **7**
(59) SUPERSTRUCTURE: **8**
(60) SUBSTRUCTURE: **7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **7**
(36) TRAFFIC SAFETY FEATURES: **1000**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/13/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A1730001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A173
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	RABBIT VALLEY RD.	COUNTY SEQUENCE:	1
CROSSING:	GREASY CREEK	LOG MILE:	0.07
LOCATION:	2.5 MI WEST OF I75	SUFFICIENCY RATING:	85.4

IDENTIFICATION

(16a,b) LATITUDE:	N	35.25367	DEGREES
(17a,b) LONGITUDE:	W	84.90660	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1994
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	23.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A1730003**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **RABBIT VALLEY RD.**
CROSSING: **BIGSBY CREEK**
LOCATION: **2MI WEST OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A173**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.03**
SUFFICIENCY RATING: **87.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.24105	DEGREES
(17a,b) LONGITUDE:	W	84.91360	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	49.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	15.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A1750001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **RABBIT VALLEY RD.**
CROSSING: **LICK CREEK**
LOCATION: **.01 M N OF NFA 1187**

COUNTY: **BRADLEY**
ROUTE: **0A175**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.02**
SUFFICIENCY RATING: **78.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.22393	DEGREES
(17a,b) LONGITUDE:	W	84.92223	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1986
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	14.1 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	OTHER STRUCTURAL WORK
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A1810001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **PLEASANT GROVE TR.**
CROSSING: **HARRIS CREEK**
LOCATION: **.3MI EAST OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A181**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.83**
SUFFICIENCY RATING: **88.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16040	DEGREES
(17a,b) LONGITUDE:	W	84.92588	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2008
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	49.9 FT
(49) TOTAL BRIDGE LENGTH:	49.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	1110
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A1820001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A182
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HARRIS CREEK RD.	COUNTY SEQUENCE:	1
CROSSING:	CANDIES CREEK	LOG MILE:	0.15
LOCATION:	.4MI EAST OF I75	SUFFICIENCY RATING:	85.4

IDENTIFICATION

(16a,b) LATITUDE:	N 35.16452 DEGREES
(17a,b) LONGITUDE:	W 84.91232 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1998
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	36.1 FT
(49) TOTAL BRIDGE LENGTH:	108.3 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	35 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A1840001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A184
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	OLD HARRISON PK.	COUNTY SEQUENCE:	1
CROSSING:	CANDIES CREEK	LOG MILE:	0.64
LOCATION:	.4MI EAST OF I75	SUFFICIENCY RATING:	91.7

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17270	DEGREES
(17a,b) LONGITUDE:	W	84.90573	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1990
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	41.0 FT
(49) TOTAL BRIDGE LENGTH:	122.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	26.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A1740001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A195
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	SHINGLE HOLLOW RD.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	0.29
LOCATION:	3MI NORTHWEST OF I75	SUFFICIENCY RATING:	61.8

IDENTIFICATION

(16a,b) LATITUDE:	N 35.24495 DEGREES
(17a,b) LONGITUDE:	W 84.94545 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1975
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	1
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	17.1 FT
(49) TOTAL BRIDGE LENGTH:	20.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	14.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	16.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	12.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	55 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	14.4 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	NO
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	ONE LANE BRIDGE FOR 2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	5

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	20 FT
(94) BRIDGE IMPROVEMENT COST:	$96,000.00
(95) ROADWAY IMPROVEMENT COST:	$10,000.00
(96) TOTAL PROJECT COST:	$145,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A2340001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **PLEASANT GROVE PL.**
CROSSING: **CANDIES CREEK**
LOCATION: **.4MI NORTH OF SR40**

COUNTY: **BRADLEY**
ROUTE: **0A234**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.56**
SUFFICIENCY RATING: **27.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15052	DEGREES
(17a,b) LONGITUDE:	W	84.91763	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	OTHER
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	65.9 FT
(49) TOTAL BRIDGE LENGTH:	68.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	19 FT
(52) BRIDGE OUT TO OUT WIDTH:	21.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	18.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	3
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	3
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	94.5 FT
(94) BRIDGE IMPROVEMENT COST:	$640,000.00
(95) ROADWAY IMPROVEMENT COST:	$65,000.00
(96) TOTAL PROJECT COST:	$961,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A3420001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **NO PONE VALLEY RD.**
CROSSING: **LICK CREEK**
LOCATION: **.3MI EAST OF MIEGS CO.**

COUNTY: **BRADLEY**
ROUTE: **0A342**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.62**
SUFFICIENCY RATING: **75.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32553	DEGREES
(17a,b) LONGITUDE:	W	84.87548	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	1997
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	24.0 FT
(49) TOTAL BRIDGE LENGTH:	25.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	17 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-10-44
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	25.9 FT
(94) BRIDGE IMPROVEMENT COST:	$120,000.00
(95) ROADWAY IMPROVEMENT COST:	$13,000.00
(96) TOTAL PROJECT COST:	$181,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A3670001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **MAPLETON DR.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **IN CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **0A367**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.39**
SUFFICIENCY RATING: **52.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.23187	DEGREES
(17a,b) LONGITUDE:	W	84.84360	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	38.1 FT
(49) TOTAL BRIDGE LENGTH:	40.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	23.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	21.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	7

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	62 FT
(94) BRIDGE IMPROVEMENT COST:	$389,000.00
(95) ROADWAY IMPROVEMENT COST:	$39,000.00
(96) TOTAL PROJECT COST:	$584,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A3740001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **MOHAWK DR.**
CROSSING: **BRANCH**
LOCATION: **IN CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **0A374**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.10**
SUFFICIENCY RATING: **88.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21268	DEGREES
(17a,b) LONGITUDE:	W	84.85358	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2000**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **26.6 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **27.6 FT**
(52) BRIDGE OUT TO OUT WIDTH: **35.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **10 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **28.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL CITY STREET**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **10/10/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A3740003**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **MOHAWK DR.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **IN CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **0A374**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.22**
SUFFICIENCY RATING: **85.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21192	DEGREES
(17a,b) LONGITUDE:	W	84.85167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	29.9 FT
(49) TOTAL BRIDGE LENGTH:	87.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A3920001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WALKER VALLEY RD.**
CROSSING: **LITTLE SOUTH MOUSE CREEK**
LOCATION: **1MI EAST OF I75**

COUNTY: **BRADLEY**
ROUTE: **0A392**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.10**
SUFFICIENCY RATING: **82.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.24030	DEGREES
(17a,b) LONGITUDE:	W	84.80638	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	14.1 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	30.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	19.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	26.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A3920003**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WALKER VALLEY RD.**
CROSSING: **LITTLE SOUTH MOUSE CREEK**
LOCATION: **.5MI WEST OF US11**

COUNTY: **BRADLEY**
ROUTE: **0A392**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.64**
SUFFICIENCY RATING: **85.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.27027	DEGREES
(17a,b) LONGITUDE:	W	84.78198	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1982
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	13.1 FT
(49) TOTAL BRIDGE LENGTH:	25.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	37.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	27.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A4030001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WILSON FARM RD.**
CROSSING: **LITTLE SOUTH MOUSE CREEK**
LOCATION: **.04MI WEST OF US11**

COUNTY: **BRADLEY**
ROUTE: **0A403**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.05**
SUFFICIENCY RATING: **75.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.25665	DEGREES
(17a,b) LONGITUDE:	W	84.79157	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1987
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	39.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A4130001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **DAVIS RD. N.W.**
CROSSING: **LITTLE SOUTH MOUSE CREEK**
LOCATION: **.5MI WEST OF US11**

COUNTY: **BRADLEY**
ROUTE: **0A413**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.86**
SUFFICIENCY RATING: **97.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.24893	DEGREES
(17a,b) LONGITUDE:	W	84.79750	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1986**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **26.2 FT**
(52) BRIDGE OUT TO OUT WIDTH: **29.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **25.9 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **26.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/19/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A4190001**
BRIDGE OWNER: **CITY OF CHARLESTON**
FIPS CODE: **13020**
ROAD NAME: **WATER ST.**
CROSSING: **BRANCH**
LOCATION: **IN CITY OF CHARLESTON**

COUNTY: **BRADLEY**
ROUTE: **0A419**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.80**
SUFFICIENCY RATING: **49.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.28873	DEGREES
(17a,b) LONGITUDE:	W	84.75507	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	21.0 FT
(49) TOTAL BRIDGE LENGTH:	61.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	17.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	18 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	17.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING WITH DECK REPAIR OR REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	61 FT
(94) BRIDGE IMPROVEMENT COST:	$255,000.00
(95) ROADWAY IMPROVEMENT COST:	$26,000.00
(96) TOTAL PROJECT COST:	$383,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A4220001**
BRIDGE OWNER: **CITY OF CHARLESTON**
FIPS CODE: **13020**
ROAD NAME: **MARKET ST.**
CROSSING: **BRANCH**
LOCATION: **IN CITY OF CHARLESTON**

COUNTY: **BRADLEY**
ROUTE: **0A422**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.24**
SUFFICIENCY RATING: **89.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.28177	DEGREES
(17a,b) LONGITUDE:	W	84.75840	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	14.1 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	30.8 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	31.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A5120001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **WESTVIEW DR. N.E.**
CROSSING: **FILLAUERS BRANCH**
LOCATION: **NEAR JCT. OF SR-74**

COUNTY: **BRADLEY**
ROUTE: **0A512**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.07**
SUFFICIENCY RATING: **96.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18753	DEGREES
(17a,b) LONGITUDE:	W	84.85285	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1990**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **27.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **33.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **27.9 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **28.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL CITY STREET**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **10/4/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A2210001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BATES PK.**
CROSSING: **KINSER CREEK**
LOCATION: **.8MI SOUTH OF US64**

COUNTY: **BRADLEY**
ROUTE: **0A712**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.39**
SUFFICIENCY RATING: **80.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.11568	DEGREES
(17a,b) LONGITUDE:	W	84.78038	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1965**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **24.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **26.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **30 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **20.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0000**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/13/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A7610001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WILKERSON RD.**
CROSSING: **CHATATA CREEK**
LOCATION: **1.2 MI SOUTHEAST OF SR2**

COUNTY: **BRADLEY**
ROUTE: **0A761**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.02**
SUFFICIENCY RATING: **80.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17860	DEGREES
(17a,b) LONGITUDE:	W	84.78438	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	32.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	15.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/4/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A7640001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **LOWER CHESTUEE RD.**
CROSSING: **CHESTUEE CREEK**
LOCATION: **.2 MI WEST OF POLK CO.**

COUNTY: **BRADLEY**
ROUTE: **0A764**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.17**
SUFFICIENCY RATING: **69.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.18410 DEGREES**
(17a,b) LONGITUDE:	**W 84.71208 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1950**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1968**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**1**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**39.0 FT**
(49) TOTAL BRIDGE LENGTH:	**43.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**14.1 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**15.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**9.8 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**12.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**ONE LANE BRIDGE FOR 2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**8**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**5**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-10-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**6**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**4**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0000**
(113) SCOUR CONDITION RATING:	**U**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**43 FT**
(94) BRIDGE IMPROVEMENT COST:	**$189,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$19,000.00**
(96) TOTAL PROJECT COST:	**$284,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**10/9/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060Z0030001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OLD PARKSVILLE RD.**
CROSSING: **FIVE MILE CREEK**
LOCATION: **1MI NORTH OF SR40**

COUNTY: **BRADLEY**
ROUTE: **0A770**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.39**
SUFFICIENCY RATING: **82.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15068	DEGREES
(17a,b) LONGITUDE:	W	84.79260	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2011**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **10.5 FT**
(49) TOTAL BRIDGE LENGTH: **21.3 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24.6 FT**
(52) BRIDGE OUT TO OUT WIDTH: **29.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **35.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **10 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **NO**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **9**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HL-93**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **10/9/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A7780001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A778
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	CHESTUEE RD.	COUNTY SEQUENCE:	1
CROSSING:	GATLIN BRANCH	LOG MILE:	1.38
LOCATION:	1.5 MI NORTH OF US64	SUFFICIENCY RATING:	97.1

IDENTIFICATION

(16a,b) LATITUDE:	N 35.15535 DEGREES
(17a,b) LONGITUDE:	W 84.72808 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2003
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	11.5 FT
(49) TOTAL BRIDGE LENGTH:	24.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	33.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	27.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A7790001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OLD CHESTUEE RD.**
CROSSING: **CHESTUEE CREEK**
LOCATION: **.8 MI NORTH OF US64**

COUNTY: **BRADLEY**
ROUTE: **0A779**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.65**
SUFFICIENCY RATING: **77.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14692	DEGREES
(17a,b) LONGITUDE:	W	84.72668	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **1**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **OTHER**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1925**
(106) YEAR THE BRIDGE WAS REHABILITATED: **1998**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **1**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **55.1 FT**
(49) TOTAL BRIDGE LENGTH: **55.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **12.1 FT**
(52) BRIDGE OUT TO OUT WIDTH: **12.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **13.1 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **12.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **ONE LANE BRIDGE FOR 2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **8**
(59) SUPERSTRUCTURE: **8**
(60) SUBSTRUCTURE: **7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **0000**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **55.1 FT**
(94) BRIDGE IMPROVEMENT COST: **$239,000.00**
(95) ROADWAY IMPROVEMENT COST: **$24,000.00**
(96) TOTAL PROJECT COST: **$359,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/13/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A2240001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A789
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	OLD PARKSVILLE TR.	COUNTY SEQUENCE:	1
CROSSING:	LONDON BRANCH	LOG MILE:	0.15
LOCATION:	.1 MI SOUTH OF US64	SUFFICIENCY RATING:	98.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13062	DEGREES
(17a,b) LONGITUDE:	W	84.74292	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	14.1 FT
(49) TOTAL BRIDGE LENGTH:	28.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	33.8 FT
(52) BRIDGE OUT TO OUT WIDTH:	38.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	33.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A2240003	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A789
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	OLD PARKSVILLE TR.	COUNTY SEQUENCE:	1
CROSSING:	SOUTH CHESTUEE CREEK	LOG MILE:	0.68
LOCATION:	.3 MI SOUTH OF US64	SUFFICIENCY RATING:	86.5

IDENTIFICATION

(16a,b) LATITUDE:	N	35.12445	DEGREES
(17a,b) LONGITUDE:	W	84.73760	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1995
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	16.1 FT
(49) TOTAL BRIDGE LENGTH:	51.8 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	9.8 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N0N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060Z0010001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **ROYAL OAKS DR.**
CROSSING: **BRANCH**
LOCATION: **2MI NE OF CLEVELAND TN.**

COUNTY: **BRADLEY**
ROUTE: **0A815**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.08**
SUFFICIENCY RATING: **80.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.20282	DEGREES
(17a,b) LONGITUDE:	W	84.80223	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1970
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	4.9 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	18.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	33.1 FT
(94) BRIDGE IMPROVEMENT COST:	$184,000.00
(95) ROADWAY IMPROVEMENT COST:	$19,000.00
(96) TOTAL PROJECT COST:	$277,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/5/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A8300001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OSMENT RD.**
CROSSING: **CHESTUEE CREEK**
LOCATION: **2MI SOUTH OF US 64**

COUNTY: **BRADLEY**
ROUTE: **0A830**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.10**
SUFFICIENCY RATING: **82.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.10895	DEGREES
(17a,b) LONGITUDE:	W	84.77520	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2007**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/13/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A8470001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CEDAR SPRINGS RD.**
CROSSING: **MILL CREEK**
LOCATION: **3MI WEST OF POLK CO.**

COUNTY: **BRADLEY**
ROUTE: **0A847**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.11**
SUFFICIENCY RATING: **80.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.05997	DEGREES
(17a,b) LONGITUDE:	W	84.80582	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1960**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **32.2 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **25.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **22.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **25.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **7**
(36) TRAFFIC SAFETY FEATURES: **0000**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/7/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A8510001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A851
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	RAMSEY BRIDGE RD.	COUNTY SEQUENCE:	1
CROSSING:	COAHULLA CREEK	LOG MILE:	4.69
LOCATION:	2MI EAST OF SR60	SUFFICIENCY RATING:	96.9

IDENTIFICATION

(16a,b) LATITUDE:	N	35.05553	DEGREES
(17a,b) LONGITUDE:	W	84.85982	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1991
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	16.1 FT
(49) TOTAL BRIDGE LENGTH:	50.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060Z0040001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A854
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	GOODE RD.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	0.08
LOCATION:	.3MI EAST OF SR74	SUFFICIENCY RATING:	56.8

IDENTIFICATION

(16a,b) LATITUDE:	N	35.05763	DEGREES
(17a,b) LONGITUDE:	W	84.80222	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: STEEL
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	1
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	18.0 FT
(49) TOTAL BRIDGE LENGTH:	20.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	15.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	15.7 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	13.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	ONE LANE BRIDGE FOR 2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
WEIGHT POSTING (3 OR MORE AXLES):	18 TONS
(70) BRIDGE POSTING CODE:	4
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	3
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	40 FT
(94) BRIDGE IMPROVEMENT COST:	$254,000.00
(95) ROADWAY IMPROVEMENT COST:	$26,000.00
(96) TOTAL PROJECT COST:	$382,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A8590001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **TREWHITT RD.**
CROSSING: **COAHULLA CREEK**
LOCATION: **2MI WEST OF SR60**

COUNTY: **BRADLEY**
ROUTE: **0A859**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.27**
SUFFICIENCY RATING: **98.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.08277	DEGREES
(17a,b) LONGITUDE:	W	84.84393	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **1**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2003**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **59.7 FT**
(49) TOTAL BRIDGE LENGTH: **59.7 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **ONE LANE BRIDGE FOR 2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **8**
(59) SUPERSTRUCTURE: **8**
(60) SUBSTRUCTURE: **8**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **7**
(36) TRAFFIC SAFETY FEATURES: **1110**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/7/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A8610001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **HUNT RD.**
CROSSING: **OVERFLOW**
LOCATION: **3MI EAST OF SR60**

COUNTY: **BRADLEY**
ROUTE: **0A861**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.44**
SUFFICIENCY RATING: **83.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.02940	DEGREES
(17a,b) LONGITUDE:	W	84.84830	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1994**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **20.7 FT**
(52) BRIDGE OUT TO OUT WIDTH: **26.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **20.6 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/7/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A8610003	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A861
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HUNT RD.	COUNTY SEQUENCE:	1
CROSSING:	COAHULLA CREEK	LOG MILE:	5.57
LOCATION:	3MI WEST OF SR74	SUFFICIENCY RATING:	91.9

IDENTIFICATION

(16a,b) LATITUDE:	N 35.02797 DEGREES
(17a,b) LONGITUDE:	W 84.84700 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1989
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	39.0 FT
(49) TOTAL BRIDGE LENGTH:	119.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	23.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	1101
(113) SCOUR CONDITION RATING:	3

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A2010001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **SAMPLES CHAPEL RD.**
CROSSING: **MILL CREEK**
LOCATION: **.2MI WEST OF POLK CO.LINE**

COUNTY: **BRADLEY**
ROUTE: **0A867**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.09**
SUFFICIENCY RATING: **78.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.02502	DEGREES
(17a,b) LONGITUDE:	W	84.77443	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	18.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	20.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	14.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	48.6 FT
(94) BRIDGE IMPROVEMENT COST:	$296,000.00
(95) ROADWAY IMPROVEMENT COST:	$30,000.00
(96) TOTAL PROJECT COST:	$445,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A8870001	COUNTY:	BRADLEY
BRIDGE OWNER:	BRADLEY COUNTY	ROUTE:	0A887
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	UNION RD.	COUNTY SEQUENCE:	1
CROSSING:	SUGAR CREEK	LOG MILE:	1.09
LOCATION:	2MI WEST OF SR74	SUFFICIENCY RATING:	82.3

IDENTIFICATION

(16a,b) LATITUDE:	N	35.01788	DEGREES
(17a,b) LONGITUDE:	W	84.82350	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1987
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A8940001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **SUGAR CREEK RD.**
CROSSING: **SUGAR CREEK**
LOCATION: **2.5 MI NORTHWEST OF SR74**

COUNTY: **BRADLEY**
ROUTE: **0A894**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.65**
SUFFICIENCY RATING: **96.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.01497	DEGREES
(17a,b) LONGITUDE:	W	84.81950	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	060A9120001	COUNTY:	BRADLEY
BRIDGE OWNER:	CITY OF CLEVELAND	ROUTE:	0A912
FIPS CODE:	15400	SPECIAL CASE:	0
ROAD NAME:	2ND ST. S.W.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	0.36
LOCATION:	IN CITY OF CLEVELAND	SUFFICIENCY RATING:	88.5

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15928	DEGREES
(17a,b) LONGITUDE:	W	84.87933	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1990
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	22.0 FT
(50a) LEFT SIDEWALK WIDTH:	4.9 FT
(50b) RIGHT SIDEWALK WIDTH:	4.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	SKEW VARIES
(35) BRIDGE FLARE:	YES, FLARED
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	26.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/5/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060B2570001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BULLINGTON RD.**
CROSSING: **BLACK FOX CREEK**
LOCATION: **2MI SOUTH OF SR40**

COUNTY: **BRADLEY**
ROUTE: **0B257**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.09**
SUFFICIENCY RATING: **80.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.10317	DEGREES
(17a,b) LONGITUDE:	W	84.94003	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	UNKNOWN

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1992
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	40.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	21.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060B2590001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **RED CLAY RD.**
CROSSING: **MAROON BRANCH**
LOCATION: **.5MI WEST OF SR60**

COUNTY: **BRADLEY**
ROUTE: **0B259**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.20**
SUFFICIENCY RATING: **93.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.01607	DEGREES
(17a,b) LONGITUDE:	W	84.93888	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1986
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	11.2 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060B2760001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CANDIES CREEK RD.**
CROSSING: **CANDIES CREEK**
LOCATION: **2.1 MI FROM PARK STORE**

COUNTY: **BRADLEY**
ROUTE: **0B276**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.01**
SUFFICIENCY RATING: **86.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.05860	DEGREES
(17a,b) LONGITUDE:	W	84.97122	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1983
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/12/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060B2790001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **RAKESTRAW RD.**
CROSSING: **CANDIES CREEK**
LOCATION: **1.5MI EAST OF HAMILTON CO**

COUNTY: **BRADLEY**
ROUTE: **0B279**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.61**
SUFFICIENCY RATING: **97.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.06602	DEGREES
(17a,b) LONGITUDE:	W	84.96970	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	12.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/12/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060B3310001**
BRIDGE OWNER: **CITY OF CLEVELAND**
FIPS CODE: **15400**
ROAD NAME: **CHURCH ST. S.E.**
CROSSING: **BRANCH**
LOCATION: **IN CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **0B331**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.10**
SUFFICIENCY RATING: **75.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15592	DEGREES
(17a,b) LONGITUDE:	W	84.87743	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1950**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **11.2 FT**
(49) TOTAL BRIDGE LENGTH: **22.0 FT**
(50a) LEFT SIDEWALK WIDTH: **5.9 FT**
(50b) RIGHT SIDEWALK WIDTH: **6.6 FT**
(51) BRIDGE CURB TO CURB WIDTH: **29.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **45.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **29.9 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **21 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **30.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL CITY STREET**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **3**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0NNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **22 FT**
(94) BRIDGE IMPROVEMENT COST: **$82,000.00**
(95) ROADWAY IMPROVEMENT COST: **$9,000.00**
(96) TOTAL PROJECT COST: **$124,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **10/5/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060B5840001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BALD EAGLE DR.**
CROSSING: **LICK CREEK**
LOCATION: **1 MI E OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **0B584**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.05**
SUFFICIENCY RATING: **91.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.22153	DEGREES
(17a,b) LONGITUDE:	W	84.91708	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1993
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	5.9 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060B2820001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OLD ALABAMA RD.**
CROSSING: **BRANCH**
LOCATION: **1MI SOUTH OF US11**

COUNTY: **BRADLEY**
ROUTE: **0C112**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.58**
SUFFICIENCY RATING: **86.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.09530	DEGREES
(17a,b) LONGITUDE:	W	84.96292	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2010
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	22.3 FT
(49) TOTAL BRIDGE LENGTH:	22.3 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	23.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	30.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0260001**
BRIDGE OWNER: **BRADLEY COUNTY**
FIPS CODE: **00000**
ROAD NAME: **TUNNEL HILL RD.**
CROSSING: **BLACK FOX CREEK**
LOCATION: **2MI SOUTHEAST OF US11**

COUNTY: **BRADLEY**
ROUTE: **0D947**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **6.16**
SUFFICIENCY RATING: **40.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.09867	DEGREES
(17a,b) LONGITUDE:	W	84.93675	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	1965
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	29.9 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	18 FT
(52) BRIDGE OUT TO OUT WIDTH:	19.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	19.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	4
(59) SUPERSTRUCTURE:	4
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING WITH DECK REPAIR OR REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	29.9 FT
(94) BRIDGE IMPROVEMENT COST:	$111,000.00
(95) ROADWAY IMPROVEMENT COST:	$12,000.00
(96) TOTAL PROJECT COST:	$167,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	10/12/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **BANCROFT RD (NFA 2261)**
LOCATION: **NEAR SR 60**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.57**
SUFFICIENCY RATING: **87.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14162	DEGREES
(17a,b) LONGITUDE:	W	84.98587	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	1987
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	45.9 FT
(49) TOTAL BRIDGE LENGTH:	108.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	38.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	44.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	41.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.01 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	8.86 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750002**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **BANCROFT RD (NFA 2261)**
LOCATION: **NEAR SR. 60**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.58**
SUFFICIENCY RATING: **85.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14260	DEGREES
(17a,b) LONGITUDE:	W	84.98575	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	1987
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	45.9 FT
(49) TOTAL BRIDGE LENGTH:	108.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	38.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	44.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	19 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	41.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	13.68 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	8.2 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	3
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **HARRIS CREEK**
LOCATION: **2 MI NORTH OF SR40**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.87**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16185	DEGREES
(17a,b) LONGITUDE:	W	84.93388	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	1980
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	85.0 FT
(49) TOTAL BRIDGE LENGTH:	169.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	36 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	3

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/13/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750006**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **HARRIS CREEK**
LOCATION: **2 MI NORTH OF SR40**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.87**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16180	DEGREES
(17a,b) LONGITUDE:	W	84.93383	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	1980
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	85.0 FT
(49) TOTAL BRIDGE LENGTH:	169.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	36 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	3

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/13/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750008**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **HARRIS CK RD (NFA A077)**
LOCATION: **4 MI WEST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **6.17**
SUFFICIENCY RATING: **88.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16482	DEGREES
(17a,b) LONGITUDE:	W	84.98088	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	LOW SLUMP CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	1977
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	44.9 FT
(49) TOTAL BRIDGE LENGTH:	103.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	38.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	44.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	18 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.1 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.27 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	9.84 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	110N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **HARRIS CK RD (NFA A077)**
LOCATION: **4 MI.WEST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **6.17**
SUFFICIENCY RATING: **89.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16472	DEGREES
(17a,b) LONGITUDE:	W	84.93040	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	LOW SLUMP CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	1977
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	44.9 FT
(49) TOTAL BRIDGE LENGTH:	103.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	38.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	44.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	18 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.1 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.77 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	9.84 FT
(56) MIN HORZ UNDERCLR ON LEFT:	10.17 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	110N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750009**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **RUNNER BRANCH**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **7.06**
SUFFICIENCY RATING: **79.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17395	DEGREES
(17a,b) LONGITUDE:	W	84.91948	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1965**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **4**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **26.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **134.8 FT**
(33) BRIDGE MEDIAN: **OPEN MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **42.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL INTERSTATE**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44 +MOD**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N0N**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **OTHER STRUCTURAL WORK**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/13/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750013**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **BRANCH**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **7.80**
SUFFICIENCY RATING: **79.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18190	DEGREES
(17a,b) LONGITUDE:	W	84.90992	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	25.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	180.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N0N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	OTHER STRUCTURAL WORK
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/13/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750016**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **CANDIES CREEK**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.38**
SUFFICIENCY RATING: **65.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18670	DEGREES
(17a,b) LONGITUDE:	W	84.90255	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **6**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1963**
(106) YEAR THE BRIDGE WAS REHABILITATED: **1978**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **3**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **63.0 FT**
(49) TOTAL BRIDGE LENGTH: **378.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **42 FT**
(52) BRIDGE OUT TO OUT WIDTH: **44 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **42.0 FT**

(33) BRIDGE MEDIAN: **OPEN MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **42.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL INTERSTATE**
(101) PARALLEL BRIDGE: **LEFT LANE BRIDGE**
(102) TRAFFIC DIR: **1-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **7**
(59) SUPERSTRUCTURE: **7**
(60) SUBSTRUCTURE: **5**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44 +MOD**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **5**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **100N**
(113) SCOUR CONDITION RATING: **5**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **378 FT**
(94) BRIDGE IMPROVEMENT COST: **$1,319,000.00**
(95) ROADWAY IMPROVEMENT COST: **$132,000.00**
(96) TOTAL PROJECT COST: **$1,979,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/13/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750015**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **CANDIES CREEK**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.38**
SUFFICIENCY RATING: **83.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18707	DEGREES
(17a,b) LONGITUDE:	W	84.90267	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	6
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	1978
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	63.0 FT
(49) TOTAL BRIDGE LENGTH:	378.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	5

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/13/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750018**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **I-75**
CROSSING: **SR 60**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **9.39**
SUFFICIENCY RATING: **94.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19415	DEGREES
(17a,b) LONGITUDE:	W	84.88732	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	1979
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	50.9 FT
(49) TOTAL BRIDGE LENGTH:	188.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	49.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	51.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	6 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	49.9 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	17.59 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	9.84 FT
(56) MIN HORZ UNDERCLR ON LEFT:	13.12 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	101N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750017**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **I-75**
CROSSING: **SR 60**
LOCATION: **IN CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **9.39**
SUFFICIENCY RATING: **93.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19387	DEGREES
(17a,b) LONGITUDE:	W	84.88710	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	1979
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	50.9 FT
(49) TOTAL BRIDGE LENGTH:	188.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	49.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	51.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	6 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	49.9 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.99 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	9.84 FT
(56) MIN HORZ UNDERCLR ON LEFT:	13.12 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750020**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **I-75**
CROSSING: **NORMAN CHAPEL RD. (3660)**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **10.03**
SUFFICIENCY RATING: **81.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19893	DEGREES
(17a,b) LONGITUDE:	W	84.87768	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	46.9 FT
(49) TOTAL BRIDGE LENGTH:	115.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	23 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	36.1 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.57 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	7.55 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N0N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750019**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **I-75**
CROSSING: **NORMAN CHAPEL RD. (3660)**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **10.03**
SUFFICIENCY RATING: **78.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19878	DEGREES
(17a,b) LONGITUDE:	W	84.87743	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	46.9 FT
(49) TOTAL BRIDGE LENGTH:	115.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	23 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.57 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	6.89 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N0N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	115.2 FT
(94) BRIDGE IMPROVEMENT COST:	$769,000.00
(95) ROADWAY IMPROVEMENT COST:	$77,000.00
(96) TOTAL PROJECT COST:	$1,154,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750022**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **I-75**
CROSSING: **PAUL HUFF PKWY.FAU 3660**
LOCATION: **IN THE CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **11.15**
SUFFICIENCY RATING: **89.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21253	DEGREES
(17a,b) LONGITUDE:	W	84.86690	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1968
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	5

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	63.0 FT
(49) TOTAL BRIDGE LENGTH:	137.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	40 FT
(52) BRIDGE OUT TO OUT WIDTH:	42 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	15.68 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	1.97 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	3
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750021**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **I-75**
CROSSING: **PAUL HUFF PKWY.FAU 3660**
LOCATION: **IN THE CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **11.15**
SUFFICIENCY RATING: **87.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21243	DEGREES
(17a,b) LONGITUDE:	W	84.86660	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1968
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	5

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	63.0 FT
(49) TOTAL BRIDGE LENGTH:	137.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	40 FT
(52) BRIDGE OUT TO OUT WIDTH:	42 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.6 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	1.97 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	3
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750023**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **NFA A164**
LOCATION: **EAST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **14.49**
SUFFICIENCY RATING: **86.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.25440	DEGREES
(17a,b) LONGITUDE:	W	84.83627	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1968
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	62.0 FT
(49) TOTAL BRIDGE LENGTH:	128.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	40 FT
(52) BRIDGE OUT TO OUT WIDTH:	42 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.17 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	18.04 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	011N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06I00750024	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	I0075
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	I-75	COUNTY SEQUENCE:	1
CROSSING:	NFA A164	LOG MILE:	14.49
LOCATION:	EAST OF CLEVELAND	SUFFICIENCY RATING:	86.5

IDENTIFICATION

(16a,b) LATITUDE:	N 35.25492 DEGREES
(17a,b) LONGITUDE:	W 84.83735 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1968
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	65.9 FT
(49) TOTAL BRIDGE LENGTH:	139.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	40 FT
(52) BRIDGE OUT TO OUT WIDTH:	42 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	25 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.34 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	16.08 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/11/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750030**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **EUREKA RD (NFA 1185)**
LOCATION: **.75 MI.S.OF MCMINN CO.**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **18.56**
SUFFICIENCY RATING: **94.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30807	DEGREES
(17a,b) LONGITUDE:	W	84.80738	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	51.8 FT
(49) TOTAL BRIDGE LENGTH:	126.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	6 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	15.26 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	13.12 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/12/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750029**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **OLD LOWER RIVER RD, 1185**
LOCATION: **.75 MI.S.OF MCMINN CO.**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **18.56**
SUFFICIENCY RATING: **95.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30770	DEGREES
(17a,b) LONGITUDE:	W	84.80643	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	51.8 FT
(49) TOTAL BRIDGE LENGTH:	126.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	6 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.57 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	13.12 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	001N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/12/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750027**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **HIWASSEE RIVER**
LOCATION: **BRADLEY-MCMINN CO.LINE**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **19.17**
SUFFICIENCY RATING: **88.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31477	DEGREES
(17a,b) LONGITUDE:	W	84.80050	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	6
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	STEEL PLATE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1968
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	292.0 FT
(49) TOTAL BRIDGE LENGTH:	1100.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	40 FT
(52) BRIDGE OUT TO OUT WIDTH:	42 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	27 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NAVIGATION CONTROLLED WATERWAY
(39) NAVIGATION VERTICAL CLEARANCE:	42 FT
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	250 FT

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	3

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	09/2016
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750028**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-75**
CROSSING: **HIWASSEE RIVER**
LOCATION: **BRADLEY-MCMINN CO.LINE**

COUNTY: **BRADLEY**
ROUTE: **I0075**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **19.17**
SUFFICIENCY RATING: **88.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31505	DEGREES
(17a,b) LONGITUDE:	W	84.80105	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	6
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	STEEL PLATE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1968
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	292.0 FT
(49) TOTAL BRIDGE LENGTH:	1100.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	40 FT
(52) BRIDGE OUT TO OUT WIDTH:	42 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	27 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NAVIGATION CONTROLLED WATERWAY
(39) NAVIGATION VERTICAL CLEARANCE:	42 FT
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	250 FT

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	3

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	09/2016
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06SR0020001**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR002**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**S. LEE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRYMER CREEK**	LOG MILE:	**4.36**
LOCATION:	**3.8 MI.SW.OF CLEVELAND**	SUFFICIENCY RATING:	**46.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.12235 DEGREES**
(17a,b) LONGITUDE:	**W 84.95002 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**UNKNOWN**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1925**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1957**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**33.1 FT**
(49) TOTAL BRIDGE LENGTH:	**33.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**27.9 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**33.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**29.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**28.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**5**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**2**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N0N**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REPLACEMENT**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**55.1 FT**
(94) BRIDGE IMPROVEMENT COST:	**$501,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$51,000.00**
(96) TOTAL PROJECT COST:	**$752,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/11/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06SR0020005**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR002**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**S. LEE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CANDIES CREEK**	LOG MILE:	**6.86**
LOCATION:	**1.2 MI.SW.OF CLEVELAND**	SUFFICIENCY RATING:	**92.3**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.14723**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**84.91800**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2004**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**5**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**80.1 FT**
(49) TOTAL BRIDGE LENGTH:	**160.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**84 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**86 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**84.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**84.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK:	**8**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**8**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**9**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**9**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1111**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/11/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0023002**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **KEITH ST. N.W.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR002**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **11.39**
SUFFICIENCY RATING: **76.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19007	DEGREES
(17a,b) LONGITUDE:	W	84.86635	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	86.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	40.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	86 FT
(94) BRIDGE IMPROVEMENT COST:	$213,000.00
(95) ROADWAY IMPROVEMENT COST:	$22,000.00
(96) TOTAL PROJECT COST:	$320,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/17/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0023001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **KEITH ST. N.W.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR002**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **11.39**
SUFFICIENCY RATING: **76.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.18710	DEGREES
(17a,b) LONGITUDE:	W	84.90268	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	86.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	40.0 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	86 FT
(94) BRIDGE IMPROVEMENT COST:	$213,000.00
(95) ROADWAY IMPROVEMENT COST:	$22,000.00
(96) TOTAL PROJECT COST:	$320,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/17/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06FA0023003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **KEITH ST. N.W.**
CROSSING: **FILLAUER BRANCH**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR002**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **12.27**
SUFFICIENCY RATING: **76.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19640	DEGREES
(17a,b) LONGITUDE:	W	84.85315	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	86.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	34.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	86 FT
(94) BRIDGE IMPROVEMENT COST:	$213,000.00
(95) ROADWAY IMPROVEMENT COST:	$22,000.00
(96) TOTAL PROJECT COST:	$320,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/17/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06FA0023004**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **KEITH ST. N.W.**
CROSSING: **FILLAUER BRANCH**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR002**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **12.27**
SUFFICIENCY RATING: **76.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19662	DEGREES
(17a,b) LONGITUDE:	W	84.85305	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	86.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	34.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	86 FT
(94) BRIDGE IMPROVEMENT COST:	$213,000.00
(95) ROADWAY IMPROVEMENT COST:	$22,000.00
(96) TOTAL PROJECT COST:	$320,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/17/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0020013**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **N. LEE HWY.**
CROSSING: **BRANCH**
LOCATION: **.6 MI.N.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR002**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **13.52**
SUFFICIENCY RATING: **84.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.20877	DEGREES
(17a,b) LONGITUDE:	W	84.83735	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2001**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **5**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **22.3 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **36.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **64.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/17/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06SR0020015	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR002
FIPS CODE:	13020	SPECIAL CASE:	0
ROAD NAME:	HIWASSEE ST.	COUNTY SEQUENCE:	1
CROSSING:	HIWASSEE RIVER & SOU RR	LOG MILE:	20.92
LOCATION:	IN CHARLESTON CITY LIMITS	SUFFICIENCY RATING:	75.9

IDENTIFICATION

(16a,b) LATITUDE:	N	35.28987	DEGREES
(17a,b) LONGITUDE:	W	84.75705	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	STEEL CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	7
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1995
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	RAILROAD-WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	205.1 FT
(49) TOTAL BRIDGE LENGTH:	926.8 FT
(50a) LEFT SIDEWALK WIDTH:	4.9 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	68.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	68.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	85.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	62.0 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	20.57 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	24.93 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NAVIGATION CONTROLLED WATERWAY
(39) NAVIGATION VERTICAL CLEARANCE:	42 FT
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	190 FT

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	9
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	926.8 FT
(94) BRIDGE IMPROVEMENT COST:	$15,682,000.00
(95) ROADWAY IMPROVEMENT COST:	$1,569,000.00
(96) TOTAL PROJECT COST:	$23,524,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/19/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	06/2017
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0020007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **S. LEE HWY.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **0.04 MI. E OF SR-2 JCT.**

COUNTY: **BRADLEY**
ROUTE: **SR040**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.04**
SUFFICIENCY RATING: **81.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15797	DEGREES
(17a,b) LONGITUDE:	W	84.88502	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NONE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2004
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	25.3 FT
(49) TOTAL BRIDGE LENGTH:	25.3 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	60.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	60.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0020009**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **3RD ST. S.W.**
CROSSING: **LITTLE SOUTH MOUSE CREEK**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR040**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.45**
SUFFICIENCY RATING: **61.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15815	DEGREES
(17a,b) LONGITUDE:	W	84.87852	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1925
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	23.0 FT
(49) TOTAL BRIDGE LENGTH:	23.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	3.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	36.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	30.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING WITH DECK REPAIR OR REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	23 FT
(94) BRIDGE IMPROVEMENT COST:	$99,000.00
(95) ROADWAY IMPROVEMENT COST:	$10,000.00
(96) TOTAL PROJECT COST:	$149,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0400005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **WATERLEVEL HWY.**
CROSSING: **LONDON BRANCH**
LOCATION: **4 MI FROM POLK CO LINE**

COUNTY: **BRADLEY**
ROUTE: **SR040**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.18**
SUFFICIENCY RATING: **97.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13290	DEGREES
(17a,b) LONGITUDE:	W	84.74907	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1971
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06SR0400006	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR040
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	WATERLEVEL HWY.	COUNTY SEQUENCE:	1
CROSSING:	LONDON BRANCH	LOG MILE:	8.18
LOCATION:	7.5 MI.E.OF CLEVELAND	SUFFICIENCY RATING:	95.1

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13330	DEGREES
(17a,b) LONGITUDE:	W	84.74933	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1971
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	40 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0400007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **WATERLEVEL HWY.**
CROSSING: **CHESTUEE CREEK**
LOCATION: **8.3 MI.E.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR040**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.95**
SUFFICIENCY RATING: **82.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13060	DEGREES
(17a,b) LONGITUDE:	W	84.73580	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1971
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	47.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	89.9 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404017**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **APD-40**
CROSSING: **SR 60 / SR 74**
LOCATION: **IN CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **11.29**
SUFFICIENCY RATING: **81.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13303	DEGREES
(17a,b) LONGITUDE:	W	84.86022	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	121.1 FT
(49) TOTAL BRIDGE LENGTH:	224.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	102 FT
(52) BRIDGE OUT TO OUT WIDTH:	104 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	104.0 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	12 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.1 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.93 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	27.89 FT
(56) MIN HORZ UNDERCLR ON LEFT:	4.92 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404019**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **APD-40**
CROSSING: **BATES PIKE (NFA A712)**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **12.40**
SUFFICIENCY RATING: **84.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14685	DEGREES
(17a,b) LONGITUDE:	W	84.84992	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1974
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	77.1 FT
(49) TOTAL BRIDGE LENGTH:	143.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	129.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	131.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	131.9 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	29 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	45.9 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	15.58 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	8.2 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404021**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **APD-40**
CROSSING: **SR 60 / SR 40**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **12.63**
SUFFICIENCY RATING: **81.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14953	DEGREES
(17a,b) LONGITUDE:	W	84.84788	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1974
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	100.1 FT
(49) TOTAL BRIDGE LENGTH:	200.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	118.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	120.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	120.1 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	18 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	45.9 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.83 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	27.89 FT
(56) MIN HORZ UNDERCLR ON LEFT:	5.91 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	7
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600023**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **SR-60**
CROSSING: **POWER LINE RD. (NFA A706**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **13.01**
SUFFICIENCY RATING: **95.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15450	DEGREES
(17a,b) LONGITUDE:	W	84.84448	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1976
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	91.9 FT
(49) TOTAL BRIDGE LENGTH:	91.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	46.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	48.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	29 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	44.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.08 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	5.91 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600024**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **SR-60**
CROSSING: **POWER LINE RD. (NFA A706**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **13.01**
SUFFICIENCY RATING: **95.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15440	DEGREES
(17a,b) LONGITUDE:	W	84.84480	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1976
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	91.9 FT
(49) TOTAL BRIDGE LENGTH:	91.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	29 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.34 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	4.92 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600022**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SR-60**
CROSSING: **BENTON PIKE (FAU 3644)**
LOCATION: **1.4 MILE N.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **13.38**
SUFFICIENCY RATING: **97.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15960	DEGREES
(17a,b) LONGITUDE:	W	84.84522	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1976
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	106.0 FT
(49) TOTAL BRIDGE LENGTH:	106.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.17 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	9.84 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600021**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **SR-60**
CROSSING: **BENTON PIKE (NFA 1154)**
LOCATION: **1.4 MILE N.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **13.38**
SUFFICIENCY RATING: **97.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15970	DEGREES
(17a,b) LONGITUDE:	W	84.84498	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1976
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	106.0 FT
(49) TOTAL BRIDGE LENGTH:	106.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.86 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	9.84 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	8
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600025**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **SR-60**
CROSSING: **NFA A576-FAU 1156-SOU RW**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **13.83**
SUFFICIENCY RATING: **74.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16572	DEGREES
(17a,b) LONGITUDE:	W	84.84753	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1976
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY-RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	7

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	140.1 FT
(49) TOTAL BRIDGE LENGTH:	378.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	49.9 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	18.34 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	22.97 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	378.9 FT
(94) BRIDGE IMPROVEMENT COST:	$738,000.00
(95) ROADWAY IMPROVEMENT COST:	$74,000.00
(96) TOTAL PROJECT COST:	$1,108,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600026**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **SR-60**
CROSSING: **NFA A576-FAU 3645-SOU RW**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **13.83**
SUFFICIENCY RATING: **74.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16568	DEGREES
(17a,b) LONGITUDE:	W	84.84780	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1976
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY-RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	7

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	140.1 FT
(49) TOTAL BRIDGE LENGTH:	378.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	49.9 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	18.34 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	13.45 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	100N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	378.9 FT
(94) BRIDGE IMPROVEMENT COST:	$738,000.00
(95) ROADWAY IMPROVEMENT COST:	$74,000.00
(96) TOTAL PROJECT COST:	$1,108,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600027**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **SR-60**
CROSSING: **FILLAUER BRANCH**
LOCATION: **CITY OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **14.96**
SUFFICIENCY RATING: **74.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17655	DEGREES
(17a,b) LONGITUDE:	W	84.86153	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1975**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **4**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **22.0 FT**
(50a) LEFT SIDEWALK WIDTH: **4.9 FT**
(50b) RIGHT SIDEWALK WIDTH: **4.9 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **47.9 FT**
(33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **27.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT: **22 FT**
(94) BRIDGE IMPROVEMENT COST: **$253,000.00**
(95) ROADWAY IMPROVEMENT COST: **$26,000.00**
(96) TOTAL PROJECT COST: **$380,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/18/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **25TH ST. N.W.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **15.72**
SUFFICIENCY RATING: **84.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.18253 DEGREES**
(17a,b) LONGITUDE:	**W 84.87257 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**4**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1960**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1990**
(42a) SERVICE ON BRIDGE:	**HIGHWAY-PEDESTRIAN**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**7**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**53.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**3.9 FT**
(50b) RIGHT SIDEWALK WIDTH:	**4.6 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**91.5 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**102 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**102.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**10 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**109.9 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1101**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/18/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **GEORGETOWN RD. N.W.**
CROSSING: **CANDIES CREEK**
LOCATION: **IN HOPEWELL**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **18.58**
SUFFICIENCY RATING: **46.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.21690	DEGREES
(17a,b) LONGITUDE:	W	84.88255	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	14
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1948
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	43.0 FT
(49) TOTAL BRIDGE LENGTH:	428.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	30.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	34.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	3

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	455.1 FT
(94) BRIDGE IMPROVEMENT COST:	$3,653,000.00
(95) ROADWAY IMPROVEMENT COST:	$366,000.00
(96) TOTAL PROJECT COST:	$5,480,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/20/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06SR0600007	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR060
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	GEORGETOWN RD. N.W.	COUNTY SEQUENCE:	1
CROSSING:	GREASY CREEK	LOG MILE:	21.02
LOCATION:	NEAR MEIGS CO.LINE	SUFFICIENCY RATING:	83.8

IDENTIFICATION

(16a,b) LATITUDE:	N	35.24892	DEGREES
(17a,b) LONGITUDE:	W	84.89867	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NONE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2013
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	35.1 FT
(49) TOTAL BRIDGE LENGTH:	35.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	44.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N1N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0600009**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **GEORGETOWN RD. N.W.**
CROSSING: **BRANCH**
LOCATION: **.8 MI.E.OF HAMILTON CO.**

COUNTY: **BRADLEY**
ROUTE: **SR060**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **24.28**
SUFFICIENCY RATING: **83.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.27968	DEGREES
(17a,b) LONGITUDE:	W	84.93985	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NONE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2013
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	8.9 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	44.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	44.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0740001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SPRING PLACE RD.**
CROSSING: **OVERFLOW CONASAUGA RIVER**
LOCATION: **ON GEORGIA STATE LINE**

COUNTY: **BRADLEY**
ROUTE: **SR074**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.01**
SUFFICIENCY RATING: **80.2**

IDENTIFICATION

(16a,b) LATITUDE:	N 34.98810 DEGREES
(17a,b) LONGITUDE:	W 84.77602 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2011
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	60.0 FT
(49) TOTAL BRIDGE LENGTH:	148.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	32.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	33.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	32.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	32.2 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	180.4 FT
(94) BRIDGE IMPROVEMENT COST:	$1,275,000.00
(95) ROADWAY IMPROVEMENT COST:	$128,000.00
(96) TOTAL PROJECT COST:	$1,913,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	/
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06SR0740003	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR074
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	SPRING PLACE RD.	COUNTY SEQUENCE:	1
CROSSING:	CONASAUGA RIVER	LOG MILE:	0.14
LOCATION:	.15 MI.N.OF GEORGIA	SUFFICIENCY RATING:	84.8

IDENTIFICATION

(16a,b) LATITUDE:	N	34.98990	DEGREES
(17a,b) LONGITUDE:	W	84.77548	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2013
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	100.1 FT
(49) TOTAL BRIDGE LENGTH:	440.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	33.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	40.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	/
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0740005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SPRING PLACE RD.**
CROSSING: **MILL CREEK**
LOCATION: **.98 MI.N.OF GEORGIA LINE**

COUNTY: **BRADLEY**
ROUTE: **SR074**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.98**
SUFFICIENCY RATING: **69.1**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.00120 DEGREES
(17a,b) LONGITUDE:	W 84.77785 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	143.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	29.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	143 FT
(94) BRIDGE IMPROVEMENT COST:	$297,000.00
(95) ROADWAY IMPROVEMENT COST:	$30,000.00
(96) TOTAL PROJECT COST:	$446,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/9/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0740007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SPRING PLACE RD.**
CROSSING: **HICKS BRANCH**
LOCATION: **7.8 MI.N.OF GEORGIA**

COUNTY: **BRADLEY**
ROUTE: **SR074**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **7.80**
SUFFICIENCY RATING: **65.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.08955	DEGREES
(17a,b) LONGITUDE:	W	84.82293	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1939**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **23.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **30.8 FT**
(52) BRIDGE OUT TO OUT WIDTH: **34.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **29.9 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **31.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **3**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0001**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **23 FT**
(94) BRIDGE IMPROVEMENT COST: **$80,000.00**
(95) ROADWAY IMPROVEMENT COST: **$9,000.00**
(96) TOTAL PROJECT COST: **$121,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/9/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06SR0740009	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR074
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	SPRING PLACE RD.	COUNTY SEQUENCE:	1
CROSSING:	COHULLA CREEK	LOG MILE:	10.09
LOCATION:	IN SUGAR GROVE	SUFFICIENCY RATING:	49.7

IDENTIFICATION

(16a,b) LATITUDE:	N 35.11668 DEGREES
(17a,b) LONGITUDE:	W 84.83848 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1937
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	53.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	29.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	75.8 FT
(94) BRIDGE IMPROVEMENT COST:	$661,000.00
(95) ROADWAY IMPROVEMENT COST:	$67,000.00
(96) TOTAL PROJECT COST:	$992,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/9/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0740011**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **WILDWOOD AVE.**
CROSSING: **BRANCH**
LOCATION: **1 MI FROM SR40**

COUNTY: **BRADLEY**
ROUTE: **SR074**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **13.25**
SUFFICIENCY RATING: **75.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14840	DEGREES
(17a,b) LONGITUDE:	W	84.87015	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	8.9 FT
(49) TOTAL BRIDGE LENGTH:	24.9 FT
(50a) LEFT SIDEWALK WIDTH:	6.6 FT
(50b) RIGHT SIDEWALK WIDTH:	7.2 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	42.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	69 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	24.9 FT
(94) BRIDGE IMPROVEMENT COST:	$141,000.00
(95) ROADWAY IMPROVEMENT COST:	$15,000.00
(96) TOTAL PROJECT COST:	$212,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/9/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0020011**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **OCOEE ST. N.E.**
CROSSING: **FILLAUERS BRANCH**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR074**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **16.52**
SUFFICIENCY RATING: **84.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.19107	DEGREES
(17a,b) LONGITUDE:	W	84.85153	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1925
(106) YEAR THE BRIDGE WAS REHABILITATED:	1995
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	19.0 FT
(49) TOTAL BRIDGE LENGTH:	37.1 FT
(50a) LEFT SIDEWALK WIDTH:	5.2 FT
(50b) RIGHT SIDEWALK WIDTH:	3.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	46.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	57.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	47.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/8/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06011870007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **EUREKA RD. N.W.**
CROSSING: **GREASY CREEK**
LOCATION: **NEAR CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR306**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.23**
SUFFICIENCY RATING: **98.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.23818	DEGREES
(17a,b) LONGITUDE:	W	84.88642	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	11.2 FT
(49) TOTAL BRIDGE LENGTH:	24.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06011870011**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **EUREKA RD. N.W.**
CROSSING: **RIGGINS BRANCH**
LOCATION: **2.6 MI.N.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR306**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.00**
SUFFICIENCY RATING: **95.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.24627	DEGREES
(17a,b) LONGITUDE:	W	84.88502	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	7.9 FT
(49) TOTAL BRIDGE LENGTH:	21.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06S43110003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **EUREKA RD. N.W.**
CROSSING: **BEAVER DAM CREEK**
LOCATION: **WEST OF CHARLESTON**

COUNTY: **BRADLEY**
ROUTE: **SR306**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.59**
SUFFICIENCY RATING: **98.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.27953	DEGREES
(17a,b) LONGITUDE:	W	84.85937	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	23.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	37.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	37.7 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.9 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-10-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06S11600001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **LOWER RIVER RD.**
CROSSING: **CANDIES CREEK**
LOCATION: **.4 MI. N. OF HOPEWLL**

COUNTY: **BRADLEY**
ROUTE: **SR308**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.38**
SUFFICIENCY RATING: **96.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30992	DEGREES
(17a,b) LONGITUDE:	W	84.84752	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1992
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	69.9 FT
(49) TOTAL BRIDGE LENGTH:	282.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	47.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	50.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	47.9 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	48.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	5
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0001
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	06/2014
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750025**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **LAUDERDALE MEMORIAL HWY.**
CROSSING: **I75**
LOCATION: **NEAR CLEVELAND,TENNESSEE**

COUNTY: **BRADLEY**
ROUTE: **SR308**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.27**
SUFFICIENCY RATING: **87.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.28897	DEGREES
(17a,b) LONGITUDE:	W	84.81575	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **5**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1968**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **HIGHWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **4**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **83.0 FT**
(49) TOTAL BRIDGE LENGTH: **340.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **47.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **49.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **47.9 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **48.0 FT**
(54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE: **17.91 FT**
(55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT: **12.14 FT**
(56) MIN HORZ UNDERCLR ON LEFT: **5.91 FT**

NAVIGATION DATA

(38) NAV CONTROL: **NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **7**
(59) SUPERSTRUCTURE: **7**
(60) SUBSTRUCTURE: **7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **N**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **9**
(69) UNDERCLEARANCE RATING: **6**
(71) WATERWAY ADEQUACY: **N**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0001**
(113) SCOUR CONDITION RATING: **N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/12/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06011600005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **LAUDERDALE MEMORIAL HWY.**
CROSSING: **SOUTH MOUSE CREEK**
LOCATION: **0.8 MI. W. OF SR 2**

COUNTY: **BRADLEY**
ROUTE: **SR308**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.20**
SUFFICIENCY RATING: **99.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.28395	DEGREES
(17a,b) LONGITUDE:	W	84.80070	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1971
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	59.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	34.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	34.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06I00750003	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR311
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	US-74	COUNTY SEQUENCE:	1
CROSSING:	I75	LOG MILE:	0.00
LOCATION:	3.6 MI.W.OF CLEVELAND	SUFFICIENCY RATING:	66.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15207	DEGREES
(17a,b) LONGITUDE:	W	84.94828	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	5
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	81.0 FT
(49) TOTAL BRIDGE LENGTH:	299.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	32.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	38 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	86.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.5 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	33.14 FT
(56) MIN HORZ UNDERCLR ON LEFT:	18.04 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	9
(59) SUPERSTRUCTURE:	9
(60) SUBSTRUCTURE:	9
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	9
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	299.9 FT
(94) BRIDGE IMPROVEMENT COST:	$2,606,000.00
(95) ROADWAY IMPROVEMENT COST:	$261,000.00
(96) TOTAL PROJECT COST:	$3,910,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06I00750003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **US-64BP / 74**
CROSSING: **I75**
LOCATION: **3.6 MI.W.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.00**
SUFFICIENCY RATING: **66.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15207	DEGREES
(17a,b) LONGITUDE:	W	84.94828	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **4**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **PREFORMED FABRIC**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1963**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **HIGHWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **5**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **4**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **81.0 FT**
(49) TOTAL BRIDGE LENGTH: **299.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **27.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **34.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **32.2 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **38 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **86.0 FT**
(54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE: **16.5 FT**
(55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT: **33.14 FT**
(56) MIN HORZ UNDERCLR ON LEFT: **18.04 FT**

NAVIGATION DATA

(38) NAV CONTROL: **NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **9**
(59) SUPERSTRUCTURE: **9**
(60) SUBSTRUCTURE: **9**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **N**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **6**
(71) WATERWAY ADEQUACY: **N**
(72) APPROACH ROADWAY ALIGNMENT: **9**
(36) TRAFFIC SAFETY FEATURES: **1111**
(113) SCOUR CONDITION RATING: **N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **299.9 FT**
(94) BRIDGE IMPROVEMENT COST: **$2,606,000.00**
(95) ROADWAY IMPROVEMENT COST: **$261,000.00**
(96) TOTAL PROJECT COST: **$3,910,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/10/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06I00750003	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR311
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	DALTON PK. S.E.	COUNTY SEQUENCE:	1
CROSSING:	I75	LOG MILE:	0.00
LOCATION:	3.6 MI.W.OF CLEVELAND	SUFFICIENCY RATING:	66.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15207	DEGREES
(17a,b) LONGITUDE:	W	84.94828	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	5
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	81.0 FT
(49) TOTAL BRIDGE LENGTH:	299.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	32.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	38 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	86.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.5 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	33.14 FT
(56) MIN HORZ UNDERCLR ON LEFT:	18.04 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	9
(59) SUPERSTRUCTURE:	9
(60) SUBSTRUCTURE:	9
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	9
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	299.9 FT
(94) BRIDGE IMPROVEMENT COST:	$2,606,000.00
(95) ROADWAY IMPROVEMENT COST:	$261,000.00
(96) TOTAL PROJECT COST:	$3,910,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06I00750003	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR311
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	APD-40	COUNTY SEQUENCE:	1
CROSSING:	I75	LOG MILE:	0.00
LOCATION:	3.6 MI.W.OF CLEVELAND	SUFFICIENCY RATING:	66.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.15207	DEGREES
(17a,b) LONGITUDE:	W	84.94828	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	PREFORMED FABRIC
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	5
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	81.0 FT
(49) TOTAL BRIDGE LENGTH:	299.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	32.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	38 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	86.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	16.5 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	33.14 FT
(56) MIN HORZ UNDERCLR ON LEFT:	18.04 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	9
(59) SUPERSTRUCTURE:	9
(60) SUBSTRUCTURE:	9
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	9
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	299.9 FT
(94) BRIDGE IMPROVEMENT COST:	$2,606,000.00
(95) ROADWAY IMPROVEMENT COST:	$261,000.00
(96) TOTAL PROJECT COST:	$3,910,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR3110005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **US-74**
CROSSING: **COLONIAL PIPELINE**
LOCATION: **1/2 MI. EAST OFI-75**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.67**
SUFFICIENCY RATING: **92.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14793	DEGREES
(17a,b) LONGITUDE:	W	84.93717	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2017
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	OTHER
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	121.1 FT
(49) TOTAL BRIDGE LENGTH:	121.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	14 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR3110003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **US-74**
CROSSING: **COLONIAL PIPELINE**
LOCATION: **1/2 MI. EAST OFI-75**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.69**
SUFFICIENCY RATING: **92.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14848	DEGREES
(17a,b) LONGITUDE:	W	84.93735	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2017
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	OTHER
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	120.1 FT
(49) TOTAL BRIDGE LENGTH:	120.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	55.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	56.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	56.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	3 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	56.4 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0020003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **US-74**
CROSSING: **SR 2**
LOCATION: **2.1 MI.W.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.48**
SUFFICIENCY RATING: **88.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14340	DEGREES
(17a,b) LONGITUDE:	W	84.92392	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	74.1 FT
(49) TOTAL BRIDGE LENGTH:	148.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	100.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	104 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	71.9 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	19 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	15.58 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	14.11 FT
(56) MIN HORZ UNDERCLR ON LEFT:	9.84 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**06SR0404003**	COUNTY:	**BRADLEY**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR311**
FIPS CODE:	**15400**	SPECIAL CASE:	**0**
ROAD NAME:	**US-64BP / 74**	COUNTY SEQUENCE:	**1**
CROSSING:	**CANDIES CREEK**	LOG MILE:	**1.77**
LOCATION:	**1.8 MI.W.OF CLEVELAND**	SUFFICIENCY RATING:	**89.4**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.14150 DEGREES**
(17a,b) LONGITUDE:	**W 84.91935 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**4**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**UNKNOWN**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1972**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**4**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**74.1 FT**
(49) TOTAL BRIDGE LENGTH:	**298.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**107.9 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**109.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**98.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**30 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**51.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL EXPRESSWAY**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**9**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**9**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**000N**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/1/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404023**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **US-64BP / 74**
CROSSING: **VARNELL RD. (NFA A872)**
LOCATION: **1.6 MI.WEST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.01**
SUFFICIENCY RATING: **76.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.14002	DEGREES
(17a,b) LONGITUDE:	W	84.91548	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	120.1 FT
(49) TOTAL BRIDGE LENGTH:	126.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	76.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	104 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	76.1 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - WITH BARRIER
(34) BRIDGE SKEW:	8 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	17.65 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	26.9 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL EXPRESSWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	126 FT
(94) BRIDGE IMPROVEMENT COST:	$2,070,000.00
(95) ROADWAY IMPROVEMENT COST:	$208,000.00
(96) TOTAL PROJECT COST:	$3,106,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **APD-40**
CROSSING: **NORFOLK-SOUTHERN RWY**
LOCATION: **.4 MI.W.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.15**
SUFFICIENCY RATING: **88.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13375	DEGREES
(17a,b) LONGITUDE:	W	84.89715	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	60.0 FT
(49) TOTAL BRIDGE LENGTH:	173.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	102 FT
(52) BRIDGE OUT TO OUT WIDTH:	104 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	98.1 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	27 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.0 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	22.41 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	11.15 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **APD-40**
CROSSING: **OLD CHATTANOOGA PIKE**
LOCATION: **.34 MI.W.OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.22**
SUFFICIENCY RATING: **88.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13372	DEGREES
(17a,b) LONGITUDE:	W	84.89590	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	75.1 FT
(49) TOTAL BRIDGE LENGTH:	201.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	102 FT
(52) BRIDGE OUT TO OUT WIDTH:	104 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	98.1 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	21 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	27.82 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	21.98 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/2/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404009**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **APD-40**
CROSSING: **BLUE SPRING RD (NFA 1181**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.58**
SUFFICIENCY RATING: **74.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13270	DEGREES
(17a,b) LONGITUDE:	W	84.88968	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	107.0 FT
(49) TOTAL BRIDGE LENGTH:	196.8 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	86.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	89.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	84.0 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	8 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	43.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	15.68 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	8.53 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	196.8 FT
(94) BRIDGE IMPROVEMENT COST:	$2,664,000.00
(95) ROADWAY IMPROVEMENT COST:	$267,000.00
(96) TOTAL PROJECT COST:	$3,997,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404011**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **APD-40**
CROSSING: **BRANCH**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.80**
SUFFICIENCY RATING: **69.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13148	DEGREES
(17a,b) LONGITUDE:	W	84.88613	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1972**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **4**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **27.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **84.0 FT**
(33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER**
(34) BRIDGE SKEW: **10 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **40.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN FREEWAY**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N0N**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT: **27.9 FT**
(94) BRIDGE IMPROVEMENT COST: **$291,000.00**
(95) ROADWAY IMPROVEMENT COST: **$30,000.00**
(96) TOTAL PROJECT COST: **$437,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/1/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404013**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **15400**
ROAD NAME: **APD-40**
CROSSING: **SOUTHERN RAILWAY**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.82**
SUFFICIENCY RATING: **83.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13162	DEGREES
(17a,b) LONGITUDE:	W	84.88573	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	50.9 FT
(49) TOTAL BRIDGE LENGTH:	151.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	86.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	89.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	84.0 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	22.93 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	20.67 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	7
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06SR0404015**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **APD-40**
CROSSING: **SR 311(FAP)/SR 311(FAU)**
LOCATION: **IN CLEVELAND CITY LIMITS**

COUNTY: **BRADLEY**
ROUTE: **SR311**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.74**
SUFFICIENCY RATING: **83.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.13088	DEGREES
(17a,b) LONGITUDE:	W	84.86935	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1972
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	120.1 FT
(49) TOTAL BRIDGE LENGTH:	253.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	102 FT
(52) BRIDGE OUT TO OUT WIDTH:	104 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	98.1 FT
(33) BRIDGE MEDIAN:	CLOSED MEDIAN - NO BARRIER
(34) BRIDGE SKEW:	44 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	38.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	18.57 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	29.86 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN FREEWAY
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06S43080001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **HARRISON PK.**
CROSSING: **HARRIS CREEK**
LOCATION: **5 MILES EAST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR312**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.36**
SUFFICIENCY RATING: **97.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17730	DEGREES
(17a,b) LONGITUDE:	W	84.99020	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2007**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **27.5 FT**
(49) TOTAL BRIDGE LENGTH: **55.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **40 FT**
(52) BRIDGE OUT TO OUT WIDTH: **45.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **40.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **40.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **9**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **6**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/8/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06S43080003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **HARRISON PK.**
CROSSING: **FAULKNER'S BRANCH**
LOCATION: **3MI E OF HAMILTON CO LINE**

COUNTY: **BRADLEY**
ROUTE: **SR312**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.86**
SUFFICIENCY RATING: **97.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17730	DEGREES
(17a,b) LONGITUDE:	W	84.96692	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1950**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **30.8 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **34.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **50 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **34.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N0N**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/8/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06I00750011	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR312
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HARRISON PK.	COUNTY SEQUENCE:	1
CROSSING:	SR 312 / I75	LOG MILE:	6.29
LOCATION:	4 MI SOUTH OF SR60	SUFFICIENCY RATING:	68.3

IDENTIFICATION

(16a,b) LATITUDE:	N 35.17643 DEGREES
(17a,b) LONGITUDE:	W 84.91738 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	UNKNOWN
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	68.9 FT
(49) TOTAL BRIDGE LENGTH:	245.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	4.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	37.7 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	42.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	11 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	17.09 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	12.14 FT
(56) MIN HORZ UNDERCLR ON LEFT:	25.92 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	245.1 FT
(94) BRIDGE IMPROVEMENT COST:	$720,000.00
(95) ROADWAY IMPROVEMENT COST:	$73,000.00
(96) TOTAL PROJECT COST:	$1,081,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06S43080005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **HARRISON PK.**
CROSSING: **CANDIES CREEK**
LOCATION: **1.1 MI.WEST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR312**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **6.80**
SUFFICIENCY RATING: **76.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17312	DEGREES
(17a,b) LONGITUDE:	W	84.90932	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **8**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **PREFORMED FABRIC**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1948**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **43.0 FT**
(49) TOTAL BRIDGE LENGTH: **272.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24 FT**
(52) BRIDGE OUT TO OUT WIDTH: **30.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **22.0 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **7**
(59) SUPERSTRUCTURE: **7**
(60) SUBSTRUCTURE: **7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **9**
(72) APPROACH ROADWAY ALIGNMENT: **7**
(36) TRAFFIC SAFETY FEATURES: **0011**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **272 FT**
(94) BRIDGE IMPROVEMENT COST: **$866,000.00**
(95) ROADWAY IMPROVEMENT COST: **$87,000.00**
(96) TOTAL PROJECT COST: **$1,300,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/8/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06S43080007	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR312
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HARRISON PK.	COUNTY SEQUENCE:	1
CROSSING:	BEECH SPRINGS BRANCH	LOG MILE:	7.04
LOCATION:	2 MI FROM SR2	SUFFICIENCY RATING:	94.2

IDENTIFICATION

(16a,b) LATITUDE:	N	35.17125	DEGREES
(17a,b) LONGITUDE:	W	84.90575	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1945
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	23.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/8/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06S43080009	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR312
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HARRISON PK.	COUNTY SEQUENCE:	1
CROSSING:	BEECH SPRINGS BRANCH	LOG MILE:	7.63
LOCATION:	1 MI FROM SR2	SUFFICIENCY RATING:	73.8

IDENTIFICATION

(16a,b) LATITUDE:	N	35.16843	DEGREES
(17a,b) LONGITUDE:	W	84.89613	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1945
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	28.5 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	26.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	26.9 FT
(94) BRIDGE IMPROVEMENT COST:	$57,000.00
(95) ROADWAY IMPROVEMENT COST:	$6,000.00
(96) TOTAL PROJECT COST:	$86,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/8/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06011520003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **LADD SPRINGS RD.**
CROSSING: **BIRD BRANCH**
LOCATION: **SOUTH EAST OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR313**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.30**
SUFFICIENCY RATING: **79.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.06813	DEGREES
(17a,b) LONGITUDE:	W	84.77185	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1955**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **22.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **27.6 FT**
(52) BRIDGE OUT TO OUT WIDTH: **29.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **25.9 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **20.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **3**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N1N**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **OTHER STRUCTURAL WORK**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/2/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **06011520001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **LADD SPRINGS RD.**
CROSSING: **DULL HOE CREEK**
LOCATION: **SE OF CLEVELAND**

COUNTY: **BRADLEY**
ROUTE: **SR313**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.64**
SUFFICIENCY RATING: **80.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.05445	DEGREES
(17a,b) LONGITUDE:	W	84.75660	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1955**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **32.2 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **28.5 FT**
(52) BRIDGE OUT TO OUT WIDTH: **28.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **25.9 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **50 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0011**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/2/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	06SR3170001	COUNTY:	BRADLEY
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR317
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	WEATHERLY SWITCH TR.	COUNTY SEQUENCE:	1
CROSSING:	MAROON BRANCH	LOG MILE:	1.79
LOCATION:	1.8 MI W OF SR60 JCT	SUFFICIENCY RATING:	91.8

IDENTIFICATION

(16a,b) LATITUDE:	N	35.01910	DEGREES
(17a,b) LONGITUDE:	W	84.94475	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1994
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	24.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	28.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	39.7 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	34.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	7
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **060A0250001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **WEATHERLY SWITCH TR.**
CROSSING: **MAROON BRANCH**
LOCATION: **1.7 MI W OF SR60 JCT**

COUNTY: **BRADLEY**
ROUTE: **SR317**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.83**
SUFFICIENCY RATING: **91.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.01945	DEGREES
(17a,b) LONGITUDE:	W	84.94383	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1994**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **38.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **28.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **40 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **34.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **30 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **29.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **7**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/3/2017**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409