NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59009910001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	00991
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	BEAR CREEK RD.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	2.02
LOCATION:	3.1 MI SW JCT I65&SR373	SUFFICIENCY RATING:	92.3

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43708	DEGREES
(17a,b) LONGITUDE:	W	86.93127	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1979
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	45.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	31.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/14/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59F00110001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **LIBERTY VALLEY RD.**
CROSSING: **BELFAST CREEK**
LOCATION: **.2 MI SE JCT SR50&SR271**

COUNTY: **MARSHALL**
ROUTE: **01032**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.19**
SUFFICIENCY RATING: **75.0**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.41957 DEGREES
(17a,b) LONGITUDE:	W 86.69872 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1970
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	24.9 FT
(49) TOTAL BRIDGE LENGTH:	49.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	49.9 FT
(94) BRIDGE IMPROVEMENT COST:	$88,000.00
(95) ROADWAY IMPROVEMENT COST:	$9,000.00
(96) TOTAL PROJECT COST:	$133,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/17/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59F00110003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01032**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**LIBERTY VALLEY RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**2.55**
LOCATION:	**2.6 MI SE JCT SR50&SR271**	SUFFICIENCY RATING:	**75.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.41190 DEGREES**
(17a,b) LONGITUDE:	**W 86.65940 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1965**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**8.9 FT**
(49) TOTAL BRIDGE LENGTH:	**21.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**25.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**20 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**24.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**NO**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**21 FT**
(94) BRIDGE IMPROVEMENT COST:	**$51,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$6,000.00**
(96) TOTAL PROJECT COST:	**$77,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/13/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59F00120009**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WADE RD.**
CROSSING: **LEDFORD BRANCH**
LOCATION: **3.2 MI SE JCT SR50&SR271**

COUNTY: **MARSHALL**
ROUTE: **01032**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.28**
SUFFICIENCY RATING: **87.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.41025	DEGREES
(17a,b) LONGITUDE:	W	86.64938	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	1985
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	21.0 FT
(49) TOTAL BRIDGE LENGTH:	22.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/13/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59F00070001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **MT. LEBANON RD.**
CROSSING: **OPOSSUM CREEK**
LOCATION: **2.6 MI NE JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **01036**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.84**
SUFFICIENCY RATING: **90.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.37220	DEGREES
(17a,b) LONGITUDE:	W	86.69398	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1979**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **34.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **27.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **29.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **27.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NN11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/3/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59F00070003	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	01036
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	MT. LEBANON RD.	COUNTY SEQUENCE:	1
CROSSING:	RICK CREEK	LOG MILE:	2.46
LOCATION:	3.4 MI NE JCT SR11&SR64	SUFFICIENCY RATING:	87.4

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36950	DEGREES
(17a,b) LONGITUDE:	W	86.66617	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1986
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	25.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	30.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59F00120001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01039**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**LIBERTY VALLEY RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CANE CREEK**	LOG MILE:	**0.37**
LOCATION:	**.8 MI SE JCT SR50&SR129**	SUFFICIENCY RATING:	**86.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.33087 DEGREES**
(17a,b) LONGITUDE:	**W 86.65480 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**5**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1965**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**36.1 FT**
(49) TOTAL BRIDGE LENGTH:	**180.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**28.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**24.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**6**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0NNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/11/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59F00120003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **LIBERTY VALLEY RD.**
CROSSING: **MIDDLE FORK CREEK**
LOCATION: **.7 MI NE JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **01039**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.16**
SUFFICIENCY RATING: **98.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.34220	DEGREES
(17a,b) LONGITUDE:	W	86.65713	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1978**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **38.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **25.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **19.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **30 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **25.6 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/11/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59F00120005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01039**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**LIBERTY VALLEY RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**3.40**
LOCATION:	**2.8 MI NE JCT SR50&SR129**	SUFFICIENCY RATING:	**86.1**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.37187 DEGREES**
(17a,b) LONGITUDE:	**W 86.65338 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1976**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**9.8 FT**
(49) TOTAL BRIDGE LENGTH:	**27.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**26.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**37 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**24.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/13/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59F00120007	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	01039
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	LIBERTY VALLEY RD.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	5.27
LOCATION:	3.6 MI SE JCT SR50&SR271	SUFFICIENCY RATING:	98.9

IDENTIFICATION

(16a,b) LATITUDE:	N 35.39423 DEGREES
(17a,b) LONGITUDE:	W 86.64992 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1976
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	37.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	26.2 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/13/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S42780001**
BRIDGE OWNER: **CITY OF CHAPEL HILL**
FIPS CODE: **12880**
ROAD NAME: **UNIONVILLE RD.**
CROSSING: **SPRING CREEK**
LOCATION: **1.2 MI SE JCT SR11&SR99**

COUNTY: **MARSHALL**
ROUTE: **01432**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.35**
SUFFICIENCY RATING: **91.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.63037	DEGREES
(17a,b) LONGITUDE:	W	86.68577	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1949
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	83.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	44.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N0N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/5/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019770001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01977**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BOONES HILL RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**0.10**
LOCATION:	**4.5 MI SE JCT SR129&SR272**	SUFFICIENCY RATING:	**85.8**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.26520**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.73607**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1973**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**26.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**25.9 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**28.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**25.9 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/9/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019770003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01977**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**JOHN BARNES RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**3.92**
LOCATION:	**1.1 MI SE JCT SR129&SR272**	SUFFICIENCY RATING:	**97.7**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.31633**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.75307**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1965**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**7.9 FT**
(49) TOTAL BRIDGE LENGTH:	**24.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**31.5 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N00**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/6/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019770005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01977**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**JOHN BARNES RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BARNES RD/PEE DEE BRANCH**	LOG MILE:	**4.21**
LOCATION:	**.9 MI SE JCT SR129&SR272**	SUFFICIENCY RATING:	**92.1**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.32037**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.75280**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1970**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**9.8 FT**
(49) TOTAL BRIDGE LENGTH:	**23.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**31.5 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/6/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019830013**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **DELINA RD.**
CROSSING: **RICHLAND CREEK**
LOCATION: **2.8 MI SW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **01983**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.33**
SUFFICIENCY RATING: **75.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31793	DEGREES
(17a,b) LONGITUDE:	W	86.81422	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	39.0 FT
(49) TOTAL BRIDGE LENGTH:	80.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	4 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	80.1 FT
(94) BRIDGE IMPROVEMENT COST:	$141,000.00
(95) ROADWAY IMPROVEMENT COST:	$15,000.00
(96) TOTAL PROJECT COST:	$212,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/2/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019830011**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01983**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**DELINA RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**2.93**
LOCATION:	**3.5 MI SW JCT SR129&SR272**	SUFFICIENCY RATING:	**79.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.28643 DEGREES**
(17a,b) LONGITUDE:	**W 86.79768 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1972**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**8.9 FT**
(49) TOTAL BRIDGE LENGTH:	**29.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**23.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**25.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**40 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**23.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**29.9 FT**
(94) BRIDGE IMPROVEMENT COST:	**$146,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$15,000.00**
(96) TOTAL PROJECT COST:	**$220,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/2/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019830009**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01983**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**DELINA RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**3.40**
LOCATION:	**4 MI SW JCT SR129&SR272**	SUFFICIENCY RATING:	**78.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.28027 DEGREES**
(17a,b) LONGITUDE:	**W 86.80118 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1925**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1955**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**42.0 FT**
(49) TOTAL BRIDGE LENGTH:	**44.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**26.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**64 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**24.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**6**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**3**
(36) TRAFFIC SAFETY FEATURES:	**0NNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**44 FT**
(94) BRIDGE IMPROVEMENT COST:	**$218,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$22,000.00**
(96) TOTAL PROJECT COST:	**$328,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/2/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019830007**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01983**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**DELINA RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**5.15**
LOCATION:	**4.6 MI SW JCT SR129&SR272**	SUFFICIENCY RATING:	**60.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.26137 DEGREES**
(17a,b) LONGITUDE:	**W 86.78948 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1963**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**14.1 FT**
(49) TOTAL BRIDGE LENGTH:	**44.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**20.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**21.7 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**17.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**20.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**5**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**3**
(36) TRAFFIC SAFETY FEATURES:	**0NNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**44 FT**
(94) BRIDGE IMPROVEMENT COST:	**$103,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$11,000.00**
(96) TOTAL PROJECT COST:	**$155,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/2/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019830003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **DELINA RD.**
CROSSING: **BRANCH**
LOCATION: **4.8 MI SW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **01983**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **2**
LOG MILE: **0.22**
SUFFICIENCY RATING: **79.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.25903	DEGREES
(17a,b) LONGITUDE:	W	86.78273	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	14.1 FT
(49) TOTAL BRIDGE LENGTH:	28.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	23.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	28.9 FT
(94) BRIDGE IMPROVEMENT COST:	$143,000.00
(95) ROADWAY IMPROVEMENT COST:	$15,000.00
(96) TOTAL PROJECT COST:	$215,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/9/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019830005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01983**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**DELINA RD.**	COUNTY SEQUENCE:	**2**
CROSSING:	**BRANCH**	LOG MILE:	**2.24**
LOCATION:	**4.4 MI SE JCT SR129&SR272**	SUFFICIENCY RATING:	**87.1**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.26425**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.75232**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1960**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**24.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**23.6 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**25.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**30 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**23.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/9/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019830001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **DELINA RD.**
CROSSING: **PLEASANT VALLEY CREEK**
LOCATION: **1.9 MI SW JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **01983**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **4**
LOG MILE: **3.85**
SUFFICIENCY RATING: **86.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31718	DEGREES
(17a,b) LONGITUDE:	W	86.68843	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1975
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	65.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	17.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019860007**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **GLOBE RD.**
CROSSING: **BRANCH**
LOCATION: **2.1 MI SE JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **01986**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.04**
SUFFICIENCY RATING: **82.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.42268	DEGREES
(17a,b) LONGITUDE:	W	86.87330	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1980**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **26.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **25.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **5 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **25.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/18/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019860001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **GLOBE RD.**
CROSSING: **GLOBE CREEK**
LOCATION: **2.6 MI SE JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **01986**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.60**
SUFFICIENCY RATING: **86.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.41652	DEGREES
(17a,b) LONGITUDE:	W	86.86987	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1945
(106) YEAR THE BRIDGE WAS REHABILITATED:	1981
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	20.0 FT
(49) TOTAL BRIDGE LENGTH:	21.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/18/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019860009**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01986**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**NEW LAKE RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**NEW LAKE BRANCH**	LOG MILE:	**5.36**
LOCATION:	**2.5 MI SW JCT SR50&SR373**	SUFFICIENCY RATING:	**95.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.40315 DEGREES**
(17a,b) LONGITUDE:	**W 86.83715 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2011**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**8.0 FT**
(49) TOTAL BRIDGE LENGTH:	**24.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**26.6 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**32.8 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**26.6 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HL-93**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N11**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/18/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019860003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01986**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**NEW LAKE RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CSX RAILROAD**	LOG MILE:	**7.41**
LOCATION:	**2.9 MI SW JCT SR50&SR373**	SUFFICIENCY RATING:	**88.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.41370 DEGREES**
(17a,b) LONGITUDE:	**W 86.81218 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2000**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**RAILROAD**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**54.1 FT**
(49) TOTAL BRIDGE LENGTH:	**153.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**22.6 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**1 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**24.0 FT**
(54a) VERT UNDERCLR:	**RAILROAD BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE:	**23.16 FT**
(55a) HORZ UNDERCLR:	**RAILROAD BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**25.59 FT**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**8**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**N**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**9**
(71) WATERWAY ADEQUACY:	**N**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**111N**
(113) SCOUR CONDITION RATING:	**N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/18/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019860005**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **NEW LAKE RD.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **2.6 MI SW JCT SR50&SR373**

COUNTY: **MARSHALL**
ROUTE: **01986**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **7.72**
SUFFICIENCY RATING: **86.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36385	DEGREES
(17a,b) LONGITUDE:	W	86.80680	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	32.2 FT
(49) TOTAL BRIDGE LENGTH:	159.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	19.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1100
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/22/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019880001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01988**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**FILEY-BEECH RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**MUD CREEK**	LOG MILE:	**2.24**
LOCATION:	**2.9 MI NE JCT SR50&SR271**	SUFFICIENCY RATING:	**73.8**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.44617 DEGREES**
(17a,b) LONGITUDE:	**W 86.66363 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1965**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1987**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**18.0 FT**
(49) TOTAL BRIDGE LENGTH:	**65.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**25.6 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**25.6 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**5**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1110**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**65 FT**
(94) BRIDGE IMPROVEMENT COST:	**$306,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$31,000.00**
(96) TOTAL PROJECT COST:	**$460,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/24/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59019900001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**01990**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**OLD COLUMBIA RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**GOOSE CREEK**	LOG MILE:	**0.32**
LOCATION:	**3.5 MI JCT I65&SR373**	SUFFICIENCY RATING:	**81.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.50003**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.87498**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1957**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**14.1 FT**
(49) TOTAL BRIDGE LENGTH:	**30.8 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**26.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**24.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0NNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/11/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019920001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WADE BROWN RD.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **.9 MI NW JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **01992**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.51**
SUFFICIENCY RATING: **86.6**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.51837 DEGREES**
(17a,b) LONGITUDE:	**W 86.71980 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**STEEL**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**7**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1945**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**42.0 FT**
(49) TOTAL BRIDGE LENGTH:	**241.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**23.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**24.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**23.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**1110**
(113) SCOUR CONDITION RATING:	**U**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/8/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019920003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **ANES STATION RD.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **3.6 MI NW JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **01992**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.58**
SUFFICIENCY RATING: **77.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.53067	DEGREES
(17a,b) LONGITUDE:	W	86.76812	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	48.9 FT
(49) TOTAL BRIDGE LENGTH:	141.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	24.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	19.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	141.1 FT
(94) BRIDGE IMPROVEMENT COST:	$212,000.00
(95) ROADWAY IMPROVEMENT COST:	$22,000.00
(96) TOTAL PROJECT COST:	$319,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/8/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	05/2016
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59S63130001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	01994
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	POWELL LN.	COUNTY SEQUENCE:	1
CROSSING:	BIG ROCK CREEK	LOG MILE:	0.85
LOCATION:	2.6 MI S JCT SR99&SR272	SUFFICIENCY RATING:	82.9

IDENTIFICATION

(16a,b) LATITUDE:	N 35.56972 DEGREES
(17a,b) LONGITUDE:	W 86.76558 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1959
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	53.1 FT
(49) TOTAL BRIDGE LENGTH:	186.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	23.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	40 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/7/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	08/2017
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019990001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **LUNNS STORE RD.**
CROSSING: **CANEY CREEK**
LOCATION: **.5 MI NW JCT SR99&SR272**

COUNTY: **MARSHALL**
ROUTE: **01999**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.48**
SUFFICIENCY RATING: **90.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.59769	DEGREES
(17a,b) LONGITUDE:	W	86.76422	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	1965
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	18.0 FT
(49) TOTAL BRIDGE LENGTH:	60.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/6/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59019990003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **LUNNS STORE RD.**
CROSSING: **THICK CREEK**
LOCATION: **3.8 MI NW JCT SR11&SR99**

COUNTY: **MARSHALL**
ROUTE: **01999**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **6.71**
SUFFICIENCY RATING: **95.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.68292	DEGREES
(17a,b) LONGITUDE:	W	86.74297	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1965**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **7.9 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **30.2 FT**
(52) BRIDGE OUT TO OUT WIDTH: **33.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **26.9 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **29.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **6**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **6**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/5/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59020020001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **THICK RD.**
CROSSING: **CANEY CREEK**
LOCATION: **2.3 MI NE JCT SR99&SR272**

COUNTY: **MARSHALL**
ROUTE: **02002**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.64**
SUFFICIENCY RATING: **79.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.63334	DEGREES
(17a,b) LONGITUDE:	W	86.73867	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **4**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1973**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **16.1 FT**
(49) TOTAL BRIDGE LENGTH: **64.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **23.6 FT**
(52) BRIDGE OUT TO OUT WIDTH: **28.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **23.3 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0NNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **64 FT**
(94) BRIDGE IMPROVEMENT COST: **$84,000.00**
(95) ROADWAY IMPROVEMENT COST: **$9,000.00**
(96) TOTAL PROJECT COST: **$127,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/6/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59020020003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BEASLEY RD.**
CROSSING: **SPRING CREEK**
LOCATION: **3.3 MI N JCT SR99&SR11**

COUNTY: **MARSHALL**
ROUTE: **02002**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **7.00**
SUFFICIENCY RATING: **88.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.69090	DEGREES
(17a,b) LONGITUDE:	W	86.68422	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1949**
(106) YEAR THE BRIDGE WAS REHABILITATED: **1987**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **17.1 FT**
(49) TOTAL BRIDGE LENGTH: **65.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **30 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.3 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/8/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59020020005**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BEASLEY RD.**
CROSSING: **LICK CREEK**
LOCATION: **3 MI NE JCT SR11&SR99**

COUNTY: **MARSHALL**
ROUTE: **02002**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.63**
SUFFICIENCY RATING: **92.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.68138	DEGREES
(17a,b) LONGITUDE:	W	86.66288	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1961
(106) YEAR THE BRIDGE WAS REHABILITATED:	1983
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	19.0 FT
(49) TOTAL BRIDGE LENGTH:	22.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	29.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	NO
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/8/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59020020007**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**02002**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BEASLEY RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**WILSON CREEK**	LOG MILE:	**9.93**
LOCATION:	**3.7 MI NE JCT SR11&SR99**	SUFFICIENCY RATING:	**84.1**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.67898**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.64000**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1984**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**19.0 FT**
(49) TOTAL BRIDGE LENGTH:	**22.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**25.6 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**29.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**25.6 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**NO**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MINOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N10**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/8/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S43290011**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **OLD BELFAST ST.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **1.5 M SE JCT SR11&SR50**

COUNTY: **MARSHALL**
ROUTE: **03439**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.19**
SUFFICIENCY RATING: **60.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44660	DEGREES
(17a,b) LONGITUDE:	W	86.78682	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	27.9 FT
(49) TOTAL BRIDGE LENGTH:	109.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	30.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	109.9 FT
(94) BRIDGE IMPROVEMENT COST:	$281,000.00
(95) ROADWAY IMPROVEMENT COST:	$29,000.00
(96) TOTAL PROJECT COST:	$422,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/10/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59M34400001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**CITY OF LEWISBURG**	ROUTE:	**03440**
FIPS CODE:	**41860**	SPECIAL CASE:	**0**
ROAD NAME:	**FRANKLIN AVE.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CSX RAILROAD**	LOG MILE:	**0.51**
LOCATION:	**IN LEWISBURG CITY LIMITS**	SUFFICIENCY RATING:	**99.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.46588 DEGREES**
(17a,b) LONGITUDE:	**W 86.79792 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE PRECAST PANELS**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1981**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**RAILROAD**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**86.0 FT**
(49) TOTAL BRIDGE LENGTH:	**235.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**40 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**42 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**27.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**62 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**39.7 FT**
(54a) VERT UNDERCLR:	**RAILROAD BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE:	**23.03 FT**
(55a) HORZ UNDERCLR:	**RAILROAD BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**15.42 FT**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**N**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**6**
(69) UNDERCLEARANCE RATING:	**6**
(71) WATERWAY ADEQUACY:	**N**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1110**
(113) SCOUR CONDITION RATING:	**N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/11/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59034470001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **HEIL QUAKER AVE.**
CROSSING: **SNELL BRANCH**
LOCATION: **HEIL AVE-LEWISBURG, TN**

COUNTY: **MARSHALL**
ROUTE: **03447**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.73**
SUFFICIENCY RATING: **96.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.46012	DEGREES
(17a,b) LONGITUDE:	W	86.80323	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1980**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **29.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **31.2 FT**
(52) BRIDGE OUT TO OUT WIDTH: **35.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **22.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **30 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **31.2 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/9/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59M34480001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **MIDWAY ST.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **IN LEWISBURG CITY LIMITS**

COUNTY: **MARSHALL**
ROUTE: **03448**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.10**
SUFFICIENCY RATING: **72.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43843	DEGREES
(17a,b) LONGITUDE:	W	86.79437	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1955
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	24.9 FT
(49) TOTAL BRIDGE LENGTH:	75.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	26.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	75.1 FT
(94) BRIDGE IMPROVEMENT COST:	$125,000.00
(95) ROADWAY IMPROVEMENT COST:	$13,000.00
(96) TOTAL PROJECT COST:	$188,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/10/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59M34490001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **FOX LN.**
CROSSING: **BRANCH**
LOCATION: **W OF JCT SR11&FOX LANE**

COUNTY: **MARSHALL**
ROUTE: **03449**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.18**
SUFFICIENCY RATING: **93.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43172	DEGREES
(17a,b) LONGITUDE:	W	86.80212	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1996
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	18.0 FT
(49) TOTAL BRIDGE LENGTH:	60.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	35.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/10/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59042660001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **CHILDRESS RD.**
CROSSING: **SNAKE CREEK**
LOCATION: **IN LEWISBURG**

COUNTY: **MARSHALL**
ROUTE: **04266**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.44**
SUFFICIENCY RATING: **95.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43118	DEGREES
(17a,b) LONGITUDE:	W	86.74463	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1986**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **48.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **27.6 FT**
(52) BRIDGE OUT TO OUT WIDTH: **31.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **24.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **27.2 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/10/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A4380001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **MANOR CIR.**
CROSSING: **LOYD BRANCH**
LOCATION: **MANOR CIR IN LEWISBURG**

COUNTY: **MARSHALL**
ROUTE: **04575**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.41**
SUFFICIENCY RATING: **87.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44407	DEGREES
(17a,b) LONGITUDE:	W	86.80967	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1968**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **11.2 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **26.6 FT**
(52) BRIDGE OUT TO OUT WIDTH: **28.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **33 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **26.2 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **0NNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/10/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S62580001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **E. CHURCH ST.**
CROSSING: **CAPPS BRANCH**
LOCATION: **.1 W OF SR11**

COUNTY: **MARSHALL**
ROUTE: **05435**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.40**
SUFFICIENCY RATING: **99.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45180	DEGREES
(17a,b) LONGITUDE:	W	86.77770	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2012
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	3
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.8 FT
(49) TOTAL BRIDGE LENGTH:	37.1 FT
(50a) LEFT SIDEWALK WIDTH:	4.6 FT
(50b) RIGHT SIDEWALK WIDTH:	4.6 FT
(51) BRIDGE CURB TO CURB WIDTH:	53.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	62 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	53.1 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/9/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59M34410003**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **5TH AVE. N.**
CROSSING: **BRANCH**
LOCATION: **5TH AVE N IN LEWISBURG**

COUNTY: **MARSHALL**
ROUTE: **06032**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.97**
SUFFICIENCY RATING: **84.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.46327	DEGREES
(17a,b) LONGITUDE:	W	86.79125	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	24.0 FT
(49) TOTAL BRIDGE LENGTH:	24.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	32.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/9/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1360001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **HWY. 40**
CROSSING: **EAST ROCK CREEK**
LOCATION: **.4 MI SW JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **0A004**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.22**
SUFFICIENCY RATING: **91.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.50142	DEGREES
(17a,b) LONGITUDE:	W	86.71420	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2003
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	44.9 FT
(49) TOTAL BRIDGE LENGTH:	138.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3140001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **MOORESVILLE RD.**
CROSSING: **ROBERTSON FORK CREEK**
LOCATION: **1.4 MI NW JCT I65&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A009**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.63**
SUFFICIENCY RATING: **85.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.38017	DEGREES
(17a,b) LONGITUDE:	W	86.90748	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2004
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	18.0 FT
(49) TOTAL BRIDGE LENGTH:	20.3 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	17.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	3
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/20/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3140003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **MOORESVILLE RD.**
CROSSING: **MOORESVILLE CREEK**
LOCATION: **2.7 MI NW JCT I65&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A009**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.90**
SUFFICIENCY RATING: **99.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.40775	DEGREES
(17a,b) LONGITUDE:	W	86.90143	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2013
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	16.0 FT
(49) TOTAL BRIDGE LENGTH:	52.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	32.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	37.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	32.2 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/15/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A3140005	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A009
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	MOORESVILLE RD.	COUNTY SEQUENCE:	1
CROSSING:	MOORESVILLE CREEK	LOG MILE:	4.77
LOCATION:	2 MI SW JCT I65&SR373	SUFFICIENCY RATING:	80.6

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43185	DEGREES
(17a,b) LONGITUDE:	W	86.91140	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1963
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	38.1 FT
(49) TOTAL BRIDGE LENGTH:	80.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	19.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	32 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/15/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A0350003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **PYLES RD.**
CROSSING: **JONES CREEK**
LOCATION: **4.7 MI NW JCT SR11&SR270**

COUNTY: **MARSHALL**
ROUTE: **0A035**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.96**
SUFFICIENCY RATING: **89.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.65847	DEGREES
(17a,b) LONGITUDE:	W	86.74819	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1973**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **29.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22.6 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **24.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.3 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/5/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A0350005**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **PYLES RD.**
CROSSING: **CANEY CREEK**
LOCATION: **PYLE RD 1 M N CANEY SPRIN**

COUNTY: **MARSHALL**
ROUTE: **0A035**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.80**
SUFFICIENCY RATING: **92.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.62156	DEGREES
(17a,b) LONGITUDE:	W	86.75814	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1994
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	41.0 FT
(49) TOTAL BRIDGE LENGTH:	85.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1110
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/6/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A0390001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A039**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**SWEENY LN.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CANEY CREEK**	LOG MILE:	**0.72**
LOCATION:	**2.9 MI JCT SR11&SR99**	SUFFICIENCY RATING:	**84.4**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.67831**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.70056**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1965**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**11.2 FT**
(49) TOTAL BRIDGE LENGTH:	**24.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**20.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**22 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**23.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**20.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/4/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A0430001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A043**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**HAZELWOOD RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**FLAT CREEK**	LOG MILE:	**0.65**
LOCATION:	**4.3 MI NE JCT SR99&MAURY**	SUFFICIENCY RATING:	**73.1**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.68506 DEGREES**
(17a,b) LONGITUDE:	**W 86.80169 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1974**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**34.1 FT**
(49) TOTAL BRIDGE LENGTH:	**105.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**21.7 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**22.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**21.7 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**8**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**3**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0NNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**105 FT**
(94) BRIDGE IMPROVEMENT COST:	**$212,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$22,000.00**
(96) TOTAL PROJECT COST:	**$319,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/5/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A0470001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A047
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	SMILEY RD.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH OF CANEY CREEK	LOG MILE:	2.32
LOCATION:	3.9 MI NW JCT SR11&SR270	SUFFICIENCY RATING:	88.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.65764	DEGREES
(17a,b) LONGITUDE:	W	86.71758	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1979
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	25.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	31.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	26.2 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/4/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A0490001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A049**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**FAGAN RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CANEY CREEK**	LOG MILE:	**0.56**
LOCATION:	**3.2 MI NW JCT SR11&SR270**	SUFFICIENCY RATING:	**73.4**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.63431 DEGREES**
(17a,b) LONGITUDE:	**W 86.72939 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1960**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**1**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**14.1 FT**
(49) TOTAL BRIDGE LENGTH:	**44.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**14.1 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**16.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**15.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**14.1 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**ONE LANE BRIDGE FOR 2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**2**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**6**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**44.9 FT**
(94) BRIDGE IMPROVEMENT COST:	**$149,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$15,000.00**
(96) TOTAL PROJECT COST:	**$224,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/6/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A0520001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **MT. VERNON RD.**
CROSSING: **SPRING CREEK**
LOCATION: **1.7 MI NE JCT SR11&SR99**

COUNTY: **MARSHALL**
ROUTE: **0A052**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.09**
SUFFICIENCY RATING: **73.4**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.66890 DEGREES
(17a,b) LONGITUDE:	W 86.68110 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1962
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	60.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	19.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	22 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	7 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	19.4 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	60 FT
(94) BRIDGE IMPROVEMENT COST:	$132,000.00
(95) ROADWAY IMPROVEMENT COST:	$14,000.00
(96) TOTAL PROJECT COST:	$199,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/4/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A0520007**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A052**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**MT. VERNON RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**3.02**
LOCATION:	**MT. VERNON RD @ SR 99**	SUFFICIENCY RATING:	**88.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.66537**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.66745**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1990**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**26.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**25.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**30 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**21.7 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**6**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**1N10**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/8/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A0550001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **GREENWOOD RD.**
CROSSING: **WEST FORK SPRING CREEK**
LOCATION: **3.9 MI N JCT SR11&SR99**

COUNTY: **MARSHALL**
ROUTE: **0A055**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.19**
SUFFICIENCY RATING: **92.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.70322	DEGREES
(17a,b) LONGITUDE:	W	86.69258	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2010**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.0 FT**
(49) TOTAL BRIDGE LENGTH: **25.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24 FT**
(52) BRIDGE OUT TO OUT WIDTH: **29.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **17.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/8/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A0550003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **GREENWOOD RD.**
CROSSING: **EAST FORK SPRING CREEK**
LOCATION: **4.1 MI NE JCT SR11&SR99**

COUNTY: **MARSHALL**
ROUTE: **0A055**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.74**
SUFFICIENCY RATING: **78.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.70407	DEGREES
(17a,b) LONGITUDE:	W	86.68282	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1984**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **33.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **21.7 FT**
(52) BRIDGE OUT TO OUT WIDTH: **26.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **21.7 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **33.1 FT**
(94) BRIDGE IMPROVEMENT COST: **$53,000.00**
(95) ROADWAY IMPROVEMENT COST: **$6,000.00**
(96) TOTAL PROJECT COST: **$80,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/8/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A0630001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **GILLESPIE RD.**
CROSSING: **BRANCH**
LOCATION: **2.7 MI NE JCT SR11&SR270**

COUNTY: **MARSHALL**
ROUTE: **0A063**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.47**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.62560	DEGREES
(17a,b) LONGITUDE:	W	86.65995	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1974**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/5/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A0770001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A077
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	EZELL RD.	COUNTY SEQUENCE:	1
CROSSING:	SPRING CREEK	LOG MILE:	0.71
LOCATION:	2 MI NE JCT SR11&SR270	SUFFICIENCY RATING:	58.4

IDENTIFICATION

(16a,b) LATITUDE:	N 35.62465 DEGREES
(17a,b) LONGITUDE:	W 86.68127 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1938
(106) YEAR THE BRIDGE WAS REHABILITATED:	1974
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	20.0 FT
(49) TOTAL BRIDGE LENGTH:	65.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	18.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	20 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	18.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	5

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	3
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	65.9 FT
(94) BRIDGE IMPROVEMENT COST:	$164,000.00
(95) ROADWAY IMPROVEMENT COST:	$17,000.00
(96) TOTAL PROJECT COST:	$247,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/5/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A0770003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **EZELL RD.**
CROSSING: **BRANCH**
LOCATION: **2.7 MI NE JCT SR11&SR270**

COUNTY: **MARSHALL**
ROUTE: **0A077**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.04**
SUFFICIENCY RATING: **81.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.59325	DEGREES
(17a,b) LONGITUDE:	W	86.66057	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1975**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/5/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A0820001**
BRIDGE OWNER: **CITY OF CHAPEL HILL**
FIPS CODE: **12880**
ROAD NAME: **HURT ST**
CROSSING: **SPRING CREEK**
LOCATION: **1.3 MI NE JCT SR11&SR270**

COUNTY: **MARSHALL**
ROUTE: **0A082**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.77**
SUFFICIENCY RATING: **80.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.61813	DEGREES
(17a,b) LONGITUDE:	W	86.68672	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	39.0 FT
(49) TOTAL BRIDGE LENGTH:	80.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/5/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A1070001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A107
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	WARNER RD.	COUNTY SEQUENCE:	1
CROSSING:	RICH CREEK	LOG MILE:	3.53
LOCATION:	3.6 MI NE JCT SR11&SR64	SUFFICIENCY RATING:	88.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.54823	DEGREES
(17a,b) LONGITUDE:	W	86.67678	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1980
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	46.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	31.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	17.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/4/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1100001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **HOPKINS BRIDGE RD.**
CROSSING: **DUCK RIVER**
LOCATION: **3.6 MI SE JCT SR11&SR270**

COUNTY: **MARSHALL**
ROUTE: **0A110**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **2**
LOG MILE: **0.62**
SUFFICIENCY RATING: **99.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.58052	DEGREES
(17a,b) LONGITUDE:	W	86.64193	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1986
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	113.8 FT
(49) TOTAL BRIDGE LENGTH:	270.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1110
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/5/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	08/2017
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A1130001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A113
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	LOWRY RD.	COUNTY SEQUENCE:	1
CROSSING:	RICH CREEK	LOG MILE:	0.43
LOCATION:	3.3 MI NE JCT SR11&SR64	SUFFICIENCY RATING:	99.0

IDENTIFICATION

(16a,b) LATITUDE:	N 35.54732 DEGREES
(17a,b) LONGITUDE:	W 86.68463 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1997
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	32.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/4/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1140001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A114**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**PARDEE RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**OPOSSUM CREEK**	LOG MILE:	**0.27**
LOCATION:	**3.4 MI N JCT SR11&SR64**	SUFFICIENCY RATING:	**99.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.55403 DEGREES**
(17a,b) LONGITUDE:	**W 86.70265 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1998**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**15.1 FT**
(49) TOTAL BRIDGE LENGTH:	**37.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**5 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N10**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/4/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1140003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A114**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**PARDEE RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**RICH CREEK**	LOG MILE:	**0.83**
LOCATION:	**3.6 MI NE JCT SR11&SR64**	SUFFICIENCY RATING:	**99.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.55335 DEGREES**
(17a,b) LONGITUDE:	**W 86.69217 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2002**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**26.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**26.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**9**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**6**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N11**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/4/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1150001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **JAMES SHAW RD.**
CROSSING: **RICH CREEK**
LOCATION: **2.5 MI S JCT SR11&SR270**

COUNTY: **MARSHALL**
ROUTE: **0A115**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.60**
SUFFICIENCY RATING: **77.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.56710	DEGREES
(17a,b) LONGITUDE:	W	86.70203	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **CONCRETE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	1
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1969
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	1
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	25.9 FT
(49) TOTAL BRIDGE LENGTH:	65.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	14.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	16.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	12.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	13.8 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	ONE LANE BRIDGE FOR 2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	65 FT
(94) BRIDGE IMPROVEMENT COST:	$262,000.00
(95) ROADWAY IMPROVEMENT COST:	$27,000.00
(96) TOTAL PROJECT COST:	$394,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/4/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1170001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COBLE RD.**
CROSSING: **RICH CREEK**
LOCATION: **2.2 MI SW JCT SR11&SR270**

COUNTY: **MARSHALL**
ROUTE: **0A117**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.81**
SUFFICIENCY RATING: **97.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.57093	DEGREES
(17a,b) LONGITUDE:	W	86.71400	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1986
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	47.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/7/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1180001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A118**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BOB CHEEK RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**OPOSSUM CREEK**	LOG MILE:	**0.70**
LOCATION:	**2.1 MI NE JCT SR11&SR64**	SUFFICIENCY RATING:	**99.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.53062 DEGREES**
(17a,b) LONGITUDE:	**W 86.69053 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1976**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**11.2 FT**
(49) TOTAL BRIDGE LENGTH:	**24.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**10 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/3/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1190001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **HUNTER RD.**
CROSSING: **BRANCH**
LOCATION: **2 MI NE JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **0A119**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.60**
SUFFICIENCY RATING: **88.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.51883	DEGREES
(17a,b) LONGITUDE:	W	86.68138	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1955
(106) YEAR THE BRIDGE WAS REHABILITATED:	1988
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	20.0 FT
(49) TOTAL BRIDGE LENGTH:	21.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	16 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1220001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **HUNTER RD.**
CROSSING: **OPOSSUM CREEK**
LOCATION: **1.5 MI NE JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **0A119**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.33**
SUFFICIENCY RATING: **88.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.51167	DEGREES
(17a,b) LONGITUDE:	W	86.68613	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	OTHER
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1955
(106) YEAR THE BRIDGE WAS REHABILITATED:	1988
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	20.0 FT
(49) TOTAL BRIDGE LENGTH:	21.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	NO
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	9

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/3/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1270001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **ANES STATION RD.**
CROSSING: **EAST ROCK CREEK**
LOCATION: **4.2 MI NW JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **0A127**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.99**
SUFFICIENCY RATING: **98.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.55289	DEGREES
(17a,b) LONGITUDE:	W	86.75467	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1975
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	62.0 FT
(49) TOTAL BRIDGE LENGTH:	153.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	29.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/7/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1290001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WALLACE THOMPSON RD.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **3.1 MI N JCT SR11&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A129**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.05**
SUFFICIENCY RATING: **81.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.50455	DEGREES
(17a,b) LONGITUDE:	W	86.76767	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1991
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	51.8 FT
(49) TOTAL BRIDGE LENGTH:	105.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	9
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1100
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/8/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1320001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A132**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**OLD FARMINGTON RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**SNAKE CREEK**	LOG MILE:	**3.21**
LOCATION:	**1.5 MI NE JCT SR11&SR272**	SUFFICIENCY RATING:	**73.4**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.47775 DEGREES**
(17a,b) LONGITUDE:	**W 86.76552 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1965**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**38.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**20.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**22 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**20.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**3**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**38.1 FT**
(94) BRIDGE IMPROVEMENT COST:	**$104,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$11,000.00**
(96) TOTAL PROJECT COST:	**$157,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/24/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1370001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A137**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**JOHN R. HILL RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BELFAST CREEK**	LOG MILE:	**1.79**
LOCATION:	**1.5 MI S JCT SR11&SR64**	SUFFICIENCY RATING:	**89.7**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.48487**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.71610**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1999**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**39.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22.6 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N11**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/1/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1380001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **LONG DISTANCE RD.**
CROSSING: **BELFAST CREEK**
LOCATION: **3.3 MI NE JCT SR11&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A138**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.27**
SUFFICIENCY RATING: **88.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.46932	DEGREES
(17a,b) LONGITUDE:	W	86.72095	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1984**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **47.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **25.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/24/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1380003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A138**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**LONG DISTANCE RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**DRY CREEK**	LOG MILE:	**2.38**
LOCATION:	**2.3 MI NE JCT SR11&SR272**	SUFFICIENCY RATING:	**89.7**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.46995**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.74050**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1968**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**11.2 FT**
(49) TOTAL BRIDGE LENGTH:	**24.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22.6 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/24/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1390001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **PHILLIPS RD.**
CROSSING: **EAST ROCK CREEK**
LOCATION: **2.5 MI SE JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **0A139**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.83**
SUFFICIENCY RATING: **99.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.48092	DEGREES
(17a,b) LONGITUDE:	W	86.67998	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1996**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **50.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **6**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/1/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1390003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **PHILLIPS RD.**
CROSSING: **MUD CREEK**
LOCATION: **2.5 MI SE JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **0A139**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.54**
SUFFICIENCY RATING: **99.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.47697	DEGREES
(17a,b) LONGITUDE:	W	86.68887	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1998**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **14.8 FT**
(49) TOTAL BRIDGE LENGTH: **45.6 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **6**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/1/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1400001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A140**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**MOUNT RD.**	COUNTY SEQUENCE:	**2**
CROSSING:	**EAST ROCK CREEK**	LOG MILE:	**0.82**
LOCATION:	**3.1 MI SE JCT SR11&SR64**	SUFFICIENCY RATING:	**95.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.48480 DEGREES**
(17a,b) LONGITUDE:	**W 86.66603 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1984**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**50.9 FT**
(49) TOTAL BRIDGE LENGTH:	**56.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**35.8 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**8**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**8**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**3**
(36) TRAFFIC SAFETY FEATURES:	**1N10**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/1/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1420003**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **HOLLY GROVE RD.**
CROSSING: **SNAKE CREEK**
LOCATION: **1.1 MI NE JCT SR11&SR64**

COUNTY: **MARSHALL**
ROUTE: **0A142**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.79**
SUFFICIENCY RATING: **63.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.46385	DEGREES
(17a,b) LONGITUDE:	W	86.76057	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1957
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	59.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	17.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	5

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	59.1 FT
(94) BRIDGE IMPROVEMENT COST:	$105,000.00
(95) ROADWAY IMPROVEMENT COST:	$11,000.00
(96) TOTAL PROJECT COST:	$158,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/24/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A1420001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A142
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	HOLLY GROVE RD.	COUNTY SEQUENCE:	1
CROSSING:	BELFAST CREEK	LOG MILE:	3.49
LOCATION:	2.6 MI NW JCT SR50&SR271	SUFFICIENCY RATING:	98.1

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45552	DEGREES
(17a,b) LONGITUDE:	W	86.71860	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1982
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	49.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1630001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **GRACE LEDFORD RD.**
CROSSING: **LEDFORD BRANCH**
LOCATION: **2.4 MI SE JCT SR50&SR271**

COUNTY: **MARSHALL**
ROUTE: **0A163**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.38**
SUFFICIENCY RATING: **99.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.40967	DEGREES
(17a,b) LONGITUDE:	W	86.67027	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1984**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **44.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **21.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **25.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **12.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **21.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **6**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/17/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1660001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **POLLY ADAMS RD.**
CROSSING: **BRANCH**
LOCATION: **1 MI SE JCT SR50&SR271**

COUNTY: **MARSHALL**
ROUTE: **0A166**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.19**
SUFFICIENCY RATING: **78.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.40845	DEGREES
(17a,b) LONGITUDE:	W	86.69440	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1948
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	24.9 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	3
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	26.9 FT
(94) BRIDGE IMPROVEMENT COST:	$60,000.00
(95) ROADWAY IMPROVEMENT COST:	$7,000.00
(96) TOTAL PROJECT COST:	$91,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/17/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1660003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **POLLY ADAMS RD.**
CROSSING: **LAZY BRANCH**
LOCATION: **3.3 MI SE JCT SR50&SR271**

COUNTY: **MARSHALL**
ROUTE: **0A166**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.92**
SUFFICIENCY RATING: **84.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.37700	DEGREES
(17a,b) LONGITUDE:	W	86.68558	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1913
(106) YEAR THE BRIDGE WAS REHABILITATED:	1990
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	26.9 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	20.3 FT
(52) BRIDGE OUT TO OUT WIDTH:	22 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	20.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	9
(59) SUPERSTRUCTURE:	9
(60) SUBSTRUCTURE:	9
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/12/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1660005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A166**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**POLLY ADAMS RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**LAZY BRANCH**	LOG MILE:	**3.12**
LOCATION:	**3.5 MI SE JCT SR50&SR271**	SUFFICIENCY RATING:	**77.6**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.37475 DEGREES**
(17a,b) LONGITUDE:	**W 86.68702 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1983**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**25.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**21.7 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**26.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**21.7 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N10**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/12/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A1670001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A167**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**FISHING FORD RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CANE CREEK**	LOG MILE:	**0.12**
LOCATION:	**1.7 MI NW JCT SR50&SR129**	SUFFICIENCY RATING:	**78.7**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.35003 DEGREES**
(17a,b) LONGITUDE:	**W 86.68855 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1983**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**26.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**26.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**21.7 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N00**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/12/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A1670003	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A167
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	FISHING FORD RD.	COUNTY SEQUENCE:	1
CROSSING:	WEST CAMP CREEK	LOG MILE:	1.47
LOCATION:	2.8 MI NW JCT SR50&SR129	SUFFICIENCY RATING:	99.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36912	DEGREES
(17a,b) LONGITUDE:	W	86.69230	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1994
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	54.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/12/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1680001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **TALLEY STATION RD.**
CROSSING: **CANE CREEK**
LOCATION: **1.9 MI NW JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A168**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.18**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35658	DEGREES
(17a,b) LONGITUDE:	W	86.68750	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1970
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	33.1 FT
(49) TOTAL BRIDGE LENGTH:	69.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/12/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1710001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CHEESE RD.**
CROSSING: **CANE CREEK**
LOCATION: **.1 MI N JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A171**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.17**
SUFFICIENCY RATING: **99.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33827	DEGREES
(17a,b) LONGITUDE:	W	86.66655	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1984**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **48.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **26.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **17.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **10 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/11/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1730001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **MC ADAMS RD.**
CROSSING: **MIDDLE CANE CREEK**
LOCATION: **1.3 MI NE JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A173**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.05**
SUFFICIENCY RATING: **75.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35022	DEGREES
(17a,b) LONGITUDE:	W	86.65445	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1971**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **30.8 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **16.1 FT**
(52) BRIDGE OUT TO OUT WIDTH: **18 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **12.1 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **16.1 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **6**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **3**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **30.8 FT**
(94) BRIDGE IMPROVEMENT COST: **$77,000.00**
(95) ROADWAY IMPROVEMENT COST: **$8,000.00**
(96) TOTAL PROJECT COST: **$116,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/11/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1740001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **ARBOR HILL RD.**
CROSSING: **SANDERS CREEK**
LOCATION: **2.5 MI NE JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A174**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.68**
SUFFICIENCY RATING: **92.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35130	DEGREES
(17a,b) LONGITUDE:	W	86.62993	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1981**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **17.1 FT**
(49) TOTAL BRIDGE LENGTH: **38.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **29.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **6**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/11/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1780001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BRANCHVILLE RD.**
CROSSING: **EAST ROCK CREEK**
LOCATION: **3.9 MI SE JCT SR50&SR271**

COUNTY: **MARSHALL**
ROUTE: **0A178**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.51**
SUFFICIENCY RATING: **99.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.39710	DEGREES
(17a,b) LONGITUDE:	W	86.64077	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2006**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **18.0 FT**
(49) TOTAL BRIDGE LENGTH: **38.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **17.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/13/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1820001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CONRAD RD.**
CROSSING: **WEST CAMP CREEK**
LOCATION: **1 M W SR50 ON MT ZION RD**

COUNTY: **MARSHALL**
ROUTE: **0A182**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.06**
SUFFICIENCY RATING: **93.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.38325	DEGREES
(17a,b) LONGITUDE:	W	86.70718	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1985**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **39.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **25.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **12.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **6**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/17/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A1850001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A185
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	MURDOCK RD.	COUNTY SEQUENCE:	1
CROSSING:	PLEASANT VALLEY CREEK	LOG MILE:	0.21
LOCATION:	2.4 MI SW JCT SR50&SR129	SUFFICIENCY RATING:	66.4

IDENTIFICATION

(16a,b) LATITUDE:	N 35.31867 DEGREES
(17a,b) LONGITUDE:	W 86.70125 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1975
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	1
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	13.1 FT
(49) TOTAL BRIDGE LENGTH:	47.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	12.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	14.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	12.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	11.8 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	ONE LANE BRIDGE FOR 2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	3
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	47.9 FT
(94) BRIDGE IMPROVEMENT COST:	$142,000.00
(95) ROADWAY IMPROVEMENT COST:	$15,000.00
(96) TOTAL PROJECT COST:	$214,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1870001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WATSON RD.**
CROSSING: **BRANCH**
LOCATION: **2.7 MI SW JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A187**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.02**
SUFFICIENCY RATING: **75.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31980	DEGREES
(17a,b) LONGITUDE:	W	86.70865	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1975**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **1**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **47.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **12.1 FT**
(52) BRIDGE OUT TO OUT WIDTH: **14.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **12.1 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **13 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **11.8 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **ONE LANE BRIDGE FOR 2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **47.9 FT**
(94) BRIDGE IMPROVEMENT COST: **$142,000.00**
(95) ROADWAY IMPROVEMENT COST: **$15,000.00**
(96) TOTAL PROJECT COST: **$214,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/10/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1890001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **HAISLIP HOLLOW RD.**
CROSSING: **BRANCH**
LOCATION: **4 MI SE JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A189**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.18**
SUFFICIENCY RATING: **83.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.27955	DEGREES
(17a,b) LONGITUDE:	W	86.72565	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1960**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **1**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **11.2 FT**
(49) TOTAL BRIDGE LENGTH: **26.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **15.7 FT**
(52) BRIDGE OUT TO OUT WIDTH: **18.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **14.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **30 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **15.4 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **ONE LANE BRIDGE FOR 2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **7**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/9/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1890003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **HAISLIP HOLLOW RD.**
CROSSING: **PLEASANT VALLEY CREEK**
LOCATION: **3.1 MI SW JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A189**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.13**
SUFFICIENCY RATING: **98.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.31912 DEGREES**
(17a,b) LONGITUDE:	**W 86.71583 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1984**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**26.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**23 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**26.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**23.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N10**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/10/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1900001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **MONTE MURREY RD.**
CROSSING: **RICHLAND CREEK**
LOCATION: **MONTE MURRAY ROAD**

COUNTY: **MARSHALL**
ROUTE: **0A190**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.21**
SUFFICIENCY RATING: **88.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33633	DEGREES
(17a,b) LONGITUDE:	W	86.75533	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	62.0 FT
(49) TOTAL BRIDGE LENGTH:	65.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	5

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/6/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A1950001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **TOLL GATE RD.**
CROSSING: **PLEASANT VALLEY CREEK**
LOCATION: **1.7 MI SW JCT SR50&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A195**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.51**
SUFFICIENCY RATING: **60.2**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.31413 DEGREES
(17a,b) LONGITUDE:	W 86.68048 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	STEEL
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1930
(106) YEAR THE BRIDGE WAS REHABILITATED:	1955
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	27.9 FT
(49) TOTAL BRIDGE LENGTH:	58.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	17.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	3
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	58.1 FT
(94) BRIDGE IMPROVEMENT COST:	$107,000.00
(95) ROADWAY IMPROVEMENT COST:	$11,000.00
(96) TOTAL PROJECT COST:	$161,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/10/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A2140001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A214**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**EBENEZER HOLLOW RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**COFFEY BRANCH**	LOG MILE:	**0.48**
LOCATION:	**4.4 MI SW JCT SR129&SR272**	SUFFICIENCY RATING:	**91.5**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.26708 DEGREES**
(17a,b) LONGITUDE:	**W 86.78607 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1984**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**15.1 FT**
(49) TOTAL BRIDGE LENGTH:	**45.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**21.7 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**26.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**21.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**1N10**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/3/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2140003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COFFEY BRANCH RD.**
CROSSING: **COFFEY BRANCH**
LOCATION: **1.8 MI SW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A214**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.83**
SUFFICIENCY RATING: **82.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30718	DEGREES
(17a,b) LONGITUDE:	W	86.78293	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1983**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **44.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **26.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/3/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2140005**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COFFEY BRANCH RD.**
CROSSING: **COFFEY BRANCH**
LOCATION: **1.7 MI SW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A214**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.93**
SUFFICIENCY RATING: **69.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30870	DEGREES
(17a,b) LONGITUDE:	W	86.78315	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1965**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **11.2 FT**
(49) TOTAL BRIDGE LENGTH: **29.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **40 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **5**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/3/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A2140007**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A214**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**COFFEY BRANCH RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**COFFEY BRANCH**	LOG MILE:	**4.04**
LOCATION:	**1.6 MI SW JCT SR129&SR272**	SUFFICIENCY RATING:	**73.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.31015 DEGREES**
(17a,b) LONGITUDE:	**W 86.78333 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1970**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**15.1 FT**
(49) TOTAL BRIDGE LENGTH:	**30.8 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**19.4 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**22.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**33 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**19.4 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**3**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**30.8 FT**
(94) BRIDGE IMPROVEMENT COST:	**$75,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$8,000.00**
(96) TOTAL PROJECT COST:	**$113,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/5/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2140009**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COFFEY BRANCH RD.**
CROSSING: **COFFEY BRANCH**
LOCATION: **1.4 MI SW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A214**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.40**
SUFFICIENCY RATING: **89.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31485	DEGREES
(17a,b) LONGITUDE:	W	86.78428	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1975**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **33.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **25.6 FT**
(52) BRIDGE OUT TO OUT WIDTH: **28.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **25.3 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/5/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2140015**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COFFEY BRANCH RD.**
CROSSING: **COFFEY BRANCH**
LOCATION: **1 MILE SOUTH OF OSTELLA**

COUNTY: **MARSHALL**
ROUTE: **0A214**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.54**
SUFFICIENCY RATING: **98.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31690	DEGREES
(17a,b) LONGITUDE:	W	86.78470	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1990**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **16.1 FT**
(49) TOTAL BRIDGE LENGTH: **33.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **25.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **31.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **10 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **25.6 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/5/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A2140011**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A214**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**COFFEY BRANCH RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**COFFEY BRANCH**	LOG MILE:	**4.56**
LOCATION:	**1.3 MI SW JCT SR129&SR272**	SUFFICIENCY RATING:	**62.1**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.31838 DEGREES**
(17a,b) LONGITUDE:	**W 86.78538 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1950**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1970**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**25.9 FT**
(49) TOTAL BRIDGE LENGTH:	**26.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**19.7 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**22 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**16.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**35 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**19.4 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**5**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**5**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**3**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**26.9 FT**
(94) BRIDGE IMPROVEMENT COST:	**$72,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$8,000.00**
(96) TOTAL PROJECT COST:	**$109,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/5/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2140013**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COFFEY BRANCH RD.**
CROSSING: **RICHLAND CREEK**
LOCATION: **1.1 MI SW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A214**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.69**
SUFFICIENCY RATING: **79.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32090	DEGREES
(17a,b) LONGITUDE:	W	86.78653	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	34.1 FT
(49) TOTAL BRIDGE LENGTH:	68.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	24.3 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	32 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	68.9 FT
(94) BRIDGE IMPROVEMENT COST:	$119,000.00
(95) ROADWAY IMPROVEMENT COST:	$12,000.00
(96) TOTAL PROJECT COST:	$179,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/5/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2150001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COFFEY BRANCH RD.**
CROSSING: **COFFEY BRANCH**
LOCATION: **2 MI SW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A215**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.16**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30470	DEGREES
(17a,b) LONGITUDE:	W	86.78090	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1970
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	24.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/3/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2150003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COFFEY BRANCH RD.**
CROSSING: **COFFEY BRANCH**
LOCATION: **2.1 MI SW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A215**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.22**
SUFFICIENCY RATING: **85.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30400	DEGREES
(17a,b) LONGITUDE:	W	86.78025	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1970**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **24.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **36 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.3 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **5**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/3/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2170001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **BOWERS RD.**
CROSSING: **THOMPSON BRANCH**
LOCATION: **.4 MI W JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A217**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.10**
SUFFICIENCY RATING: **85.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32842	DEGREES
(17a,b) LONGITUDE:	W	86.77200	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1960**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **24.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **13.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **24 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **6**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/6/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2190001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **GNAT GROVE RD.**
CROSSING: **PORTER BRANCH**
LOCATION: **4.2 MI SE JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A219**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.12**
SUFFICIENCY RATING: **87.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.27992	DEGREES
(17a,b) LONGITUDE:	W	86.82630	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1983**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **34.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **26.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **15.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/2/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A2220001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A222**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**LONDON RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**RICHLAND CREEK**	LOG MILE:	**0.77**
LOCATION:	**1.5 MI SE JCT SR11&SR129**	SUFFICIENCY RATING:	**99.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.31963 DEGREES**
(17a,b) LONGITUDE:	**W 86.83782 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE PRECAST PANELS**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2012**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**#Error**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**49.9 FT**
(49) TOTAL BRIDGE LENGTH:	**120.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**24.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.3 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**8**
(59) SUPERSTRUCTURE:	**9**
(60) SUBSTRUCTURE:	**9**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HL-93**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**1111**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/3/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2230001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COOSIE BRANCH RD.**
CROSSING: **TORY FORK CREEK**
LOCATION: **3.7 MI NE JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A223**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.70**
SUFFICIENCY RATING: **69.9**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.33990 DEGREES
(17a,b) LONGITUDE:	W 86.79365 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	1970
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	20.0 FT
(49) TOTAL BRIDGE LENGTH:	22.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	17.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	18.7 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	16.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	NO
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	22 FT
(94) BRIDGE IMPROVEMENT COST:	$58,000.00
(95) ROADWAY IMPROVEMENT COST:	$6,000.00
(96) TOTAL PROJECT COST:	$88,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/26/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2240001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **ROBERTS RD.**
CROSSING: **TORY FORK CREEK**
LOCATION: **4.3 MI NE JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A224**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.00**
SUFFICIENCY RATING: **86.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35277	DEGREES
(17a,b) LONGITUDE:	W	86.78820	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1972**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **10 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/26/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2310001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **EARL TWITTY RD.**
CROSSING: **SANDERS CREEK**
LOCATION: **4.4 MI NE JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A231**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.69**
SUFFICIENCY RATING: **75.5**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.40005 DEGREES
(17a,b) LONGITUDE:	W 86.78043 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1930
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	1
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	30.8 FT
(49) TOTAL BRIDGE LENGTH:	34.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	12.1 FT
(52) BRIDGE OUT TO OUT WIDTH:	14.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	12.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	11.8 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	ONE LANE BRIDGE FOR 2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	34.1 FT
(94) BRIDGE IMPROVEMENT COST:	$111,000.00
(95) ROADWAY IMPROVEMENT COST:	$12,000.00
(96) TOTAL PROJECT COST:	$167,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/26/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2450001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **ROGERS RD.**
CROSSING: **CAPPS BRANCH**
LOCATION: **IN CITY OF LEWISBURG**

COUNTY: **MARSHALL**
ROUTE: **0A245**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.01**
SUFFICIENCY RATING: **88.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43963	DEGREES
(17a,b) LONGITUDE:	W	86.76842	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/9/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2540001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CAUGHRAN RD.**
CROSSING: **COLLINS CREEK**
LOCATION: **1.5 MI SE JCT SR106&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A254**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.79**
SUFFICIENCY RATING: **82.9**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.41517 DEGREES
(17a,b) LONGITUDE:	W 86.76570 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1999
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	10.2 FT
(49) TOTAL BRIDGE LENGTH:	20.7 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/18/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2610001**
BRIDGE OWNER: **CITY OF CORNERSVILLE**
FIPS CODE: **17180**
ROAD NAME: **HATCHETT HOLLOW**
CROSSING: **HATCHETT CREEK**
LOCATION: **IN CITY OF CORNERSVILLE**

COUNTY: **MARSHALL**
ROUTE: **0A261**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.12**
SUFFICIENCY RATING: **60.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35488	DEGREES
(17a,b) LONGITUDE:	W	86.83777	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1945**
(106) YEAR THE BRIDGE WAS REHABILITATED: **1970**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **24.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **18 FT**
(52) BRIDGE OUT TO OUT WIDTH: **19 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **15.1 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **30 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **17.7 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **5**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **5**
(68) DECK GEOMETRY: **3**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **4**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **24.9 FT**
(94) BRIDGE IMPROVEMENT COST: **$80,000.00**
(95) ROADWAY IMPROVEMENT COST: **$9,000.00**
(96) TOTAL PROJECT COST: **$121,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/11/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2640001**
BRIDGE OWNER: **CITY OF CORNERSVILLE**
FIPS CODE: **17180**
ROAD NAME: **BEECHWOOD AVE.**
CROSSING: **CSX RAILROAD**
LOCATION: **IN CITY OF CORNERSVILLE**

COUNTY: **MARSHALL**
ROUTE: **0A264**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.08**
SUFFICIENCY RATING: **89.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36395	DEGREES
(17a,b) LONGITUDE:	W	86.83578	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1997
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	56.1 FT
(49) TOTAL BRIDGE LENGTH:	139.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	13 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	23.26 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	20.67 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	9
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/11/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2730001**
BRIDGE OWNER: **CITY OF CORNERSVILLE**
FIPS CODE: **17180**
ROAD NAME: **E. HILL AVE.**
CROSSING: **CSX RAILROAD**
LOCATION: **IN CITY OF CORNERSVILLE**

COUNTY: **MARSHALL**
ROUTE: **0A273**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.41**
SUFFICIENCY RATING: **18.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36258	DEGREES
(17a,b) LONGITUDE:	W	86.08369	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **WOOD OR TIMBER**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	WOOD OR TIMBER
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	WOOD OR TIMBER
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	1
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	22.0 FT
(49) TOTAL BRIDGE LENGTH:	73.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	10.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	12.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	9.8 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	21.16 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	9.84 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	ONE LANE BRIDGE FOR 2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	OTHER OR UNKNOWN
WEIGHT POSTING (2 AXLE VEHICLES):	0 TONS
WEIGHT POSTING (3 OR MORE AXLES):	0 TONS
(70) BRIDGE POSTING CODE:	0
(41) WT POSTING STATUS:	CLOSED

APPRAISAL

(67) STRUCTURAL EVALUATION:	0
(68) DECK GEOMETRY:	0
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	99.7 FT
(94) BRIDGE IMPROVEMENT COST:	$572,000.00
(95) ROADWAY IMPROVEMENT COST:	$58,000.00
(96) TOTAL PROJECT COST:	$859,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/11/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2840001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COLEMAN RD.**
CROSSING: **ROBERTSON FORK CREEK**
LOCATION: **.2 MI SE JCT SR129&I65**

COUNTY: **MARSHALL**
ROUTE: **0A284**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.15**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.37047 DEGREES**
(17a,b) LONGITUDE:	**W 86.88270 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1950**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1965**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**20.0 FT**
(49) TOTAL BRIDGE LENGTH:	**22.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**20.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**22 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**17.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**14 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**20.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**6**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-10-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/20/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2910001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OLD BELFAST RD.**
CROSSING: **SNAKE CREEK**
LOCATION: **2.3 MI SW JCT SR50&SR271**

COUNTY: **MARSHALL**
ROUTE: **0A291**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.13**
SUFFICIENCY RATING: **73.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.42067	DEGREES
(17a,b) LONGITUDE:	W	86.74183	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1930**
(106) YEAR THE BRIDGE WAS REHABILITATED: **1950**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **13.1 FT**
(49) TOTAL BRIDGE LENGTH: **27.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **20 FT**
(52) BRIDGE OUT TO OUT WIDTH: **22 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **20.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **3**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **27.9 FT**
(94) BRIDGE IMPROVEMENT COST: **$82,000.00**
(95) ROADWAY IMPROVEMENT COST: **$9,000.00**
(96) TOTAL PROJECT COST: **$124,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/18/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2950001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **UNDERPASS RD.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **3.9 MI NE JCT I65&SR129**

COUNTY: **MARSHALL**
ROUTE: **0A295**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.21**
SUFFICIENCY RATING: **86.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.38802	DEGREES
(17a,b) LONGITUDE:	W	86.82185	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1984
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/25/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A2980001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CHARLIE THOMAS RD.**
CROSSING: **CORN CREEK**
LOCATION: **.1 M W JCT SR11&THOMAS RD**

COUNTY: **MARSHALL**
ROUTE: **0A298**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.08**
SUFFICIENCY RATING: **78.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32383	DEGREES
(17a,b) LONGITUDE:	W	86.86958	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1986**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **39.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **25.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **16.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/25/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59I00650005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**0A298**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**CHARLIE THOMAS RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**THOMAS RD. / I65**	LOG MILE:	**0.75**
LOCATION:	**1.3 MI N JCT I65 & SR 11**	SUFFICIENCY RATING:	**78.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.32490 DEGREES**
(17a,b) LONGITUDE:	**W 86.88208 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**5**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1960**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**HIGHWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**4**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**73.2 FT**
(49) TOTAL BRIDGE LENGTH:	**327.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**28.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**28.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**71.0 FT**
(54a) VERT UNDERCLR:	**HIGHWAY BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE:	**18.01 FT**
(55a) HORZ UNDERCLR:	**HIGHWAY BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**9.84 FT**
(56) MIN HORZ UNDERCLR ON LEFT:	**34.45 FT**

NAVIGATION DATA

(38) NAV CONTROL:	**NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**N**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**4**
(71) WATERWAY ADEQUACY:	**N**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N0N**
(113) SCOUR CONDITION RATING:	**N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**327.1 FT**
(94) BRIDGE IMPROVEMENT COST:	**$1,452,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$146,000.00**
(96) TOTAL PROJECT COST:	**$2,179,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/14/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A2980005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A298**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**CARL FOX RD.**	COUNTY SEQUENCE:	**3**
CROSSING:	**ROBERTSON FORK CREEK**	LOG MILE:	**2.95**
LOCATION:	**.6 MI SW JCT I65 & SR 129**	SUFFICIENCY RATING:	**78.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.36797 DEGREES**
(17a,b) LONGITUDE:	**W 86.89217 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1945**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**25.9 FT**
(49) TOTAL BRIDGE LENGTH:	**27.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**23 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**15.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.6 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**3**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**U**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**27.9 FT**
(94) BRIDGE IMPROVEMENT COST:	**$62,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$7,000.00**
(96) TOTAL PROJECT COST:	**$94,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/20/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**/**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A3020001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A302
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	BLUE CREEK RD.	COUNTY SEQUENCE:	1
CROSSING:	CORN CREEK	LOG MILE:	2.18
LOCATION:	2.2 MI NE JCT I65&SR11	SUFFICIENCY RATING:	73.3

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33465	DEGREES
(17a,b) LONGITUDE:	W	86.86977	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	26.9 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	19.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	22 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	15.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	19.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-10-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	29.9 FT
(94) BRIDGE IMPROVEMENT COST:	$77,000.00
(95) ROADWAY IMPROVEMENT COST:	$8,000.00
(96) TOTAL PROJECT COST:	$116,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/25/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650013**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SIMMONS RIDGE RD.**
CROSSING: **SIMMONS RIDGE RD. / I65**
LOCATION: **1.9 MI N JCT I65 & SR 129**

COUNTY: **MARSHALL**
ROUTE: **0A309**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.63**
SUFFICIENCY RATING: **92.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.39813	DEGREES
(17a,b) LONGITUDE:	W	86.88030	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	4

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	76.1 FT
(49) TOTAL BRIDGE LENGTH:	258.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	18 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.4 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	18.11 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	12.8 FT
(56) MIN HORZ UNDERCLR ON LEFT:	5.91 FT

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	6
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3100001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COLBERT HOLLOW RD.**
CROSSING: **BRANCH**
LOCATION: **2.5 M W OF CROSSVILLE**

COUNTY: **MARSHALL**
ROUTE: **0A310**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.05**
SUFFICIENCY RATING: **80.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.41522	DEGREES
(17a,b) LONGITUDE:	W	86.86862	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1973**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **8.9 FT**
(49) TOTAL BRIDGE LENGTH: **20.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **15.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **NO**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **6**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/18/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3140007**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **FITZPATRICK RD.**
CROSSING: **GLOBE CREEK**
LOCATION: **2.4 MI NW JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A314**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.84**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.46547	DEGREES
(17a,b) LONGITUDE:	W	86.92037	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1974
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	36.1 FT
(49) TOTAL BRIDGE LENGTH:	105.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/12/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3210001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COYLE RD.**
CROSSING: **BRANCH**
LOCATION: **2.9 MI SW JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A321**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.48**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.41860	DEGREES
(17a,b) LONGITUDE:	W	86.91428	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	11.2 FT
(49) TOTAL BRIDGE LENGTH:	24.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	23.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	14.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	40 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/15/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3210003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COYLE RD.**
CROSSING: **BRANCH**
LOCATION: **2.8 MI SW JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A321**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.58**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.41928	DEGREES
(17a,b) LONGITUDE:	W	86.91265	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1960**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **24.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **14.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/15/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3210005**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **COYLE RD.**
CROSSING: **MOORESVILLE CREEK**
LOCATION: **2.6 MI SW JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A321**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.83**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.41893	DEGREES
(17a,b) LONGITUDE:	W	86.90932	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1960
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	35.1 FT
(49) TOTAL BRIDGE LENGTH:	69.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	23 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/15/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A3230001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A323
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	WHITESELL RD.	COUNTY SEQUENCE:	1
CROSSING:	BEAR CREEK	LOG MILE:	2.81
LOCATION:	3 MI SW JCT I65&SR373	SUFFICIENCY RATING:	80.7

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43540	DEGREES
(17a,b) LONGITUDE:	W	86.93235	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	21.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/14/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A3590003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A329**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**KIRKLAND RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BEAR CREEK**	LOG MILE:	**0.27**
LOCATION:	**KIRKLAND RD @ SR 373**	SUFFICIENCY RATING:	**99.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.44408 DEGREES**
(17a,b) LONGITUDE:	**W 86.93083 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**GRAVEL**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1989**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**25.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**25.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**12.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**22.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/14/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3290001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **KIRKLAND RD.**
CROSSING: **FOX BRANCH**
LOCATION: **2.9 MI W JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A329**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.95**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45495	DEGREES
(17a,b) LONGITUDE:	W	86.93428	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1955**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **7.9 FT**
(49) TOTAL BRIDGE LENGTH: **24.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **14.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **42 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/14/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A3300001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A330
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	GUPTON RD.	COUNTY SEQUENCE:	1
CROSSING:	EAST FORK GLOBE CREEK	LOG MILE:	0.04
LOCATION:	.2 MI W JCT I65&SR373	SUFFICIENCY RATING:	86.8

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44905	DEGREES
(17a,b) LONGITUDE:	W	86.88683	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1975
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	15.1 FT
(49) TOTAL BRIDGE LENGTH:	74.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	26.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	21.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/12/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A3300003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A330**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**GUPTON RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**GUPTON BRANCH**	LOG MILE:	**0.39**
LOCATION:	**.4 MI NW JCT I65&SR373**	SUFFICIENCY RATING:	**73.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.45183**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.89180**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1987**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**25.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**22 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**25.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**21.7 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**7**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N10**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/12/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3310001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **PICKLE RD.**
CROSSING: **MCKNIGHT BRANCH**
LOCATION: **1.3 MI NW JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A331**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.45**
SUFFICIENCY RATING: **91.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45787	DEGREES
(17a,b) LONGITUDE:	W	86.90367	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1975**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **24.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **24 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **17.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.3 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **5**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **OTHER OR UNKNOWN**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/12/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3320001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **REESE RD.**
CROSSING: **GLOBE CREEK**
LOCATION: **1.4 MI S JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A332**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.12**
SUFFICIENCY RATING: **94.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43332	DEGREES
(17a,b) LONGITUDE:	W	86.88120	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1975
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	38.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	47 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/14/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3490001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **JOYCE AVE.**
CROSSING: **LOYD BRANCH**
LOCATION: **IN CITY OF LEWISBURG**

COUNTY: **MARSHALL**
ROUTE: **0A349**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.30**
SUFFICIENCY RATING: **86.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44243	DEGREES
(17a,b) LONGITUDE:	W	86.80817	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1970**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **24.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **25.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **28.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **26 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **25.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL CITY STREET**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **6**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **NNNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/10/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A3560001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A356
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	EVANS RD.	COUNTY SEQUENCE:	1
CROSSING:	E. FORK GLOBE CREEK	LOG MILE:	0.02
LOCATION:	.6 MI E JCT I65&SR373	SUFFICIENCY RATING:	100.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45083	DEGREES
(17a,b) LONGITUDE:	W	86.85182	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2013
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	18.0 FT
(49) TOTAL BRIDGE LENGTH:	55.5 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	40 FT
(52) BRIDGE OUT TO OUT WIDTH:	49.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	40.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	40.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/12/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3580001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **WEBB RD.**
CROSSING: **BRANCH**
LOCATION: **1.5 MI E JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A358**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.06**
SUFFICIENCY RATING: **92.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45042	DEGREES
(17a,b) LONGITUDE:	W	86.85918	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1979
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	18.0 FT
(49) TOTAL BRIDGE LENGTH:	20.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	NO
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/11/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3610001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CRAIG MOORE RD.**
CROSSING: **E. FORK GLOBE CREEK**
LOCATION: **.5 MI E JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A361**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.06**
SUFFICIENCY RATING: **89.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44815	DEGREES
(17a,b) LONGITUDE:	W	86.87500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	GRAVEL
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1988
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	44.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/12/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3610003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **CRAIG MOORE RD.**
CROSSING: **SILVER CREEK**
LOCATION: **2.7 MI N JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A361**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.01**
SUFFICIENCY RATING: **99.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.48567	DEGREES
(17a,b) LONGITUDE:	W	86.87693	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2016
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	14.0 FT
(49) TOTAL BRIDGE LENGTH:	31.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	11N1
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/11/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**590A3730001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A373**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**SNELL RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH OF ROCK CREEK**	LOG MILE:	**2.42**
LOCATION:	**3.5 M N OF LEWISBURG**	SUFFICIENCY RATING:	**78.4**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.49822**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.79792**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1975**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**15.1 FT**
(49) TOTAL BRIDGE LENGTH:	**37.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**26.2 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**28.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**25 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**26.2 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**37.1 FT**
(94) BRIDGE IMPROVEMENT COST:	**$207,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$21,000.00**
(96) TOTAL PROJECT COST:	**$311,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2018**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**6/11/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A3740001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0A374
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	SNELL RD.	COUNTY SEQUENCE:	1
CROSSING:	CSX RAILROAD	LOG MILE:	1.15
LOCATION:	2.7 MI N JCT SR11&SR272	SUFFICIENCY RATING:	92.7

IDENTIFICATION

(16a,b) LATITUDE:	N 35.50095 DEGREES
(17a,b) LONGITUDE:	W 86.77675 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1995
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	66.9 FT
(49) TOTAL BRIDGE LENGTH:	178.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	23.75 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	13.78 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	9
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/8/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **590A3760001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **DOUBLE BRIDGES RD.**
CROSSING: **WRIGHT BRANCH**
LOCATION: **3.5 MI NW JCT SR11&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A376**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.51**
SUFFICIENCY RATING: **99.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.51042	DEGREES
(17a,b) LONGITUDE:	W	86.79240	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **GRAVEL**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1984**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **33.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **22 FT**
(52) BRIDGE OUT TO OUT WIDTH: **25.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **17.1 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **22.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **8**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **7**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N10**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/11/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59M34450001**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **E. CHURCH ST.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **IN DOWNTOWN LEWISBURG**

COUNTY: **MARSHALL**
ROUTE: **0A609**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.08**
SUFFICIENCY RATING: **44.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44983	DEGREES
(17a,b) LONGITUDE:	W	86.78642	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	29.9 FT
(49) TOTAL BRIDGE LENGTH:	120.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL CITY STREET
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	9 TONS
WEIGHT POSTING (3 OR MORE AXLES):	17 TONS
(70) BRIDGE POSTING CODE:	3
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	150.3 FT
(94) BRIDGE IMPROVEMENT COST:	$1,001,000.00
(95) ROADWAY IMPROVEMENT COST:	$101,000.00
(96) TOTAL PROJECT COST:	$1,502,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/9/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S62580003**
BRIDGE OWNER: **CITY OF LEWISBURG**
FIPS CODE: **41860**
ROAD NAME: **FINLEY BEECH RD.**
CROSSING: **SNAKE CREEK**
LOCATION: **1.4 MI SE JCT SR11&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A611**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.09**
SUFFICIENCY RATING: **82.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45097	DEGREES
(17a,b) LONGITUDE:	W	86.75798	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1983**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **19.0 FT**
(49) TOTAL BRIDGE LENGTH: **63.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **25.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL CITY STREET**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **6**
(59) SUPERSTRUCTURE: **6**
(60) SUBSTRUCTURE: **6**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **9**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1011**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT: **63 FT**
(94) BRIDGE IMPROVEMENT COST: **$333,000.00**
(95) ROADWAY IMPROVEMENT COST: **$34,000.00**
(96) TOTAL PROJECT COST: **$500,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **7/18/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PUBLICATION DATE
27-Jul-18

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59S62580005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**MARSHALL COUNTY**	ROUTE:	**0A611**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**FINLEY BEECH RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BELFAST CREEK**	LOG MILE:	**3.68**
LOCATION:	**3.9 MI SW JCT SR50&SR272**	SUFFICIENCY RATING:	**82.5**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.44387 DEGREES**
(17a,b) LONGITUDE:	**W 86.71425 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**4**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1983**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**17.1 FT**
(49) TOTAL BRIDGE LENGTH:	**84.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24.3 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**27.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**18.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**30 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**25.9 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**6**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1110**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**84 FT**
(94) BRIDGE IMPROVEMENT COST:	**$428,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$43,000.00**
(96) TOTAL PROJECT COST:	**$643,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**7/18/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S43180001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **YELL RD.**
CROSSING: **TROY FORK CREEK**
LOCATION: **1.9 MI NW JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **0A612**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.59**
SUFFICIENCY RATING: **62.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.34317	DEGREES
(17a,b) LONGITUDE:	W	86.79203	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1930
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	32.2 FT
(49) TOTAL BRIDGE LENGTH:	34.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	20 FT
(52) BRIDGE OUT TO OUT WIDTH:	21 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	35 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	19.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	5
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	3
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	34.1 FT
(94) BRIDGE IMPROVEMENT COST:	$107,000.00
(95) ROADWAY IMPROVEMENT COST:	$11,000.00
(96) TOTAL PROJECT COST:	$161,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/26/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S43180003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **YELL RD.**
CROSSING: **SANDERS CREEK**
LOCATION: **3.1 MI S JCT SR11&SR373**

COUNTY: **MARSHALL**
ROUTE: **0A612**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.94**
SUFFICIENCY RATING: **87.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.40340	DEGREES
(17a,b) LONGITUDE:	W	86.79032	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **MONOLITHIC CONCRETE**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1997**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **15.1 FT**
(49) TOTAL BRIDGE LENGTH: **32.2 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **26.2 FT**
(52) BRIDGE OUT TO OUT WIDTH: **31.8 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **26.2 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **6/25/2018**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59M34500001**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OLD LAKE RD.**
CROSSING: **BRANCH**
LOCATION: **.3 M W JCT SR11&OLD LK RD**

COUNTY: **MARSHALL**
ROUTE: **0A614**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.07**
SUFFICIENCY RATING: **72.4**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.42280 DEGREES
(17a,b) LONGITUDE:	W 86.80313 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1955
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	32.2 FT
(49) TOTAL BRIDGE LENGTH:	64.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	19.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	22 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	19.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	19.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	64 FT
(94) BRIDGE IMPROVEMENT COST:	$164,000.00
(95) ROADWAY IMPROVEMENT COST:	$17,000.00
(96) TOTAL PROJECT COST:	$247,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/22/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59M34500003**
BRIDGE OWNER: **MARSHALL COUNTY**
FIPS CODE: **00000**
ROAD NAME: **OLD LAKE RD.**
CROSSING: **BRANCH**
LOCATION: **2 M W JCT SR11&OLD LK RD**

COUNTY: **MARSHALL**
ROUTE: **0A614**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.43**
SUFFICIENCY RATING: **72.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.42338	DEGREES
(17a,b) LONGITUDE:	W	86.80955	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1950
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	14.1 FT
(49) TOTAL BRIDGE LENGTH:	35.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	18.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	21 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	21.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	18.4 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	35.1 FT
(94) BRIDGE IMPROVEMENT COST:	$105,000.00
(95) ROADWAY IMPROVEMENT COST:	$11,000.00
(96) TOTAL PROJECT COST:	$158,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2018

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/22/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A0340003	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0D005
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	REYNOLDS RD.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	2.91
LOCATION:	5.5 MI NE JCT SR99&SR272	SUFFICIENCY RATING:	90.5

IDENTIFICATION

(16a,b) LATITUDE:	N	35.68189	DEGREES
(17a,b) LONGITUDE:	W	86.79486	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1981
(106) YEAR THE BRIDGE WAS REHABILITATED:	1986
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	20.0 FT
(49) TOTAL BRIDGE LENGTH:	23.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	18.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	20 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	16.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	18.4 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	NO
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/5/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	590A0340001	COUNTY:	MARSHALL
BRIDGE OWNER:	MARSHALL COUNTY	ROUTE:	0D005
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	REYNOLDS RD.	COUNTY SEQUENCE:	1
CROSSING:	FLAT CREEK	LOG MILE:	4.34
LOCATION:	5.1 MI SW JCT SR 11&WILLI	SUFFICIENCY RATING:	94.0

IDENTIFICATION

(16a,b) LATITUDE:	N 35.70231 DEGREES
(17a,b) LONGITUDE:	W 86.79089 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1999
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	30.2 FT
(49) TOTAL BRIDGE LENGTH:	65.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	21.7 FT
(52) BRIDGE OUT TO OUT WIDTH:	24.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	21.3 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1110
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	6/5/2018
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650002**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **I65 LL / SR 11**
LOCATION: **0.03 MI N OF GILES CO LN**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.04**
SUFFICIENCY RATING: **81.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30500	DEGREES
(17a,b) LONGITUDE:	W	86.88167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1965**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **HIGHWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **2**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **86.9 FT**
(49) TOTAL BRIDGE LENGTH: **221.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **36.4 FT**
(52) BRIDGE OUT TO OUT WIDTH: **40.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **38.1 FT**
(33) BRIDGE MEDIAN: **OPEN MEDIAN**
(34) BRIDGE SKEW: **58 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **42.1 FT**
(54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE: **14.17 FT**
(55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT: **3.61 FT**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL INTERSTATE**
(101) PARALLEL BRIDGE: **LEFT LANE BRIDGE**
(102) TRAFFIC DIR: **1-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **6**
(59) SUPERSTRUCTURE: **6**
(60) SUBSTRUCTURE: **7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **N**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **5**
(68) DECK GEOMETRY: **5**
(69) UNDERCLEARANCE RATING: **3**
(71) WATERWAY ADEQUACY: **N**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **111N**
(113) SCOUR CONDITION RATING: **N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/14/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **I65 RL / SR 11**
LOCATION: **0.03 MI. N. GILES CO LINE**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.04**
SUFFICIENCY RATING: **81.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.30500	DEGREES
(17a,b) LONGITUDE:	W	86.88167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1965
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	86.9 FT
(49) TOTAL BRIDGE LENGTH:	221.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	58 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	36.1 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.17 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	4.27 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	3
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/14/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **RICHLAND CREEK**
LOCATION: **1.1 M N OF GILES CO LINE**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.80**
SUFFICIENCY RATING: **91.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31500	DEGREES
(17a,b) LONGITUDE:	W	86.88167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	69.9 FT
(49) TOTAL BRIDGE LENGTH:	211.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	13 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	36.1 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/14/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59I00650004	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	I0065
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	I-65	COUNTY SEQUENCE:	1
CROSSING:	RICHLAND CREEK	LOG MILE:	0.80
LOCATION:	1.1 M N GILES CO LINE	SUFFICIENCY RATING:	91.6

IDENTIFICATION

(16a,b) LATITUDE:	N 35.31500 DEGREES
(17a,b) LONGITUDE:	W 86.88167 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	69.9 FT
(49) TOTAL BRIDGE LENGTH:	211.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	13 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	36.1 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/14/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650008**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **I65 LL / BLUE CR RD**
LOCATION: **3 M N OF GILES CO LINE**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.22**
SUFFICIENCY RATING: **94.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33667	DEGREES
(17a,b) LONGITUDE:	W	86.87833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	36.1 FT
(49) TOTAL BRIDGE LENGTH:	94.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	7 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	32.9 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.6 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	8.2 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/15/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **I65 RL / BLUE CR RD**
LOCATION: **3 M N GILES CO LINE**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.22**
SUFFICIENCY RATING: **88.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33667	DEGREES
(17a,b) LONGITUDE:	W	86.87833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	36.1 FT
(49) TOTAL BRIDGE LENGTH:	107.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	7 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	32.5 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	20.93 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	7.22 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/15/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650009**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **ROBINSON FORK CREEK**
LOCATION: **.1 M S JCT SR129&I65**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.47**
SUFFICIENCY RATING: **96.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36667	DEGREES
(17a,b) LONGITUDE:	W	86.88500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	27.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	37.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/15/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650010**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **ROBINSON FORK CREEK**
LOCATION: **.1 M S JCT SR129&I65**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.47**
SUFFICIENCY RATING: **96.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36667	DEGREES
(17a,b) LONGITUDE:	W	86.88500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	27.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	37.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N1N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/15/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650011**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **I65 RL / SR 129**
LOCATION: **AT THE JCT OF I65&SR129**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.72**
SUFFICIENCY RATING: **88.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.37000	DEGREES
(17a,b) LONGITUDE:	W	86.88500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	62.0 FT
(49) TOTAL BRIDGE LENGTH:	148.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	36.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	40 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	45.5 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	14.17 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	12.14 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44 +MOD
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	4
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/15/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59I00650012**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**I0065**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**I-65**	COUNTY SEQUENCE:	**1**
CROSSING:	**I65 LL / SR 129**	LOG MILE:	**4.72**
LOCATION:	**AT THE JCT OF I65&SR129**	SUFFICIENCY RATING:	**92.8**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.37000**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.88500**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1964**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**HIGHWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**2**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**62.0 FT**
(49) TOTAL BRIDGE LENGTH:	**144.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**36.4 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**40.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**38.1 FT**
(33) BRIDGE MEDIAN:	**OPEN MEDIAN**
(34) BRIDGE SKEW:	**40 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**46.0 FT**
(54a) VERT UNDERCLR:	**HIGHWAY BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE:	**14.17 FT**
(55a) HORZ UNDERCLR:	**HIGHWAY BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**12.14 FT**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL INTERSTATE**
(101) PARALLEL BRIDGE:	**LEFT LANE BRIDGE**
(102) TRAFFIC DIR:	**1-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**N**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**4**
(71) WATERWAY ADEQUACY:	**N**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**111N**
(113) SCOUR CONDITION RATING:	**N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/15/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650016**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **GLOBE CREEK**
LOCATION: **1 M S JCT SR373&I65**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **9.04**
SUFFICIENCY RATING: **95.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43167	DEGREES
(17a,b) LONGITUDE:	W	86.88000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	37.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650015**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **GLOBE CREEK**
LOCATION: **1 M S JCT SR373&I65**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **9.04**
SUFFICIENCY RATING: **95.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43167	DEGREES
(17a,b) LONGITUDE:	W	86.88000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	26.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	37.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650018**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **I65 LL / SR 373 & CREEK**
LOCATION: **AT THE JCT OF I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **10.16**
SUFFICIENCY RATING: **85.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44667	DEGREES
(17a,b) LONGITUDE:	W	86.88333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY-WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	49.9 FT
(49) TOTAL BRIDGE LENGTH:	182.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	2 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	36.1 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	18.77 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	7.87 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	LEFT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650017**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **I65 RL / SR 373 & CREEK**
LOCATION: **AT THE JCT OF I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **10.16**
SUFFICIENCY RATING: **85.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44667	DEGREES
(17a,b) LONGITUDE:	W	86.88333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	HIGHWAY-WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	49.9 FT
(49) TOTAL BRIDGE LENGTH:	182.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	36.4 FT
(52) BRIDGE OUT TO OUT WIDTH:	40.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	OPEN MEDIAN
(34) BRIDGE SKEW:	2 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	47.3 FT
(54a) VERT UNDERCLR:	HIGHWAY BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	18.27 FT
(55a) HORZ UNDERCLR:	HIGHWAY BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	7.87 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	9
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59I00650019**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **I-65**
CROSSING: **I65 NB RAMP / BRANCH**
LOCATION: **2 MI E OF MOORESVILLE**

COUNTY: **MARSHALL**
ROUTE: **I0065**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **10.17**
SUFFICIENCY RATING: **97.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44833	DEGREES
(17a,b) LONGITUDE:	W	86.88333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1964
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	1
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	34.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	73.8 FT
(52) BRIDGE OUT TO OUT WIDTH:	75.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	38.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	31.8 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN INTERSTATE
(101) PARALLEL BRIDGE:	RIGHT LANE BRIDGE
(102) TRAFFIC DIR:	1-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/19/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59I00650020**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**I0065**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**I-65**	COUNTY SEQUENCE:	**1**
CROSSING:	**I65 SB RAMP / BRANCH**	LOG MILE:	**10.18**
LOCATION:	**1.2 M.NE OF MOORSEVILLE**	SUFFICIENCY RATING:	**87.1**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.44833**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.88333**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1964**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**1**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**9.8 FT**
(49) TOTAL BRIDGE LENGTH:	**33.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**78.1 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**80.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**38.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**31.8 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN INTERSTATE**
(101) PARALLEL BRIDGE:	**LEFT LANE BRIDGE**
(102) TRAFFIC DIR:	**1-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**9**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/19/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0110001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **S. MAIN ST.**
CROSSING: **RICHLAND CREEK**
LOCATION: **1.2 M NE GILES CO LINE**

COUNTY: **MARSHALL**
ROUTE: **SR011**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.05**
SUFFICIENCY RATING: **87.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.31833	DEGREES
(17a,b) LONGITUDE:	W	86.87333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	10
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1929
(106) YEAR THE BRIDGE WAS REHABILITATED:	1955
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	63.0 FT
(49) TOTAL BRIDGE LENGTH:	450.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	31.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	29.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	37 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/15/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0110003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **S. MAIN ST.**
CROSSING: **CORN CREEK**
LOCATION: **1.4 M NE OF GILES CO LINE**

COUNTY: **MARSHALL**
ROUTE: **SR011**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.33**
SUFFICIENCY RATING: **85.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32167	DEGREES
(17a,b) LONGITUDE:	W	86.87000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1929
(106) YEAR THE BRIDGE WAS REHABILITATED:	1955
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	38.1 FT
(49) TOTAL BRIDGE LENGTH:	78.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	31.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	29.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	20 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	5
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/15/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0110005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR011**
FIPS CODE:	**17180**	SPECIAL CASE:	**0**
ROAD NAME:	**S. MAIN ST.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**3.71**
LOCATION:	**4 M NE OF GILES CO LINE**	SUFFICIENCY RATING:	**76.5**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.34833 DEGREES**
(17a,b) LONGITUDE:	**W 86.84500 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1955**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**41.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**32.2 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**24.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N11**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**41 FT**
(94) BRIDGE IMPROVEMENT COST:	**$255,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$26,000.00**
(96) TOTAL PROJECT COST:	**$383,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/15/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0110007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **17180**
ROAD NAME: **S. MAIN ST.**
CROSSING: **BRANCH**
LOCATION: **.2 M S JCT SR129&SR11**

COUNTY: **MARSHALL**
ROUTE: **SR011**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.36**
SUFFICIENCY RATING: **66.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35667	DEGREES
(17a,b) LONGITUDE:	W	86.84000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1955**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **4**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **22.0 FT**
(50a) LEFT SIDEWALK WIDTH: **3.9 FT**
(50b) RIGHT SIDEWALK WIDTH: **3.9 FT**
(51) BRIDGE CURB TO CURB WIDTH: **47.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **59.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **47.9 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **47.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **8**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0NNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **22 FT**
(94) BRIDGE IMPROVEMENT COST: **$74,000.00**
(95) ROADWAY IMPROVEMENT COST: **$8,000.00**
(96) TOTAL PROJECT COST: **$112,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/15/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0110009**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR011**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**CORNERSVILLE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CSX RAILROAD**	LOG MILE:	**6.54**
LOCATION:	**2 M NE JCT SR129&SR11**	SUFFICIENCY RATING:	**56.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.38500 DEGREES**
(17a,b) LONGITUDE:	**W 86.82667 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**5**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1950**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1995**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**RAILROAD**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**51.8 FT**
(49) TOTAL BRIDGE LENGTH:	**167.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**25.9 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**32.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**32.2 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**25.6 FT**
(54a) VERT UNDERCLR:	**RAILROAD BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE:	**22.93 FT**
(55a) HORZ UNDERCLR:	**RAILROAD BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**17.06 FT**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**N**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**2**
(69) UNDERCLEARANCE RATING:	**7**
(71) WATERWAY ADEQUACY:	**N**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**111N**
(113) SCOUR CONDITION RATING:	**N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**167 FT**
(94) BRIDGE IMPROVEMENT COST:	**$499,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$50,000.00**
(96) TOTAL PROJECT COST:	**$749,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/15/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0110031**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR011**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**CORNERSVILLE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**6.84**
LOCATION:	**2.2 M NE JCT SR129&SR11**	SUFFICIENCY RATING:	**84.3**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.38667**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.82167**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1953**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**9.8 FT**
(49) TOTAL BRIDGE LENGTH:	**23.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**25.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**28.9 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N1N**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/16/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0110011**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR011**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**CORNERSVILLE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**ROCK CREEK**	LOG MILE:	**7.63**
LOCATION:	**2.1 M S JCT SR106&SR11**	SUFFICIENCY RATING:	**71.5**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.39500**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.81333**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1948**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1994**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**28.9 FT**
(49) TOTAL BRIDGE LENGTH:	**86.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**30.2 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**32.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**29.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**30.2 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**3**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**111N**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**86 FT**
(94) BRIDGE IMPROVEMENT COST:	**$556,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$56,000.00**
(96) TOTAL PROJECT COST:	**$835,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/16/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0110013**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR011**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**CORNERSVILLE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**7.76**
LOCATION:	**2 M S JCT SR106&SR11**	SUFFICIENCY RATING:	**92.6**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.39667**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.81167**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1953**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**9.8 FT**
(49) TOTAL BRIDGE LENGTH:	**32.2 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**27.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**31.5 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N11**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/16/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0110015**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR011**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**CORNERSVILLE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**8.73**
LOCATION:	**1 M S JCT SR106&SR11**	SUFFICIENCY RATING:	**90.5**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.41000**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.80333**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1948**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**2012**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**28.9 FT**
(49) TOTAL BRIDGE LENGTH:	**86.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**32.2 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**33.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**27.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**25.3 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**9**
(60) SUBSTRUCTURE:	**9**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1111**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/16/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0110017**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **41860**
ROAD NAME: **CORNERSVILLE HWY.**
CROSSING: **ROCK CREEK**
LOCATION: **.4 M S JCT SR50&SR11**

COUNTY: **MARSHALL**
ROUTE: **SR011**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **11.14**
SUFFICIENCY RATING: **82.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44167	DEGREES
(17a,b) LONGITUDE:	W	86.79167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	6
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1928
(106) YEAR THE BRIDGE WAS REHABILITATED:	1948
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	170.9 FT
(50a) LEFT SIDEWALK WIDTH:	4.9 FT
(50b) RIGHT SIDEWALK WIDTH:	4.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	51.8 FT
(52) BRIDGE OUT TO OUT WIDTH:	64.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	58.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	51.8 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/16/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0110019**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR011**
FIPS CODE:	**41860**	SPECIAL CASE:	**0**
ROAD NAME:	**NASHVILLE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**ROCK CREEK**	LOG MILE:	**13.18**
LOCATION:	**1.2 M NE JCT SR50&SR11**	SUFFICIENCY RATING:	**44.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.46500**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.77500**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**7**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1930**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1955**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**37.1 FT**
(49) TOTAL BRIDGE LENGTH:	**258.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**27.9 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**34.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**30.2 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**30 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**27.9 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**5**
(60) SUBSTRUCTURE:	**5**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**5**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0011**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REPLACEMENT**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**292 FT**
(94) BRIDGE IMPROVEMENT COST:	**$2,361,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$237,000.00**
(96) TOTAL PROJECT COST:	**$3,542,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/17/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0110021**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **41860**
ROAD NAME: **NASHVILLE HWY.**
CROSSING: **SNAKE CREEK**
LOCATION: **N.EAST EDGE OF LEWISBURG**

COUNTY: **MARSHALL**
ROUTE: **SR011**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **14.04**
SUFFICIENCY RATING: **42.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.47333	DEGREES
(17a,b) LONGITUDE:	W	86.76333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1929
(106) YEAR THE BRIDGE WAS REHABILITATED:	1955
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	42.0 FT
(49) TOTAL BRIDGE LENGTH:	86.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	30.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	27.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	115.8 FT
(94) BRIDGE IMPROVEMENT COST:	$1,005,000.00
(95) ROADWAY IMPROVEMENT COST:	$101,000.00
(96) TOTAL PROJECT COST:	$1,508,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/17/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59SR0110023	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR011
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	NASHVILLE HWY.	COUNTY SEQUENCE:	1
CROSSING:	DRY CREEK	LOG MILE:	14.99
LOCATION:	3 M NE JCT SR50&SR11	SUFFICIENCY RATING:	46.2

IDENTIFICATION

(16a,b) LATITUDE:	N	35.48333	DEGREES
(17a,b) LONGITUDE:	W	86.75167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1929
(106) YEAR THE BRIDGE WAS REHABILITATED:	1955
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	24.9 FT
(49) TOTAL BRIDGE LENGTH:	98.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	30.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	27.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	127.3 FT
(94) BRIDGE IMPROVEMENT COST:	$1,053,000.00
(95) ROADWAY IMPROVEMENT COST:	$106,000.00
(96) TOTAL PROJECT COST:	$1,580,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/17/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0110025**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **NASHVILLE HWY.**
CROSSING: **EAST ROCK CREEK**
LOCATION: **.1 M SW JCT SR64&SR11**

COUNTY: **MARSHALL**
ROUTE: **SR011**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **17.63**
SUFFICIENCY RATING: **49.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.50500	DEGREES
(17a,b) LONGITUDE:	W	86.71167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1926
(106) YEAR THE BRIDGE WAS REHABILITATED:	1955
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	43.0 FT
(49) TOTAL BRIDGE LENGTH:	214.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	30.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	27.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0011
(113) SCOUR CONDITION RATING:	U

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	214.9 FT
(94) BRIDGE IMPROVEMENT COST:	$538,000.00
(95) ROADWAY IMPROVEMENT COST:	$54,000.00
(96) TOTAL PROJECT COST:	$808,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/17/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0110027**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **NASHVILLE HWY.**
CROSSING: **RICH CREEK**
LOCATION: **2 M SW JCT SR99&SR11**

COUNTY: **MARSHALL**
ROUTE: **SR011**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **22.20**
SUFFICIENCY RATING: **47.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.57000	DEGREES
(17a,b) LONGITUDE:	W	86.70167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1928
(106) YEAR THE BRIDGE WAS REHABILITATED:	1955
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	37.1 FT
(49) TOTAL BRIDGE LENGTH:	148.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	30.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	27.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	4
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0011
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	180.4 FT
(94) BRIDGE IMPROVEMENT COST:	$1,500,000.00
(95) ROADWAY IMPROVEMENT COST:	$151,000.00
(96) TOTAL PROJECT COST:	$2,251,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/17/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0110029**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR011**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**NASHVILLE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**DUCK RIVER**	LOG MILE:	**23.89**
LOCATION:	**.5 S JCT SR99&SR11**	SUFFICIENCY RATING:	**63.7**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.59333**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.69667**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**4**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1965**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY-PEDESTRIAN**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**121.1 FT**
(49) TOTAL BRIDGE LENGTH:	**436.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**4.6 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**25.9 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**36.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**34.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**25.9 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**6**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**3**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1111**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**436 FT**
(94) BRIDGE IMPROVEMENT COST:	**$3,487,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$349,000.00**
(96) TOTAL PROJECT COST:	**$5,231,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/17/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0500019**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **41860**
ROAD NAME: **N. ELLINGTON PKWY.**
CROSSING: **CSX RAILROAD**
LOCATION: **2.1 M NW JCT SR11&SR50**

COUNTY: **MARSHALL**
ROUTE: **SR050**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.53**
SUFFICIENCY RATING: **63.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.46833	DEGREES
(17a,b) LONGITUDE:	W	86.79500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1961**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **RAILROAD**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **44.9 FT**
(49) TOTAL BRIDGE LENGTH: **113.8 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **27.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **34.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **32.2 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **27.9 FT**
(54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE: **23.92 FT**
(55a) HORZ UNDERCLR: **RAILROAD BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT: **21.65 FT**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **8**
(59) SUPERSTRUCTURE: **7**
(60) SUBSTRUCTURE: **6**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **N**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **9**
(71) WATERWAY ADEQUACY: **N**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N1N**
(113) SCOUR CONDITION RATING: **N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **113.8 FT**
(94) BRIDGE IMPROVEMENT COST: **$309,000.00**
(95) ROADWAY IMPROVEMENT COST: **$31,000.00**
(96) TOTAL PROJECT COST: **$464,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/22/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59SR0500017	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR050
FIPS CODE:	41860	SPECIAL CASE:	0
ROAD NAME:	N. ELLINGTON PKWY.	COUNTY SEQUENCE:	1
CROSSING:	SNELL BRANCH	LOG MILE:	6.22
LOCATION:	.2 M W JCT SR11&SR50	SUFFICIENCY RATING:	85.0

IDENTIFICATION

(16a,b) LATITUDE:	N	35.46333	DEGREES
(17a,b) LONGITUDE:	W	86.78500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1961
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	29.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	44.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN PRINCIPAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N10
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/22/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0500001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **41860**
ROAD NAME: **E. COMMERCE ST.**
CROSSING: **BIG ROCK CREEK**
LOCATION: **.1 M E JCT SR11&SR50**

COUNTY: **MARSHALL**
ROUTE: **SR050**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **6.57**
SUFFICIENCY RATING: **97.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44833	DEGREES
(17a,b) LONGITUDE:	W	86.78667	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	6
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1936
(106) YEAR THE BRIDGE WAS REHABILITATED:	2017
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	170.9 FT
(50a) LEFT SIDEWALK WIDTH:	4.9 FT
(50b) RIGHT SIDEWALK WIDTH:	4.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	40 FT
(52) BRIDGE OUT TO OUT WIDTH:	52.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	40.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	39.7 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	3/14/2017
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0500003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR050**
FIPS CODE:	**41860**	SPECIAL CASE:	**0**
ROAD NAME:	**E. COMMERCE ST.**	COUNTY SEQUENCE:	**1**
CROSSING:	**CAPPS BRANCH**	LOG MILE:	**7.30**
LOCATION:	**.9 M E JCT SR11&SR50**	SUFFICIENCY RATING:	**84.5**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.44333**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.77333**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**4**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1961**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**2013**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**5**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**20.7 FT**
(49) TOTAL BRIDGE LENGTH:	**62.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**4.9 FT**
(50b) RIGHT SIDEWALK WIDTH:	**4.9 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**84 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**104 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**84.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**84.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**9**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**9**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0NNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/22/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0500005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **FAYETTEVILLE HWY.**
CROSSING: **SNAKE CREEK**
LOCATION: **2.1 M E JCT SR11&SR50**

COUNTY: **MARSHALL**
ROUTE: **SR050**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.64**
SUFFICIENCY RATING: **65.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43667	DEGREES
(17a,b) LONGITUDE:	W	86.75167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1936
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	86.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N1N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	86 FT
(94) BRIDGE IMPROVEMENT COST:	$344,000.00
(95) ROADWAY IMPROVEMENT COST:	$35,000.00
(96) TOTAL PROJECT COST:	$517,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/22/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59SR0500007	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR050
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	FAYETTEVILLE HWY.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	12.24
LOCATION:	.5 M SE JCT SR271&SR50	SUFFICIENCY RATING:	77.1

IDENTIFICATION

(16a,b) LATITUDE:	N	35.41167	DEGREES
(17a,b) LONGITUDE:	W	86.70000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	32.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	32.5 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	29.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	32.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REHABILITATION
(76) LENGTH OF BRIDGE IMPROVEMENT:	32.2 FT
(94) BRIDGE IMPROVEMENT COST:	$205,000.00
(95) ROADWAY IMPROVEMENT COST:	$21,000.00
(96) TOTAL PROJECT COST:	$308,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/23/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59SR0500009	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR050
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	FAYETTEVILLE HWY.	COUNTY SEQUENCE:	1
CROSSING:	LAZY BRANCH	LOG MILE:	15.11
LOCATION:	3.1 M SE JCT SR271&SR50	SUFFICIENCY RATING:	58.4

IDENTIFICATION

(16a,b) LATITUDE:	N	35.37333	DEGREES
(17a,b) LONGITUDE:	W	86.68833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	4
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	63.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	29.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	50 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	63 FT
(94) BRIDGE IMPROVEMENT COST:	$205,000.00
(95) ROADWAY IMPROVEMENT COST:	$21,000.00
(96) TOTAL PROJECT COST:	$308,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/23/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0500011**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **FAYETTEVILLE HWY.**
CROSSING: **BRANCH**
LOCATION: **4.1 M NW OF LINCOLN CO LN**

COUNTY: **MARSHALL**
ROUTE: **SR050**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **15.68**
SUFFICIENCY RATING: **87.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36500	DEGREES
(17a,b) LONGITUDE:	W	86.68667	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1935
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	23.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	32.2 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	29.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	31.8 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N1N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/23/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0500013**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **FAYETTEVILLE HWY.**
CROSSING: **WEST CANE CREEK**
LOCATION: **3 M NW OF LINCOLN CO LINE**

COUNTY: **MARSHALL**
ROUTE: **SR050**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **16.69**
SUFFICIENCY RATING: **59.6**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35000	DEGREES
(17a,b) LONGITUDE:	W	86.68167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **5**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1935**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **28.9 FT**
(49) TOTAL BRIDGE LENGTH: **143.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24 FT**
(52) BRIDGE OUT TO OUT WIDTH: **27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **29.9 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **35 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **6**
(59) SUPERSTRUCTURE: **7**
(60) SUBSTRUCTURE: **6**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0111**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **143 FT**
(94) BRIDGE IMPROVEMENT COST: **$436,000.00**
(95) ROADWAY IMPROVEMENT COST: **$44,000.00**
(96) TOTAL PROJECT COST: **$655,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/23/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0500015**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **FAYETTEVILLE HWY.**
CROSSING: **BRANCH**
LOCATION: **2.5 M NW OF LINCOLN CO LN**

COUNTY: **MARSHALL**
ROUTE: **SR050**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **17.06**
SUFFICIENCY RATING: **66.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.34667	DEGREES
(17a,b) LONGITUDE:	W	86.67833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1935**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **26.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **30.8 FT**
(52) BRIDGE OUT TO OUT WIDTH: **34.4 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **29.9 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **30 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **30.8 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **6**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0111**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **26.9 FT**
(94) BRIDGE IMPROVEMENT COST: **$67,000.00**
(95) ROADWAY IMPROVEMENT COST: **$7,000.00**
(96) TOTAL PROJECT COST: **$101,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/23/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0990001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR099**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**STATE HWY. 99**	COUNTY SEQUENCE:	**1**
CROSSING:	**CANEY CREEK**	LOG MILE:	**3.25**
LOCATION:	**3.2MI.E.OF MAURY CO. LN.**	SUFFICIENCY RATING:	**82.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.60833 DEGREES**
(17a,b) LONGITUDE:	**W 86.77000 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**4**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1969**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**2002**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**55.1 FT**
(49) TOTAL BRIDGE LENGTH:	**221.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**34.1 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**36.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**36.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**33.8 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**111N**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/25/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59SR0990007	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR099
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	STATE HWY. 99	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	3.61
LOCATION:	NEAR SR-272 JCT.	SUFFICIENCY RATING:	77.4

IDENTIFICATION

(16a,b) LATITUDE:	N	35.60750	DEGREES
(17a,b) LONGITUDE:	W	86.76372	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1948
(106) YEAR THE BRIDGE WAS REHABILITATED:	#Error
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.0 FT
(49) TOTAL BRIDGE LENGTH:	24.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	44.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	46.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	46.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	46.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	NNNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/25/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0990003**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR099**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**STATE HWY. 99**	COUNTY SEQUENCE:	**1**
CROSSING:	**CSX RAILROAD**	LOG MILE:	**6.13**
LOCATION:	**1MI.W.OF HENRY HORTON PK.**	SUFFICIENCY RATING:	**76.9**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.59833 DEGREES**
(17a,b) LONGITUDE:	**W 86.72000 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1969**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**RAILROAD**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**49.9 FT**
(49) TOTAL BRIDGE LENGTH:	**149.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**34.1 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**36.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**38.1 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**19 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**33.8 FT**
(54a) VERT UNDERCLR:	**RAILROAD BENEATH BRIDGE**
(54b) MIN VERTICAL UNDERCLEARANCE:	**23.69 FT**
(55a) HORZ UNDERCLR:	**RAILROAD BENEATH BRIDGE**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**23.29 FT**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NOT APPLICABLE**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**N**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**9**
(71) WATERWAY ADEQUACY:	**N**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**000N**
(113) SCOUR CONDITION RATING:	**N**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**149.9 FT**
(94) BRIDGE IMPROVEMENT COST:	**$900,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$91,000.00**
(96) TOTAL PROJECT COST:	**$1,351,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/25/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR0990005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR099**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**EAGLEVILLE PK.**	COUNTY SEQUENCE:	**1**
CROSSING:	**SPRING CREEK**	LOG MILE:	**7.69**
LOCATION:	**.5MI.E.OF JCT. US31A**	SUFFICIENCY RATING:	**98.4**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.64333**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.68167**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1984**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**50.9 FT**
(49) TOTAL BRIDGE LENGTH:	**173.9 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**35.8 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**38.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**30.8 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**35.8 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**6**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**6**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1111**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**8/25/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59FA0113001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **41860**
ROAD NAME: **S. ELLINGTON PKWY.**
CROSSING: **COLLINS CREEK**
LOCATION: **1.3 M NE JCT SR11&SR106**

COUNTY: **MARSHALL**
ROUTE: **SR106**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.36**
SUFFICIENCY RATING: **97.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43333	DEGREES
(17a,b) LONGITUDE:	W	86.77833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **2013**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **5**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **40.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **107 FT**
(52) BRIDGE OUT TO OUT WIDTH: **108.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **69.9 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **69.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HL-93**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **9**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1111**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/1/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59FA0113003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **41860**
ROAD NAME: **N. ELLINGTON PKWY.**
CROSSING: **CAPPS BRANCH**
LOCATION: **.1 M NW JCT SR50&SR106**

COUNTY: **MARSHALL**
ROUTE: **SR106**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.43**
SUFFICIENCY RATING: **72.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44667	DEGREES
(17a,b) LONGITUDE:	W	86.77500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **4**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1963**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **61.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **40.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **49.5 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **4**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT: **61 FT**
(94) BRIDGE IMPROVEMENT COST: **$390,000.00**
(95) ROADWAY IMPROVEMENT COST: **$40,000.00**
(96) TOTAL PROJECT COST: **$586,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/1/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59FA0113005**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR106**
FIPS CODE:	**41860**	SPECIAL CASE:	**0**
ROAD NAME:	**N. ELLINGTON PKWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BIG ROCK CREEK**	LOG MILE:	**3.03**
LOCATION:	**.8 M NW JCT SR50&SR106**	SUFFICIENCY RATING:	**93.3**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.45500 DEGREES**
(17a,b) LONGITUDE:	**W 86.77833 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2002**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY-PEDESTRIAN**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**5**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**68.9 FT**
(49) TOTAL BRIDGE LENGTH:	**209.3 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**5.9 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**68.9 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**77.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**68.9 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**15 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**68.9 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**URBAN PRINCIPAL ARTERIAL**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**7**
(60) SUBSTRUCTURE:	**9**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**8**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1111**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/1/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR1060005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **FRANKLIN PK.**
CROSSING: **WRIGHT BRANCH**
LOCATION: **1.3 M W JCT SR50&SR106**

COUNTY: **MARSHALL**
ROUTE: **SR106**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **4.80**
SUFFICIENCY RATING: **97.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.49667	DEGREES
(17a,b) LONGITUDE:	W	86.80833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	30.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	30.2 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	7
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/1/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR1060007**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR106**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**US-HWY. 431**	COUNTY SEQUENCE:	**2**
CROSSING:	**DUCK RIVER**	LOG MILE:	**1.90**
LOCATION:	**.3 M S MAURY CO LINE**	SUFFICIENCY RATING:	**96.3**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.60667**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.82167**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**2016**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**230.0 FT**
(49) TOTAL BRIDGE LENGTH:	**460.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**40 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**41.3 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**38.4 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**40.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**8**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HL-93**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**8**
(68) DECK GEOMETRY:	**7**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**6**
(36) TRAFFIC SAFETY FEATURES:	**1111**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/1/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**/**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR1290001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR129**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**LYNNVILLE HWY.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**0.71**
LOCATION:	**NEAR CORNERSVILLE**	SUFFICIENCY RATING:	**97.1**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.37000 DEGREES**
(17a,b) LONGITUDE:	**W 86.91333 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1984**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**12.1 FT**
(49) TOTAL BRIDGE LENGTH:	**55.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**34.1 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**47.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**30.2 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**45 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**34.1 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**6**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1N11**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/2/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR1290007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **LYNNVILLE HWY.**
CROSSING: **BRANCH**
LOCATION: **NEAR CORNERSVILLE**

COUNTY: **MARSHALL**
ROUTE: **SR129**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.41**
SUFFICIENCY RATING: **97.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.37000	DEGREES
(17a,b) LONGITUDE:	W	86.91333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1999
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	10.2 FT
(49) TOTAL BRIDGE LENGTH:	22.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	30.2 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	34.1 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	8

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/2/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR1290005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **NEW OSTELLA RD.**
CROSSING: **TOWN CREEK**
LOCATION: **1 M E JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **SR129**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **7.26**
SUFFICIENCY RATING: **97.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33000	DEGREES
(17a,b) LONGITUDE:	W	86.84167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1980**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **41.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **30.2 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **34.8 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/2/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR1290003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **NEW OSTELLA RD.**
CROSSING: **BRANCH - TOWN CREEK**
LOCATION: **1.1 M E JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **SR129**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **7.41**
SUFFICIENCY RATING: **97.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33000	DEGREES
(17a,b) LONGITUDE:	W	86.84000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1980**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **12.1 FT**
(49) TOTAL BRIDGE LENGTH: **25.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH: **UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **30.2 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **34.1 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **7**
(68) DECK GEOMETRY: **N**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0N00**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/2/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59S42800015**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR129**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**NEW OSTELLA RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**GARRETT BRANCH**	LOG MILE:	**9.14**
LOCATION:	**10 MI. E. OF PETERSBURG**	SUFFICIENCY RATING:	**78.5**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.32167 DEGREES**
(17a,b) LONGITUDE:	**W 86.81500 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**1**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1950**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**1985**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**20.0 FT**
(49) TOTAL BRIDGE LENGTH:	**21.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**24 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**27.6 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**22.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**24.0 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**8**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**8**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**6**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**4**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N00**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**BRIDGE REHABILITATION**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**21 FT**
(94) BRIDGE IMPROVEMENT COST:	**$117,000.00**
(95) ROADWAY IMPROVEMENT COST:	**$12,000.00**
(96) TOTAL PROJECT COST:	**$176,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	**2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/2/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S42800003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **NEW OSTELLA RD.**
CROSSING: **TROY CREEK**
LOCATION: **3 M E JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **SR129**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **9.76**
SUFFICIENCY RATING: **80.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32167	DEGREES
(17a,b) LONGITUDE:	W	86.80333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1930
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	63.0 FT
(49) TOTAL BRIDGE LENGTH:	63.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	23.6 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S42800005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **NEW OSTELLA RD.**
CROSSING: **BRANCH**
LOCATION: **3.8 M E JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **SR129**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **10.64**
SUFFICIENCY RATING: **88.2**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32167	DEGREES
(17a,b) LONGITUDE:	W	86.78833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1930
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	23.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	28.5 FT
(52) BRIDGE OUT TO OUT WIDTH:	30.8 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	28.5 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S42800007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **NEW OSTELLA RD.**
CROSSING: **THOMPSON BRANCH**
LOCATION: **5 M E JCT SR11&SR129**

COUNTY: **MARSHALL**
ROUTE: **SR129**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **11.59**
SUFFICIENCY RATING: **80.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32667	DEGREES
(17a,b) LONGITUDE:	W	86.77333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1950**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **24.0 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24.9 FT**
(52) BRIDGE OUT TO OUT WIDTH: **28.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **24.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.9 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **6**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **000N**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/6/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S42800009**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **BROWN SHOP RD.**
CROSSING: **RICHLAND CREEK**
LOCATION: **.2 M S JCT SR272&SR129**

COUNTY: **MARSHALL**
ROUTE: **SR129**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **12.24**
SUFFICIENCY RATING: **78.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32333	DEGREES
(17a,b) LONGITUDE:	W	86.76500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1951
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	43.0 FT
(49) TOTAL BRIDGE LENGTH:	157.2 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	157.2 FT
(94) BRIDGE IMPROVEMENT COST:	$170,000.00
(95) ROADWAY IMPROVEMENT COST:	$18,000.00
(96) TOTAL PROJECT COST:	$256,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59S42800011	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR129
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	BROWN SHOP RD.	COUNTY SEQUENCE:	1
CROSSING:	PEE DEE CREEK	LOG MILE:	12.83
LOCATION:	.9 M SE JCT SR272&SR129	SUFFICIENCY RATING:	98.8

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32000	DEGREES
(17a,b) LONGITUDE:	W	86.75667	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1930
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	12.1 FT
(49) TOTAL BRIDGE LENGTH:	39.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	34.1 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N01
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/6/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59S42800013**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR129**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BROWN SHOP RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**15.85**
LOCATION:	**4 M E JCT SR272&SR129**	SUFFICIENCY RATING:	**98.8**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.31833**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.71333**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**NOT APPLICABLE**
B) TYPE MEMBRANE:	**NOT APPLICABLE**
C) TYPE PROTECTION:	**NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1930**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**9.8 FT**
(49) TOTAL BRIDGE LENGTH:	**38.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**UNDER FILL**
(52) BRIDGE OUT TO OUT WIDTH:	**UNDER FILL**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**20.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**30 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**30.2 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**N**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**0N01**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/6/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR1300001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **57740**
ROAD NAME: **HIGH ST.**
CROSSING: **CANE CREEK**
LOCATION: **.05 M N LINCOLN CO LINE**

COUNTY: **MARSHALL**
ROUTE: **SR130**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **2**
LOG MILE: **0.04**
SUFFICIENCY RATING: **43.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32000	DEGREES
(17a,b) LONGITUDE:	W	86.63833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	6
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1954
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	29.9 FT
(49) TOTAL BRIDGE LENGTH:	190.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	34.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	50 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	3
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	3
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE REPLACEMENT
(76) LENGTH OF BRIDGE IMPROVEMENT:	225.1 FT
(94) BRIDGE IMPROVEMENT COST:	$1,349,000.00
(95) ROADWAY IMPROVEMENT COST:	$135,000.00
(96) TOTAL PROJECT COST:	$2,024,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR1300003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **RICHMOND RD.**
CROSSING: **SAUNDERS BRANCH**
LOCATION: **0.81 M NE SR 50**

COUNTY: **MARSHALL**
ROUTE: **SR130**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **2**
LOG MILE: **0.79**
SUFFICIENCY RATING: **58.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33167	DEGREES
(17a,b) LONGITUDE:	W	86.63667	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1949
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	34.1 FT
(49) TOTAL BRIDGE LENGTH:	67.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	22.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	30 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	67.9 FT
(94) BRIDGE IMPROVEMENT COST:	$86,000.00
(95) ROADWAY IMPROVEMENT COST:	$9,000.00
(96) TOTAL PROJECT COST:	$130,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR1300005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **RICHMOND RD.**
CROSSING: **SORRELS BRANCH**
LOCATION: **2.1 M N LINCOLN CO LINE**

COUNTY: **MARSHALL**
ROUTE: **SR130**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **2**
LOG MILE: **2.16**
SUFFICIENCY RATING: **70.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35000	DEGREES
(17a,b) LONGITUDE:	W	86.62667	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1949
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	32.2 FT
(49) TOTAL BRIDGE LENGTH:	33.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	33.1 FT
(94) BRIDGE IMPROVEMENT COST:	$52,000.00
(95) ROADWAY IMPROVEMENT COST:	$6,000.00
(96) TOTAL PROJECT COST:	$79,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/7/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S63640001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **HWY. 270**
CROSSING: **SPRING CREEK**
LOCATION: **.1 M E JCT SR11&SR270**

COUNTY: **MARSHALL**
ROUTE: **SR270**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.17**
SUFFICIENCY RATING: **70.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.60167	DEGREES
(17a,b) LONGITUDE:	W	86.69667	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1955
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	33.1 FT
(49) TOTAL BRIDGE LENGTH:	99.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	25.9 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	25.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	000N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	99.1 FT
(94) BRIDGE IMPROVEMENT COST:	$348,000.00
(95) ROADWAY IMPROVEMENT COST:	$35,000.00
(96) TOTAL PROJECT COST:	$523,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/25/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S63640003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **HWY. 270**
CROSSING: **WILSON CREEK**
LOCATION: **.5 M W OF BEDFORD CO LN**

COUNTY: **MARSHALL**
ROUTE: **SR270**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.48**
SUFFICIENCY RATING: **62.0**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.59833	DEGREES
(17a,b) LONGITUDE:	W	86.66000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **PRESTRESSED CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **1**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1970**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **77.1 FT**
(49) TOTAL BRIDGE LENGTH: **79.1 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24 FT**
(52) BRIDGE OUT TO OUT WIDTH: **28.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **22.0 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **24 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.0 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **8**
(59) SUPERSTRUCTURE: **8**
(60) SUBSTRUCTURE: **6**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **8**
(62) CULVERT CONDITION (IF APPLICABLE): **N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **WEIGHT POSTED**

APPRAISAL

(67) STRUCTURAL EVALUATION: **5**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **000N**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **79.1 FT**
(94) BRIDGE IMPROVEMENT COST: **$276,000.00**
(95) ROADWAY IMPROVEMENT COST: **$28,000.00**
(96) TOTAL PROJECT COST: **$415,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **8/25/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59S62581001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR271**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BELFAST-FARMINGTON RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BELFAST CREEK**	LOG MILE:	**1.16**
LOCATION:	**1.1 M N JCT SR50&SR272**	SUFFICIENCY RATING:	**98.0**

IDENTIFICATION

(16a,b) LATITUDE:	**N 35.43500 DEGREES**
(17a,b) LONGITUDE:	**W 86.70333 DEGREES**
(98a) BORDER BRIDGE STATE CODE:	**N/A**
(98b) PERCENT SHARE:	**N/A**
(99) BORDER BRIDGE NUMBER:	**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**PRESTRESSED CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**3**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**MONOLITHIC CONCRETE**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**EPOXY COATED REINFORCING**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1992**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**25.9 FT**
(49) TOTAL BRIDGE LENGTH:	**80.1 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**27.9 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**30.2 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**22.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**20 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**27.9 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**7**
(59) SUPERSTRUCTURE:	**8**
(60) SUBSTRUCTURE:	**7**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**N**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**7**
(68) DECK GEOMETRY:	**5**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**1110**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/8/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	**59SR2710001**	COUNTY:	**MARSHALL**
BRIDGE OWNER:	**STATE OF TENNESSEE**	ROUTE:	**SR271**
FIPS CODE:	**00000**	SPECIAL CASE:	**0**
ROAD NAME:	**BELFAST-FARMINGTON RD.**	COUNTY SEQUENCE:	**1**
CROSSING:	**BRANCH**	LOG MILE:	**3.94**
LOCATION:	**2.1 M SE JCT SR11&SR271**	SUFFICIENCY RATING:	**92.2**

IDENTIFICATION

(16a,b) LATITUDE:	**N**	**35.47333**	**DEGREES**
(17a,b) LONGITUDE:	**W**	**86.70167**	**DEGREES**
(98a) BORDER BRIDGE STATE CODE:			**N/A**
(98b) PERCENT SHARE:			**N/A**
(99) BORDER BRIDGE NUMBER:			**NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	**CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL:	**NOT APPLICABLE**
(45) NUMBER OF MAIN SPANS:	**2**
(46) NUMBER OF APPROACH SPANS:	**0**
(107) TYPE OF DECK:	**CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	**ASPHALT**
B) TYPE MEMBRANE:	**NONE**
C) TYPE PROTECTION:	**NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	**1979**
(106) YEAR THE BRIDGE WAS REHABILITATED:	**N/A**
(42a) SERVICE ON BRIDGE:	**HIGHWAY**
(42b) UNDER BRIDGE:	**WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	**2**
(28b) NUMBER OF LANES UNDER THE BRIDGE:	**0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	**9.8 FT**
(49) TOTAL BRIDGE LENGTH:	**23.0 FT**
(50a) LEFT SIDEWALK WIDTH:	**0.0 FT**
(50b) RIGHT SIDEWALK WIDTH:	**0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH:	**30.8 FT**
(52) BRIDGE OUT TO OUT WIDTH:	**33.1 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	**24.0 FT**
(33) BRIDGE MEDIAN:	**NO MEDIAN**
(34) BRIDGE SKEW:	**0 DEGREES**
(35) BRIDGE FLARE:	**NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD:	**NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	**30.8 FT**
(54a) VERT UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE:	**NOT APPLICABLE**
(55a) HORZ UNDERCLR:	**NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT:	**NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT:	**NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL:	**NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE:	**N/A**
(116) LIFT BRIDGE VERT CLEARANCE:	**N/A**
(40) NAVIGATION HORZ CLEARANCE:	**N/A**

PUBLICATION DATE

27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	**YES**
(104) NATIONAL HIGHWAY SYSTEM:	**NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS:	**RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE:	**NO PARALLEL BRIDGE**
(102) TRAFFIC DIR:	**2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE:	**NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE:	**NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS:	**HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK:	**N**
(59) SUPERSTRUCTURE:	**N**
(60) SUBSTRUCTURE:	**N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	**7**
(62) CULVERT CONDITION (IF APPLICABLE):	**7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	**HS-20-44**
WEIGHT POSTING (2 AXLE VEHICLES):	**ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES):	**ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE:	**5**
(41) WT POSTING STATUS:	**OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION:	**6**
(68) DECK GEOMETRY:	**6**
(69) UNDERCLEARANCE RATING:	**N**
(71) WATERWAY ADEQUACY:	**8**
(72) APPROACH ROADWAY ALIGNMENT:	**8**
(36) TRAFFIC SAFETY FEATURES:	**NNNN**
(113) SCOUR CONDITION RATING:	**8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	**NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT:	**N/A**
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	**9/8/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	**24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	**N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	**N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	**N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS):	**N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S62580007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **BELFAST-FARMINGTON RD.**
CROSSING: **EAST FORK ROCK CREEK**
LOCATION: **.7 M S JCT SR11&SR272**

COUNTY: **MARSHALL**
ROUTE: **SR271**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **5.68**
SUFFICIENCY RATING: **73.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.49667	DEGREES
(17a,b) LONGITUDE:	W	86.71167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1955
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	36.1 FT
(49) TOTAL BRIDGE LENGTH:	180.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	22 FT
(52) BRIDGE OUT TO OUT WIDTH:	24 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	23.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	34 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	22.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	6
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	0111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	180.1 FT
(94) BRIDGE IMPROVEMENT COST:	$338,000.00
(95) ROADWAY IMPROVEMENT COST:	$34,000.00
(96) TOTAL PROJECT COST:	$508,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/8/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S43290001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SPRINGPLACE RD.**
CROSSING: **RICHLAND CREEK**
LOCATION: **.2 M E JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **SR272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.27**
SUFFICIENCY RATING: **99.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.32667	DEGREES
(17a,b) LONGITUDE:	W	86.76167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1998
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	54.5 FT
(49) TOTAL BRIDGE LENGTH:	165.4 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	32.5 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	28.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	8
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	6
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/8/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S43290003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SPRINGPLACE RD.**
CROSSING: **BRANCH**
LOCATION: **1.1 M E JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **SR272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.03**
SUFFICIENCY RATING: **83.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.33500	DEGREES
(17a,b) LONGITUDE:	W	86.75500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1952
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	45.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	18.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/8/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S43290005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SPRINGPLACE RD.**
CROSSING: **RICHLAND CREEK**
LOCATION: **2 M NE JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **SR272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.57**
SUFFICIENCY RATING: **92.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.35500	DEGREES
(17a,b) LONGITUDE:	W	86.74333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1927**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **14.1 FT**
(49) TOTAL BRIDGE LENGTH: **32.2 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **36.4 FT**
(52) BRIDGE OUT TO OUT WIDTH: **43 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **20.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **36.4 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **7**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **1N11**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/8/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PUBLICATION DATE
27-Jul-18

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S43290007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SPRINGPLACE RD.**
CROSSING: **RICHLAND CREEK**
LOCATION: **3.2 M NE JCT SR129&SR272**

COUNTY: **MARSHALL**
ROUTE: **SR272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **3.05**
SUFFICIENCY RATING: **80.3**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.36000	DEGREES
(17a,b) LONGITUDE:	W	86.73833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **3**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **NOT APPLICABLE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **NOT APPLICABLE**
B) TYPE MEMBRANE: **NOT APPLICABLE**
C) TYPE PROTECTION: **NOT APPLICABLE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1930**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **9.8 FT**
(49) TOTAL BRIDGE LENGTH: **47.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24.3 FT**
(52) BRIDGE OUT TO OUT WIDTH: **28.5 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**
(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **45 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **24.3 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **4**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0011**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**
(76) LENGTH OF BRIDGE IMPROVEMENT: **N/A**
(94) BRIDGE IMPROVEMENT COST:
(95) ROADWAY IMPROVEMENT COST:
(96) TOTAL PROJECT COST:
(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/9/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S43290009**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **SPRINGPLACE RD.**
CROSSING: **COLLINS CREEK**
LOCATION: **1.1 M S JCT SR106&SR272**

COUNTY: **MARSHALL**
ROUTE: **SR272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.56**
SUFFICIENCY RATING: **64.8**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.42167	DEGREES
(17a,b) LONGITUDE:	W	86.76833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1955**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **14.1 FT**
(49) TOTAL BRIDGE LENGTH: **28.9 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **24 FT**
(52) BRIDGE OUT TO OUT WIDTH: **25.9 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **18.0 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **15 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **23.6 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **6**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **5**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **8**
(36) TRAFFIC SAFETY FEATURES: **0NNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **28.9 FT**
(94) BRIDGE IMPROVEMENT COST: **$119,000.00**
(95) ROADWAY IMPROVEMENT COST: **$12,000.00**
(96) TOTAL PROJECT COST: **$179,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/9/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S42770001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **VERONA-CANEY RD.**
CROSSING: **BRANCH**
LOCATION: **3 M N JCT SR11&SR272**

COUNTY: **MARSHALL**
ROUTE: **SR272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **12.71**
SUFFICIENCY RATING: **99.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.50333	DEGREES
(17a,b) LONGITUDE:	W	86.76833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2000
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	51.8 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	34.1 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	65 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	33.1 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N1N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/9/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59E00220003	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR272
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	VERONA-CANEY RD.	COUNTY SEQUENCE:	1
CROSSING:	CSX RAILROAD	LOG MILE:	13.44
LOCATION:	3.5 MI.NORTH OF LEWISBURG	SUFFICIENCY RATING:	99.5

IDENTIFICATION

(16a,b) LATITUDE:	N	35.51333	DEGREES
(17a,b) LONGITUDE:	W	86.77000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	BUILT-UP
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1982
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	62.0 FT
(49) TOTAL BRIDGE LENGTH:	178.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	42 FT
(52) BRIDGE OUT TO OUT WIDTH:	44 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	41.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	57 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	42.0 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	23.36 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	17.72 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	7
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	110N
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/9/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59E00220005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **VERONA-CANEY RD.**
CROSSING: **BRANCH**
LOCATION: **5 M S OF SR99**

COUNTY: **MARSHALL**
ROUTE: **SR272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **15.47**
SUFFICIENCY RATING: **72.7**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.54167	DEGREES
(17a,b) LONGITUDE:	W	86.77167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS: **2**
(46) NUMBER OF APPROACH SPANS: **0**
(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:
A) TYPE OF SURFACE: **ASPHALT**
B) TYPE MEMBRANE: **NONE**
C) TYPE PROTECTION: **NONE**

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT: **1930**
(106) YEAR THE BRIDGE WAS REHABILITATED: **N/A**
(42a) SERVICE ON BRIDGE: **HIGHWAY**
(42b) UNDER BRIDGE: **WATERWAY**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: **2**
(28b) NUMBER OF LANES UNDER THE BRIDGE: **0**

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: **14.1 FT**
(49) TOTAL BRIDGE LENGTH: **30.8 FT**
(50a) LEFT SIDEWALK WIDTH: **0.0 FT**
(50b) RIGHT SIDEWALK WIDTH: **0.0 FT**
(51) BRIDGE CURB TO CURB WIDTH: **19.7 FT**
(52) BRIDGE OUT TO OUT WIDTH: **22 FT**
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: **22.0 FT**

(33) BRIDGE MEDIAN: **NO MEDIAN**
(34) BRIDGE SKEW: **0 DEGREES**
(35) BRIDGE FLARE: **NO FLARE**
(520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION**
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: **19.4 FT**
(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE**
(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**
(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**
(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: **NO NAVIGATION CONTROL**
(39) NAVIGATION VERTICAL CLEARANCE: **N/A**
(116) LIFT BRIDGE VERT CLEARANCE: **N/A**
(40) NAVIGATION HORZ CLEARANCE: **N/A**

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH: **YES**
(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE**
(26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR**
(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**
(102) TRAFFIC DIR: **2-WAY TRAFFIC**
(103) TEMPORARY BRIDGE: **NOT APPLICABLE**
(110) NATIONAL TRUCK ROUTE: **NOT ON TRUCK NETWORK**
(37) HISTORICAL CLASS: **HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED**

CONDITION RATINGS

(58) DECK: **N**
(59) SUPERSTRUCTURE: **N**
(60) SUBSTRUCTURE: **N**
(61) STREAM CHANNEL AND CHANNEL PROTECTION: **7**
(62) CULVERT CONDITION (IF APPLICABLE): **7**

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: **H-15-44**
WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS**
WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS**
(70) BRIDGE POSTING CODE: **5**
(41) WT POSTING STATUS: **OPEN**

APPRAISAL

(67) STRUCTURAL EVALUATION: **6**
(68) DECK GEOMETRY: **2**
(69) UNDERCLEARANCE RATING: **N**
(71) WATERWAY ADEQUACY: **8**
(72) APPROACH ROADWAY ALIGNMENT: **6**
(36) TRAFFIC SAFETY FEATURES: **0NNN**
(113) SCOUR CONDITION RATING: **8**

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS NEEDED)**
(76) LENGTH OF BRIDGE IMPROVEMENT: **30.8 FT**
(94) BRIDGE IMPROVEMENT COST: **$114,000.00**
(95) ROADWAY IMPROVEMENT COST: **$12,000.00**
(96) TOTAL PROJECT COST: **$172,000.00**
(97) YEAR OF IMPROVEMENT COST ESTIMATE: **2017**

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: **9/9/2016**
(91) REGULAR INSPECTION FREQUENCY (MONTHS): **24**
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): **N/A**
(92b) UNDERWATER INSP FREQUENCY (MONTHS): **N**
(93c) DATE OF SPECIAL INSPECTION (MO/YR): **N/A**
(92c) SPECIAL INSP FREQUENCY (MONTHS): **N**

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59S42770007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **VERONA-CANEY RD.**
CROSSING: **DUCK RIVER**
LOCATION: **2 M S JCT SR99&SR272**

COUNTY: **MARSHALL**
ROUTE: **SR272**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **17.91**
SUFFICIENCY RATING: **94.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.57500	DEGREES
(17a,b) LONGITUDE:	W	86.77833	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **STEEL CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1970
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	148.0 FT
(49) TOTAL BRIDGE LENGTH:	366.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	29.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	32.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	27.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	29.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	8
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	8
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	5
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	6
(36) TRAFFIC SAFETY FEATURES:	111N
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/9/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	05/2016
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	Y60
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0502001**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **MOORESVILLE HWY.**
CROSSING: **BEAR CREEK**
LOCATION: **1 M S OF MAURY CO LINE**

COUNTY: **MARSHALL**
ROUTE: **SR373**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **0.06**
SUFFICIENCY RATING: **69.1**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45333	DEGREES
(17a,b) LONGITUDE:	W	86.93000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	5
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1944
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	143.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	32.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	26.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.9 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	6
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	143 FT
(94) BRIDGE IMPROVEMENT COST:	$170,000.00
(95) ROADWAY IMPROVEMENT COST:	$18,000.00
(96) TOTAL PROJECT COST:	$256,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0502003**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **MOORESVILLE HWY.**
CROSSING: **FRY BRANCH**
LOCATION: **1.2 M S OF MAURY CO LINE**

COUNTY: **MARSHALL**
ROUTE: **SR373**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.54**
SUFFICIENCY RATING: **87.4**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.43833	DEGREES
(17a,b) LONGITUDE:	W	86.91500	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE CONTINUOUS**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	NOT APPLICABLE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	NOT APPLICABLE
B) TYPE MEMBRANE:	NOT APPLICABLE
C) TYPE PROTECTION:	NOT APPLICABLE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1939
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	24.0 FT
(49) TOTAL BRIDGE LENGTH:	46.9 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	UNDER FILL
(52) BRIDGE OUT TO OUT WIDTH:	UNDER FILL
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	26.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	45 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	N
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0502005**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **MOORESVILLE HWY.**
CROSSING: **MOORESVILLE CREEK**
LOCATION: **1.4 M S MAURY CO LINE**

COUNTY: **MARSHALL**
ROUTE: **SR373**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **1.64**
SUFFICIENCY RATING: **74.5**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44000	DEGREES
(17a,b) LONGITUDE:	W	86.91333	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	2
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1939
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	26.9 FT
(49) TOTAL BRIDGE LENGTH:	57.1 FT
(50a) LEFT SIDEWALK WIDTH:	4.9 FT
(50b) RIGHT SIDEWALK WIDTH:	4.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	36.4 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	26.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	7
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	57.1 FT
(94) BRIDGE IMPROVEMENT COST:	$144,000.00
(95) ROADWAY IMPROVEMENT COST:	$15,000.00
(96) TOTAL PROJECT COST:	$217,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0502007**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **00000**
ROAD NAME: **MOORESVILLE HWY.**
CROSSING: **GLOBE CREEK**
LOCATION: **.3 M SW JCT I65&SR373**

COUNTY: **MARSHALL**
ROUTE: **SR373**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **2.98**
SUFFICIENCY RATING: **75.2**

IDENTIFICATION

(16a,b) LATITUDE:	N 35.44500 DEGREES
(17a,b) LONGITUDE:	W 86.89000 DEGREES
(98a) BORDER BRIDGE STATE CODE:	N/A
(98b) PERCENT SHARE:	N/A
(99) BORDER BRIDGE NUMBER:	NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1939
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	28.9 FT
(49) TOTAL BRIDGE LENGTH:	86.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	24 FT
(52) BRIDGE OUT TO OUT WIDTH:	27.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	26.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	24.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MAJOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	7
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0N00
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	86 FT
(94) BRIDGE IMPROVEMENT COST:	$193,000.00
(95) ROADWAY IMPROVEMENT COST:	$20,000.00
(96) TOTAL PROJECT COST:	$290,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59SR0502009	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR373
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	MOORESVILLE HWY.	COUNTY SEQUENCE:	1
CROSSING:	DOGGETT BRANCH	LOG MILE:	4.84
LOCATION:	1.2 M E JCT I65&SR373	SUFFICIENCY RATING:	89.9

IDENTIFICATION

(16a,b) LATITUDE:	N	35.44833	DEGREES
(17a,b) LONGITUDE:	W	86.86000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	PRESTRESSED CONCRETE
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	1
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	MONOLITHIC CONCRETE
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2012
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	5
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	76.4 FT
(49) TOTAL BRIDGE LENGTH:	81.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	82 FT
(52) BRIDGE OUT TO OUT WIDTH:	84 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	84.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	15 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	82.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	8
(59) SUPERSTRUCTURE:	9
(60) SUBSTRUCTURE:	9
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	8
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1111
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER:	59SR0502011	COUNTY:	MARSHALL
BRIDGE OWNER:	STATE OF TENNESSEE	ROUTE:	SR373
FIPS CODE:	00000	SPECIAL CASE:	0
ROAD NAME:	MOORESVILLE HWY.	COUNTY SEQUENCE:	1
CROSSING:	BRANCH	LOG MILE:	5.42
LOCATION:	1.7 M E JCT I65&SR373	SUFFICIENCY RATING:	89.9

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45000	DEGREES
(17a,b) LONGITUDE:	W	86.85000	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:	CONCRETE CONTINUOUS
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE
(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	EPOXY COATED REINFORCING

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	2012
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	38.1 FT
(49) TOTAL BRIDGE LENGTH:	109.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	83 FT
(52) BRIDGE OUT TO OUT WIDTH:	95.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	24.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	50 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	83.0 FT
(54a) VERT UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR:	NOT A HIGHWAY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NO NAVIGATION CONTROL
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	7
(62) CULVERT CONDITION (IF APPLICABLE):	7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	HL-93
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION:	7
(68) DECK GEOMETRY:	9
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	8
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	1N11
(113) SCOUR CONDITION RATING:	8

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	NOT APPLICABLE
(76) LENGTH OF BRIDGE IMPROVEMENT:	N/A
(94) BRIDGE IMPROVEMENT COST:	
(95) ROADWAY IMPROVEMENT COST:	
(96) TOTAL PROJECT COST:	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NATIONAL BRIDGE INVENTORY
TENNESSEE INVENTORY AND APPRAISAL REPORT

TN TDOT DEPARTMENT OF TRANSPORTATION

BRIDGE ID NUMBER: **59SR0502013**
BRIDGE OWNER: **STATE OF TENNESSEE**
FIPS CODE: **41860**
ROAD NAME: **MOORESVILLE HWY.**
CROSSING: **CSX RAILROAD**
LOCATION: **.6 M W JCT SR11&SR373**

COUNTY: **MARSHALL**
ROUTE: **SR373**
SPECIAL CASE: **0**
COUNTY SEQUENCE: **1**
LOG MILE: **8.27**
SUFFICIENCY RATING: **54.9**

IDENTIFICATION

(16a,b) LATITUDE:	N	35.45000	DEGREES
(17a,b) LONGITUDE:	W	86.80167	DEGREES
(98a) BORDER BRIDGE STATE CODE:			N/A
(98b) PERCENT SHARE:			N/A
(99) BORDER BRIDGE NUMBER:			NOT APPLICABLE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: **CONCRETE**
(44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:	3
(46) NUMBER OF APPROACH SPANS:	0
(107) TYPE OF DECK:	CONCRETE CAST-IN-PLACE
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	
A) TYPE OF SURFACE:	ASPHALT
B) TYPE MEMBRANE:	NONE
C) TYPE PROTECTION:	NONE

AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:	1948
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY-PEDESTRIAN
(42b) UNDER BRIDGE:	RAILROAD
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH:	39.0 FT
(49) TOTAL BRIDGE LENGTH:	96.1 FT
(50a) LEFT SIDEWALK WIDTH:	4.9 FT
(50b) RIGHT SIDEWALK WIDTH:	4.9 FT
(51) BRIDGE CURB TO CURB WIDTH:	51.8 FT
(52) BRIDGE OUT TO OUT WIDTH:	64.6 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	47.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	10 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	51.8 FT
(54a) VERT UNDERCLR:	RAILROAD BENEATH BRIDGE
(54b) MIN VERTICAL UNDERCLEARANCE:	21.36 FT
(55a) HORZ UNDERCLR:	RAILROAD BENEATH BRIDGE
(55b) MIN HORZ UNDERCLR ON RIGHT:	18.04 FT
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE

NAVIGATION DATA

(38) NAV CONTROL:	NOT APPLICABLE
(39) NAVIGATION VERTICAL CLEARANCE:	N/A
(116) LIFT BRIDGE VERT CLEARANCE:	N/A
(40) NAVIGATION HORZ CLEARANCE:	N/A

PUBLICATION DATE
27-Jul-18

CLASSIFICATION

(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	URBAN MINOR ARTERIAL
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS:	HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED

CONDITION RATINGS

(58) DECK:	5
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	N
(62) CULVERT CONDITION (IF APPLICABLE):	N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-15-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS:	WEIGHT POSTED

APPRAISAL

(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	4
(69) UNDERCLEARANCE RATING:	5
(71) WATERWAY ADEQUACY:	N
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0NNN
(113) SCOUR CONDITION RATING:	N

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK:	BRIDGE WIDENING (NO DECK REPAIRS NEEDED)
(76) LENGTH OF BRIDGE IMPROVEMENT:	96.1 FT
(94) BRIDGE IMPROVEMENT COST:	$199,000.00
(95) ROADWAY IMPROVEMENT COST:	$20,000.00
(96) TOTAL PROJECT COST:	$299,000.00
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	9/13/2016
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409