

**2024 PCMH  
Quality Metrics and Thresholds – Pediatric Practice**

<b>Core metric</b>	<b>Definition</b>	<b>Threshold</b>
<b>1. Upper Respiratory Infection</b> <ul style="list-style-type: none"> <li>3 months – 17 years</li> </ul>	The percentage of episodes for members 3 months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in an antibiotic dispensing event.	≥ 93.00%
<b>2. Childhood Immunization Status - Combination 10</b>	The percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps and rubella (MMR); three haemophilus influenza type B (HiB); three hepatitis B (HepB), one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday.	≥ 42.00%
<b>3. Child and Adolescent Well-Care Visits</b>		
<ul style="list-style-type: none"> <li>Ages 3 -11 Years</li> </ul>	The percentage of members 3–11 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.	≥ 65.00%
<ul style="list-style-type: none"> <li>Ages 12 – 17 Years</li> </ul>	The percentage of members 12-17 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.	≥ 57.00%
<ul style="list-style-type: none"> <li>Ages 18 – 21 Years</li> </ul>	The percentage of members aged 18–21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.	≥ 39.00%
<b>4. Well-Child Visits in the First 30 Months of Life</b>		
<ul style="list-style-type: none"> <li>Well-Child Visits in the First 15 Months</li> </ul>	The percentage of members who had the following number of well-child visits with a PCP during the last 15 months. <ul style="list-style-type: none"> <li>Children who turned 15 months old during the measurement year: Six or more well-child visits.</li> </ul>	≥ 61.00%
<ul style="list-style-type: none"> <li>Well-Child Visits for Age 15 Months – 30 Months</li> </ul>	The percentage of members who had the following number of well-child visits with a PCP during the last 15 months. <ul style="list-style-type: none"> <li>Children who turned 30 months old during the measurement year: Two or more well-child visits.</li> </ul>	≥ 71.00%
<b>5. Immunizations for Adolescents, Total Rate – Combination 2</b>	The percentage of adolescents 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.	≥ 26.00%