



**STATE OF TENNESSEE
DEPARTMENT OF LABOR AND WORKFORCE DEVELOPMENT
220 French Landing Drive
Nashville, TN 37243**

May 6, 2025

PUBLIC NOTICE

The Quarterly Meeting of the Board of Boiler Rules

TENNESSEE ROOM

Wednesday – June 11, 2025

9:00 AM (CT)

The mission of the **TN Board of Boiler Rules** is to support the Tennessee Department of Labor and Workforce Development's Boiler Unit by formulating definitions, rules, and regulations for the safe and proper installation, repair, and operation of boilers and pressure vessels.

The **TN Board of Boiler Rules** is dedicated to safeguarding all individuals from the potential hazards associated with operating these systems.

The **TN Board of Boiler Rules** is currently composed of five (5) members.

Workplace Regulations and Compliance Division contact:

Jimmy Watson	Alex Cass
Chief Boiler Inspector 615-626-7044	Asst. Chief Boiler Inspector 615-946-3420
Jimmy.Watson@tn.gov	Alexander.Cass@tn.gov

Individuals with disabilities who wish to participate in these proceedings should contact:
Evelyn Gaines Guzmán ten days prior to the meeting at 615-253-1331 (office) or e-mail –
Evelyn.Gaines.Guzman@tn.gov.

Website:

<https://www.tn.gov/workforce/contact-the-department0/boards---commissions/boards---commissions-redirect/board-of-boiler-rules.html>



June 11, 2025

Quarterly Meeting - Board of Boiler Rules

AGENDA

1. **CALL MEETING TO ORDER**
2. **INTRODUCTIONS AND ANNOUNCEMENTS**
3. **ADOPTION OF THE AGENDA**
4. **APPROVAL OF THE MEETING MINUTES AND TRANSCRIPT (March 12, 2025)**
5. **BOILER UNIT'S REPORTS**
6. **OLD BUSINESS - None**
7. **NEW BUSINESS**

A. Variance Requests:

- **25-05: Maury Regional Medical Center, in Columbia, TN,** is seeking an **Attendant Variance Approval** to operate its two (2) existing high-pressure boilers (Cleaver Brooks) with new microprocessor-based remote-control systems (CB780E / CB120E). These new systems will adhere to the Board of Boiler Rules guidelines for Computerized Remote Monitoring of Boiler Systems.
- **25-06: Domtar Kingsport Mill, in Kingsport, TN,** is seeking a **Variance Approval** to extend the **internal** boiler inspection interval from 12 months to 24 months for a 5-year period for its three (3) existing high-pressure boilers and two(2) economizers. This is needed to improve the maintenance strategy of the Mill by aligning steam outages in parallel with other utility and major maintenance intervals.

B. TN Special:

- **Tennessee Mills, in Livingston, TN,** is applying for a TN Special to operate its wood-fired low-pressure boiler (Boilersmith LTD.) a heat source for a dry kiln system to heat treat food-grade wooden pallets, ensuring the removal of bacteria and pathogens in accordance with sanitation and safety standards required for food logistics and transport.

C. New Repair License Applications:

- **Turn2 Specialty Companies, LLC (LaPorte, TX)** is applying for a license to engage in the erection, repair, and/or alteration of boilers and pressure vessels in the State of Tennessee.
- **Triosim Corporation (White Pine, TN)** is applying for a license to engage in the erection, repair, and/or alteration of boilers and pressure vessels in the State of Tennessee.
- **Universal Machine & Tool Co, Inc. (Kingsport, TN)** is applying for a license to engage in the erection, repair, and/or alteration of boilers and pressure vessels in the State of Tennessee.
- **J&S Professional Services, LLC., (Paris, TN)** is applying for a license to engage in the erection, repair, and/or alteration of boilers and pressure vessels in the State of Tennessee.

D. BOARD CASES:

- **BC 05-11** – Eastman Chemical (TN) Owner-User Repair Form in lieu of NB “R” Form
- **BC 12-18** – Extension to **BC 01-15** – Routine Repairs in TN – 2 Inquiries
- **BC 25-01** – Extension to **BC 01-15** and **BC 12-18** – Mechanical Repairs – 2 Inquiries

E. BOARD APPROVAL REQUEST

- Fee Increases (TDLWD – Rules Chapter **0800-03-03-.14**)

8. OPEN DISCUSSION

9. UPCOMING 2025 SCHEDULED QUARTERLY MEETINGS

- September 10, 2025
- December 10, 2025

10. ADJOURNMENT