



STATE OF TENNESSEE  
DEPARTMENT OF LABOR AND WORKFORCE DEVELOPMENT  
220 French Landing Drive  
Nashville, TN 37243

August 11, 2025

**PUBLIC NOTICE**  
**The Quarterly Meeting of the Board of Boiler Rules**

**TENNESSEE ROOM**  
**Wednesday – September 10, 2025**  
**9:00 AM (CT)**

The mission of the **TN Board of Boiler Rules** is to support the Tennessee Department of Labor and Workforce Development's Boiler Unit by formulating definitions, rules, and regulations for the safe and proper installation, repair, and operation of boilers and pressure vessels.

The **TN Board of Boiler Rules** is dedicated to safeguarding all individuals from the potential hazards associated with operating these systems.

The **TN Board of Boiler Rules** is currently composed of five (5) members.  
**Workplace Regulations and Compliance Division contact:**

<b>Jimmy Watson</b>	<b>Alex Cass</b>
Chief Boiler Inspector 615-626-7044	Asst. Chief Boiler Inspector 615-946-3420
Jimmy.Watson@tn.gov	Alexander.Cass@tn.gov

Individuals with disabilities who wish to participate in these proceedings should contact: Evelyn Gaines Guzmán ten days prior to the meeting at 615-253-1331 (office) or e-mail – **[Evelyn.Gaines.Guzman@tn.gov](mailto:Evelyn.Gaines.Guzman@tn.gov)**.

**Website:**

**[Visit Board of Boiler Rules](#)**



**September 10, 2025**

**Quarterly Meeting - Board of Boiler Rules**

**AGENDA**

**1. CALL MEETING TO ORDER**

**2. INTRODUCTIONS AND ANNOUNCEMENTS**

**3. ADOPTION OF THE AGENDA**

**4. APPROVAL OF THE MEETING MINUTES AND TRANSCRIPT (June 11, 2025)**

**5. BOILER UNIT'S REPORTS**

**6. OLD BUSINESS**

**A. Variance Requests:**

- **25-03: Jack Daniels Distillery, in Lynchburg, TN,** is seeking an **Attendant Variance Approval** to operate its existing high-pressure boiler (NB# 11990) with a new microprocessor-based remote-control system (Autoflame MK8). This new system will adhere to the Board of Boiler Rules guidelines for Computerized Remote Monitoring of Boiler Systems.

**7. NEW BUSINESS**

**A. Variance Requests:**

- **25-07: West Tennessee Healthcare – North Hospital, in Jackson, TN,** is seeking an **Attendant Variance Approval** to operate its two (2) existing high-pressure boilers (Cleaver Brooks) with new microprocessor-based remote-control systems (CB780E / CB120E). These new systems will adhere to the Board of Boiler Rules guidelines for Computerized Remote Monitoring of Boiler Systems.

- **25-08: US Nitrogen, in Midway, TN,** is seeking an **Attendant Variance Approval** to operate its four (4) existing high-pressure boilers (Babcock & Wilcox, Rentech Boilers Systems, Inc, and Struthers Wells Gulport Inc.) with new microprocessor-based remote-control systems (DCS Emerson Delta V). These new systems will adhere to the Board of Boiler Rules guidelines for Computerized Remote Monitoring of Boiler Systems.
- **25-09: East Tennessee Children's Hospital, in Knoxville, TN,** is seeking an **Attendant Variance Approval** to operate its six (6) existing high-pressure boilers (Steris) with new microprocessor-based remote-control systems (323-300033-035). These new systems will adhere to the Board of Boiler Rules guidelines for Computerized Remote Monitoring of Boiler Systems.

#### **B. BOARD CASES & INTERPRETATIONS:**

- **BC 12-18** – Extension to **BC 01-15** – Routine Repairs in TN – Verbiage Change

#### **8. UPCOMING 2025 SCHEDULED QUARTERLY MEETINGS**

- December 11, 2025

#### **9. ADJOURNMENT**